

# N390AA

## 2012 Beech Premier IA

---

# CAMP Status Report

**MSN: RB-293**



*Prepared by the worldwide aviation specialists at RidgeAire, Inc.*



Status Report

PREMIER IA

S/N RB-293 N254BC

OWNER: AIR BC, LLC  
ADDRESS: PO BOX 249  
HEWITT TX 76643  
OFFICE:  
FAX:

OPERATOR: AIR BC, LLC  
ADDRESS: PO BOX 249  
HEWITT TX 76643  
OFFICE:  
FAX:

ANALYST: WADE HOAGBOON  
EMAIL: WHOAGBOON@CAMPSYSTEMS.COM

1-316-462-2455 (DIRECT)  
+1-631-588-3200 (MAIN)  
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)  
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO  
RECORD CHANGES TO ADDRESS, LAST ACTUALS  
(IF ANY).

FILTER CRITERIA : ATA:00, 05, 07, 08, 12, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 44, 46, 52, 53, 54, 55, 56, 57, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 99, GENERAL; Spl.  
Reqs: INCLUDE; Task Type: PACKAGE, COMPONENT, SERVICE; PN/SN-UNKNOWN Components: INCLUDE

AIRCRAFT	SERIAL/REGNO: RB-293/N254BC	MODEL: PREMIER IA	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 27-JUN-2012	LAST ACTUALS:	
		2059.5 A/C HRS	as of 13-AUG-2024
		1707 AFL	as of 13-AUG-2024
		1637.2 ACH	as of 17-JUN-2024

ENGINE NO. 1	SERIAL/PART: 105499/FJ44-2A	MODEL: FJ44-2A	MANUFACTURER: WILLIAMS INTERNATIONAL
	INSTALLED ON: 27-JUN-2012	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	2059.5 ENG. HRS	as of 13-AUG-2024
	0 ENC	1707 ENC	as of 13-AUG-2024

ENGINE NO. 2	SERIAL/PART: 105498/FJ44-2A	MODEL: FJ44-2A	MANUFACTURER: WILLIAMS INTERNATIONAL
	INSTALLED ON: 27-JUN-2012	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	2059.5 ENG. HRS	as of 13-AUG-2024
	0 ENC	1707 ENC	as of 13-AUG-2024



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-160620	NO. 1 ENGINE - REVIEW FJ44-2A LM REV 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-160620	NO. 2 ENGINE - REVIEW FJ44-2A LM REV 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-160920	NO. 1 ENGINE - REVIEW FJ44-2A LM REV40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-160920	NO. 2 ENGINE - REVIEW FJ44-2A LM REV40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-161216	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 41							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-161216	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 41							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-170316	NO. 1 ENGINE - REVIEW		FJ44-2A LMM REV 42					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-170316	NO. 2 ENGINE - REVIEW		FJ44-2A LMM REV 42					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-170621	NO. 1 ENGINE - REVIEW		FJ44-2A LMM REV 43					Service ATA:00
	MOS/MSC	27-Jun-12	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	ENC	0		TAC 0				
					PROC. REF: RCF E082			
E082-170621	NO. 2 ENGINE - REVIEW		FJ44-2A LMM REV 43					Service ATA:00
	MOS/MSC	27-Jun-12	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	ENC	0		TAC 0				
					PROC. REF: RCF E082			
E082-170922	NO. 1 ENGINE - REVIEW		FJ44-2A LMM REV 44					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-170922	NO. 2 ENGINE - REVIEW		FJ44-2A LMM REV 44					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-171212	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 45							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-171212	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 45							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-180322	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 46							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-180322	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 46							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-180621	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 47							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-180621	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 47							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-180921	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 48							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-180921	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 48							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-181213	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 49							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-181213	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 49							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-190312	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 50							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-190312	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 50							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PM39-150717	REVIEW MODEL 390 MAINTENANCE MANUAL REVISION A42-CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-160701	REVIEW PREMIER I/IA MODEL 390 AMM REV. A43							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-171219	REVIEW AUDIT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-180321	REVIEW AUDIT SUMMARY CHANGE FORM - EMED POSITIONS							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-180910	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE - OXYGEN BOTTLE							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-190110	REVIEW AUDIT SUMMARY CHANGE FORM-DESCRIPTION CHANGE							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
					PROC. REF: RCF PM39				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 00 - INFORMATION</b>									
PM39-190201	REVIEW PREMIER I/IA MODEL 390 AIRCRAFT MAINTENANCE MANUAL REV. B							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF PM39								
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
051001	SCHEDULED A INSPECTION							Package	ATA:05
	MOS	11-Jun-24							
	HRS	2032	600 (+20)		2632	2652	572.5 (+20)		
	AFL	1683							
	PROC. REF: AMM 05-20-02								
051002	SCHEDULED B INSPECTION							Package	ATA:05
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)		3232	3252	1172.5 (+20)		
	AFL	1683							
	PROC. REF: AMM 05-20-03								
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	300 (+10%/-10%)		(2270.3) 2270.3	2300.3	210.8 (+30)		
	ENC	1639							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	300 (+10%/-10%)		(2270.3) 2270.3	2300.3	210.8 (+30)		
	ENC	1639							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30)		(2570.3) 2570.3	2600.3	510.8 (+30)		
	ENC	1639							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package ATA:05
	MOS	10-Jul-23						
	HRS	1970.3	600 (+30)		(2570.3) 2570.3	2600.3	510.8 (+30)	
	ENC	1639						
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A							PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:3000 (+50)		(3000) 3000	3050	940.5 (+50)	
	ENC	0						
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A							PKG:3
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:3000 (+50)		(3000) 3000	3050	940.5 (+50)	
	ENC	0						
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A							PKG:3
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2940.5 (+50)	
	ENC	0						
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A							PKG:4
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2940.5 (+50)	
	ENC	0						
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A							PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
052005	NO. 1 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:8000 (+50)		(8000) 8000	8050	5940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:5
052005	NO. 2 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:8000 (+50)		(8000) 8000	8050	5940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:5
052006	NO. 1 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:6
052006	NO. 2 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:6
052007	NO. 1 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:13000 (+50)		(13000) 13000	13050	10940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:13000 (+50)		(13000) 13000	13050	10940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:7
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:8
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:8
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:18000 (+50)		(18000) 18000	18050	15940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:11
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:18000 (+50)		(18000) 18000	18050	15940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:11

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:20000 (+50)		(20000) 20000	20050	17940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:12
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:20000 (+50)		(20000) 20000	20050	17940.5 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:12
05UNS1	ACCOMPLISH UNSCHEDULED LIGHTNING STRIKE INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.040	AFL	0						
					PROC. REF: AMM 05-50-00			
05UNS2	ACCOMPLISH UNSCHEDULED HARD LANDING INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.050	AFL	0						
					PROC. REF: AMM 05-50-00			
05UNS3	ACCOMPLISH UNSCHEDULED TURBULENT AIR INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.060	AFL	0						
					PROC. REF: AMM 05-50-00			
05UNS4	ACCOMPLISH UNSCHEDULED FOREIGN OBJECT DAMAGE INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.070	AFL	0						
					PROC. REF: AMM 05-50-00			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
05UNS5	ACCOMPLISH UNSCHEDULED HIGH DRAG/SIDE LOAD INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
WC#: 05.080	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS6	ACCOMPLISH UNSCHEDULED OPERATION IN OR AROUND VOLCANIC ASH INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.090	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS7	ACCOMPLISH UNSCHEDULED AIRSPEED (OVERSPEED) LIMITATION EXCEEDANCE INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-00				
<b>ATA 12 - SERVICING</b>									
123C01 <sup>S</sup>	LUBRICATE RUDDER, ELEVATOR AND AILERON TRIM TAB PIANO HINGE							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
WC#: 12.070	AFL	1603							
					PROC. REF: GENERIC NO REF			PKG:8	
127A01 <sup>S</sup>	LUBRICATE NOSE LANDING GEAR LUBRICATIONS POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
					PROC. REF: AMM 12-20-01			PKG:8	
127B01 <sup>S</sup>	LUBRICATE LEFT MAIN LANDING GEAR LUBRICATION POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
					PROC. REF: AMM 12-20-01			PKG:8	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
127C01 <sup>S</sup>	LUBRICATE RIGHT MAIN LANDING GEAR LUBRICATION POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
				PROC. REF: AMM 12-20-01				PKG:8	
200A02 <sup>S</sup>	LUBRICATE COCKPIT SECTION ZONE 210 - ABOVE FLOOR							Service	ATA:12
	MOS	28-Jun-22							
	HRS	1774.2	600 (+20)						
WC#: 12.010	AFL	1522							
				PROC. REF: AMM 12-20-01				PKG:9	
200D01 <sup>S</sup>	LUBRICATE MID FUSELAGE ZONE 230 - WING-TO-FUSELAGE FAIRING							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.040	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,7,9	
300A11 <sup>S</sup>	LUBRICATE AFT FUSELAGE ZONE 310 AFT PRESSURE BULKHEAD							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.050	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,7,9	
300B01 <sup>S</sup>	LUBRICATE ZONE 320 VERTICAL STABILIZER							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.060	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,7,9	
300C01 <sup>S</sup>	LUBRICATE ZONE 330 HORIZONTAL STABILIZER							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.130	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,7,9	
500C02 <sup>S</sup>	LUBRICATE LEFT WING ZONE 500/600, 530/630, 540/640 - FLIGHT CONTROLS (600 HOURS)							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.090	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,9	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 12 - SERVICING</b>									
600C02 <sup>S</sup>	LUBRICATE RIGHT WING ZONE 600, 630, 640 - FLIGHT CONTROLS (600 HOURS)							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.090	AFL	1683							
	PROC. REF: AMM 12-20-02								PKG:6,9
700A01 <sup>S</sup>	LUBRICATE FORWARD FUSELAGE ZONE 710 - NOSE WHEEL WELL							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.100	AFL	1683							
	PROC. REF: AMM 12-20-02								PKG:6,9
700B01 <sup>S</sup>	LUBRICATE LEFT WING ZONE 720 LEFT MAIN LANDING GEAR							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.110	AFL	1683							
	PROC. REF: AMM 06-50-06								PKG:6,7,9
700C01 <sup>S</sup>	LUBRICATE RIGHT WING ZONE 730 RIGHT MAIN LANDING GEAR							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.110	AFL	1683							
	PROC. REF: AMM 06-50-06								PKG:6,7,9
800A01 <sup>S</sup>	LUBRICATE ZONE 830 PASSENGER DOOR, ZONE 840 EMERGENCY EXIT, ZONE 850 LEFT BAGGAGE AND ZONE 860 RIGHT AVIONICS DOOR							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.160	AFL	1683							
	PROC. REF: AMM 12-20-02								PKG:6,9
SPC24	200 HOUR LUBRICATION SERVICING							Package	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)		
	AFL	1603							
	PROC. REF: AMM 12-20-02								PKG:8

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 12 - SERVICING</b>									
SPC25	600 HOUR LUBRICATION SERVICING							Package	ATA:12
	MOS	28-Jun-22							
	HRS	1774.2	600 (+20)		2374.2	2394.2	314.7 (+20)		
	AFL	1522							
				PROC. REF: AMM 12-20-02				PKG:9	
<b>ATA 20 - STANDARD PRACTICES - AIRFRAME</b>									
100D06 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - NOSE AVIONICS ZONE 120							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
100E11 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - RADOME ZONE 110							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
200A15 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - COCKPIT ZONE 210							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
200B11 <sup>S</sup>	RESISTANCE TEST ELECTRICAL BOND - CABIN ZONE 220							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
200C20 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - WING TO FUSELAGE ZONE 230							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
200C21 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - ANTENNAS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	
300A48 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 AFT AVIONICS COMPARTMENT							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	
300A49 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 TAILCONE							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	
300B16 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 320 VERTICAL STABILIZER							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	
300C19 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 330 HORIZONTAL STABILIZER							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	
500A11 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	
600A10 <sup>S</sup>	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-13-00							PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>100A11<sup>S</sup> INSPECT COCKPIT EVAPORATOR BLOWER - FORWARD - MOTOR BRUSHES Service ATA:21</b>								
PN:390-385024-0005	MOS	11-Jun-24						
SN:448	HRS	2032	1200 (+20)					
WC#: 21.100	AFL	1683						
PROC. REF: CMM 21-22-22								PKG:7
<b>100B01<sup>S</sup> INSPECT ENVIRONMENTAL SYSTEM - AFT Service ATA:21</b>								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:7
<b>100B02<sup>S</sup> INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE Service ATA:21</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 21.030	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6
<b>100B03<sup>S</sup> INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE Service ATA:21</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 21.020	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6
<b>100B14 VISUALLY INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE Service ATA:21</b>								
	MOS	27-Jun-12						
	HRS	0	6000 (+20)		6000	6020	3940.5 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REF								
<b>100B15 VISUALLY INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE Service ATA:21</b>								
	MOS	27-Jun-12						
	HRS	0	6000 (+20)		6000	6020	3940.5 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REF								
<b>100B16 VISUAL INSPECT AFT COCKPIT BLEED AIR FLAPPER CHECK VALVE Service ATA:21</b>								
	MOS	27-Jun-12		TAC 0				
	HRS	0	6000 (+20)	TAC 0	6000	6020	3940.5 (+20)	
	AFL	0		TAC 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>200A03<sup>S</sup> INSPECT FORWARD ENVIROMENTAL SYSTEM Service ATA:21</b>								
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
	AFL		1683					
					PROC. REF: AMM 21-50-00			PKG:7
<b>200B03<sup>S</sup> INSPECT LEFT HAND SECONDARY OUTFLOW VALVE Service ATA:21</b>								
PN:390-384025-0005	MOS		11-Jun-24					
SN:0660	HRS		2032		600 (+20)			
WC#: 21.195	AFL		1683					
					PROC. REF: GENERIC NO REF			PKG:6
<b>200B03<sup>S</sup> INSPECT RIGHT HAND PRIMARY OUTFLOW VALVE Service ATA:21</b>								
PN:390-384024-0005	MOS		11-Jun-24					
SN:0735A	HRS		2032		600 (+20)			
WC#: 21.190	AFL		1683					
					PROC. REF: AMM 21-30-02			PKG:6
<b>200B10<sup>S</sup> INSPECT CABIN EVAPORATOR BLOWER - AFT - MOTOR BRUSHES Service ATA:21</b>								
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
	AFL		1683					
					PROC. REF: CMM 21-22-22			PKG:7
<b>200D02<sup>S</sup> INSPECT COCKPIT BLEED AIR DUCT Service ATA:21</b>								
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
WC#: 21.050	AFL		1683					
					PROC. REF: AMM 21-20-00			PKG:7
<b>210001 LEFT HAND HEAT EXCHANGER Component ATA:21</b>								
PN:390-385033-0001	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:104	HRS		0		TSN 0			
WC#: 21.290	AFL		0		TSN 0			
					PROC. REF: AMM 21-60-12, AMM 21-60-13			
<b>210002 RIGHT HAND HEAT EXCHANGER Component ATA:21</b>								
PN:390-385033-0001	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:105	HRS		0		TSN 0			
WC#: 21.290	AFL		0		TSN 0			
					PROC. REF: AMM 21-60-12, AMM 21-60-13			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
211101	NO. 1 BLEED AIR CONTROL UNIT							Component	ATA:21
PN:35009-20	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:D6437	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
211102	NO. 2 BLEED AIR CONTROL UNIT							Component	ATA:21
PN:35009-20	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:D6099	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
211111	LEFT HAND TEMPERATURE SENSOR							Component	ATA:21
PN:1300460-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05									
211112	RIGHT HAND TEMPERATURE SENSOR							Component	ATA:21
PN:1300460-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05									
212001	3-WAY SOLENOID VALVE							Component	ATA:21
PN:5303-23	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0648	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 52-10-06									
212011	LEFT HAND BI-LEVEL FLOW CONTROL VALVE							Component	ATA:21
PN:5158-00-3	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:0383	HRS	1256.43		TSO 0					
WC#: 21.060	AFL	1205		TSO 0					
PROC. REF: AMM 21-20-06									
212012	RIGHT HAND BI-LEVEL FLOW CONTROL VALVE							Component	ATA:21
PN:5185-003	MOS/MSC	06-Aug-19	O/C	TSO 0					
SN:0527	HRS	1243.25		TSO 0					
WC#: 21.060	AFL	1196		TSO 0					
PROC. REF: AMM 21-20-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
212021	THREE WAY VALVE							Component	ATA:21
PN:390-385017-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0314	HRS	0		TSN 0					
WC#: 21.330	AFL	0		TSN 0					
PROC. REF: AMM 21-20-02, AMM 52-10-06									
213021	PRESSURIZATION CONTROLLER							Component	ATA:21
PN:390-385014-0003	MOS/MSC	18-Jul-23	O/C	TSO 0					
SN:0343	HRS	1971.2		TSO 0					
WC#: 21.340	AFL	1641		TSO 0					
PROC. REF: AMM 21-30-01									
213041	BAROMETRIC PRESSURE SWITCH							Component	ATA:21
PN:390-364403-0001	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:7593	HRS	2032		TSN 0					
WC#: 21.360	AFL	1683		TSN 0					
PROC. REF: AMM 21-30-05									
215025	COMPRESSOR DRIVE MODULE							Component	ATA:21
PN:1134930-5 (390-385026-0003)	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:499	HRS	1256.43		TSO 0					
WC#: 21.370	AFL	1205		TSO 0					
	ACH	1246		TSO 0					
PROC. REF: GENERIC NO REF									
215030	AIR CONDITIONING COMPRESSOR							Component	ATA:21
PN:PN	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:UNKNOWN	HRS	1256.43		TSO 0					
WC#: 21.160	AFL	1205		TSO 0					
	ACH	1246		TSO 0					
PROC. REF: AMM 21-50-03									
215040	AIR CONDITION CONDENSER							Component	ATA:21
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.180	AFL	0		TSN 0					
PROC. REF: AMM 21-50-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>215043</b>		<b>RIGHT HAND PRIMARY OUTFLOW VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:390-384024-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0735A	HRS	0			TSN 0				
WC#: 21.190	AFL	0			TSN 0				
PROC. REF: AMM 21-30-02									
<b>215044</b>		<b>LEFT HAND SECONDARY OUTFLOW VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:390-384025-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0660	HRS	0			TSN 0				
WC#: 21.195	AFL	0			TSN 0				
PROC. REF: AMM 21-30-03									
<b>215051</b>		<b>SOFT START MODULE</b>						<b>Component</b>	<b>ATA:21</b>
PN:1260470-7	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:238	HRS	0			TSN 0				
WC#: 21.380	AFL	0			TSN 0				
PROC. REF: AMM 21-50-04									
<b>2150510<sup>U</sup></b>		<b>AUTO LOAD SHED MODULE</b>						<b>Component</b>	<b>ATA:21</b>
PN:1240100-3	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
<b>2150512<sup>U</sup></b>		<b>AFT AXIAL BLOWER</b>						<b>Component</b>	<b>ATA:21</b>
PN:BA128E-7	MOS/MSC	18-Jan-17	O/C		TSO 8				
SN:024	HRS	739.75			TSO 0				
	AFL	756			TSO 0				
<b>215061</b>		<b>COCKPIT REFRIGERANT SOLENOID VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:390-385027-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0600	HRS	0			TSN 0				
WC#: 21.390	AFL	0			TSN 0				
PROC. REF: AMM 21-50-17									
<b>215065</b>		<b>CABIN REFRIGERANT SOLENOID VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:390-385027-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0638	HRS	0			TSN 0				
WC#: 21.395	AFL	0			TSN 0				
PROC. REF: AMM 21-50-17									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
215071	FLIGHT DECK EVAPORATOR COIL							Component	ATA:21
PN:390-385020-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:433	HRS	0		TSN 0					
WC#: 21.115	AFL	0		TSN 0					
PROC. REF: AMM 21-50-19									
215091	CABIN COIL EVAPORATOR							Component	ATA:21
PN:390-385023-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:143	HRS	0		TSN 0					
WC#: 21.125	AFL	0		TSN 0					
PROC. REF: AMM 21-50-13									
215095	EVAPORATOR							Component	ATA:21
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216001	CABIN TEMPERATURE CONTROLLER							Component	ATA:21
PN:390-385011-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:811	HRS	0		TSN 0					
WC#: 21.400	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01									
216002	COCKPIT TEMPERATURE CONTROLLER							Component	ATA:21
PN:390-385011-0009	MOS/MSC	23-Nov-20	O/C						
SN:849	HRS	1384.8							
WC#: 21.400	AFL	1293							
PROC. REF: AMM 21-60-01									
216011	LEFT HAND TEMPERATURE SWITCH							Component	ATA:21
PN:1173T0777-01	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0681	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
216012	RIGHT HAND TEMPERATURE SWITCH							Component	ATA:21
PN:1173T0777-01	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0685	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>216021</b>		<b>COCKPIT (555750) VENT DUCT TEMPERATURE SENSOR</b>					<b>Component ATA:21</b>		
PN:1300460-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:867	HRS	0		TSN 0					
WC#: 21.420	AFL	0		TSN 0					
PROC. REF: AMM 21-60-10									
<b>216022</b>		<b>CABIN VENT DUCT TEMPERATURE SENSOR</b>					<b>Component ATA:21</b>		
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.430	AFL	0		TSN 0					
PROC. REF: AMM 21-60-16									
<b>216032</b>		<b>COCKPIT TEMPERATURE SENSOR</b>					<b>Component ATA:21</b>		
PN:1300440-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.440	AFL	0		TSN 0					
PROC. REF: AMM 21-60-14									
<b>216033</b>		<b>CABIN TEMPERATURE SENSOR</b>					<b>Component ATA:21</b>		
PN:1300580-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:443	HRS	0		TSN 0					
WC#: 21.440	AFL	0		TSN 0					
PROC. REF: AMM 21-60-06									
<b>216041</b>		<b>BAGGAGE HEAT CONTROLLER</b>					<b>Component ATA:21</b>		
PN:390-385005-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:E11245045	HRS	0		TSN 0					
WC#: 21.450	AFL	0		TSN 0					
PROC. REF: AMM 21-40-02									
<b>216045</b>		<b>BAGGAGE HEAT BLOWER</b>					<b>Component ATA:21</b>		
PN:390-385005-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:122250166	HRS	0		TSN 0					
WC#: 21.460	AFL	0		TSN 0					
PROC. REF: AMM 21-40-01									
<b>2160508<sup>U</sup></b>		<b>TEMPERATURE SENSOR</b>					<b>Component ATA:21</b>		
PN:1300460-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
216051	NO. 1 MODULATING VALVE							Component	ATA:21
PN:390-385016-0001	MOS/MSC	09-Apr-14	O/C	TSN 22					
SN:842	HRS	160.6	TSN 220.9						
WC#: 21.470	AFL	147	TSN 221						
PROC. REF: AMM 21-60-03									
216052	NO. 2 MODULATING VALVE							Component	ATA:21
PN:390-385016-0001	MOS/MSC	09-Apr-14	O/C	TSN 22					
SN:824	HRS	160.6	TSN 220.9						
WC#: 21.470	AFL	147	TSN 221						
PROC. REF: AMM 21-60-03									
300A13 <sup>S</sup>	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT HEAT SYSTEM							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.210	AFL	1683							
PROC. REF: GENERIC NO REF									
300A14 <sup>S</sup>	INSPECT BLEED AIR FLAPPER CHECK VALVES - TWO LOCATIONS							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.040	AFL	1683							
PROC. REF: GENERIC NO REF									
300A18 <sup>S</sup>	INSPECT RAM AIR DORSAL CHECK VALVES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.220	AFL	1683							
PROC. REF: GENERIC NO REF									
300A19 <sup>S</sup>	INSPECT BLOWER DUCT CHECK VALVES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.230	AFL	1683							
PROC. REF: GENERIC NO REF									
300A20 <sup>S</sup>	INSPECT BLEED AIR HEAT EXCHANGERS							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.240	AFL	1683							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>300A21<sup>S</sup> INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR Service ATA:21</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 21.250	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6
<b>300A42 INSPECT AIR CONDITIONING COMPRESSOR MOTOR AIR CONDITIONING COMPRESSOR MOTOR Service ATA:21</b>								
PN:PN	MOS	28-Jun-22						
SN:UNKNOWN	HRS	1774.2						
WC#: 21.170	AFL	1522						
	ACH	1492.7	500 (+300)		1992.7	2292.7	355.5 (+300)	
PROC. REF: CMM 21-00-13								
<b>300A46 INSPECT AIR CONDITIONING CONDENSER BLOWER MOTOR BRUSHES Service ATA:21</b>								
PN:BA128E-7 (390-385034-0007)	MOS	16-Dec-19						
SN:299	HRS	1256.4						
WC#: 21.480	AFL	1205						
	ACH	1246	1200	TAC 600	1846		208.8	
PROC. REF: CMM 21-11-09								
<b>300A47 INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR BRUSHES Service ATA:21</b>								
PN:390-385034-0005	MOS	23-Nov-20						
SN:469	HRS	1384.8	3600 (+20)		4984.8	5004.8	2925.3 (+20)	
WC#: 21.490	AFL	1293						
PROC. REF: CMM 21-11-10								
<b>OPS03<sup>S</sup> OPERATIONAL TEST CABIN ALTITUDE HIGH SWITCH Service ATA:21</b>								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 21.080	AFL	1683						
PROC. REF: AMM 21-30-00								PKG:7
<b>OPS04 FUNCTIONAL TEST LEFT HAND PRIMARY OUTFLOW VALVE Service ATA:21</b>								
PN:390-384025-0005	MOS	29-Jun-21						AIRWORTHINESS
SN:0660	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	273.6 (+20)	
WC#: 21.195	AFL	1373						
PROC. REF: GENERIC NO REF, AMM 21-30-02								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>OPS04 FUNCTIONAL TEST OF THE PRESSURIZATION MODE (DUMP) SWITCH</b>								
	MOS	29-Jun-21						Service ATA:21 AIRWORTHINESS
	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	273.6 (+20)	
	AFL	1373						
PROC. REF: AMM 21-30-02								
<b>OPS04 FUNCTIONAL TEST RIGHT HAND PRIMARY OUTFLOW VALVE</b>								
PN:390-384024-0005	MOS	29-Jun-21						Service ATA:21 AIRWORTHINESS
SN:0735A	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	273.6 (+20)	
WC#: 21.190	AFL	1373						
PROC. REF: AMM 21-30-02								
<b>SPC17 CHANGE FORWARD ENVIRONMENTAL SYSTEM EVAPORATOR FILTER AND CHECK DRAIN</b>								
	MOS	30-Dec-22						Service ATA:21
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)	
WC#: 21.130	AFL	1603						
PROC. REF: GENERIC NO REF								
<b>SPC18 CHANGE AFT ENVIRONMENTAL SYSTEM EVAPORATOR FILTER</b>								
	MOS	30-Dec-22						Service ATA:21
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)	
WC#: 21.150	AFL	1603						
PROC. REF: GENERIC NO REF								
<b>TBO09 FORWARD COCKPIT EVAPORATOR BLOWER</b>								
PN:390-385024-0005	MOS	10-Jul-23		TSO 0				Component ATA:21 OVERHAUL
SN:448	HRS	1970.3	1600	TSO 0	3570.3		1510.8	
WC#: 21.110	AFL	1639		TSO 0				
PROC. REF: AMM 21-50-20								
<b>TBO11 AFT CABIN EVAPORATOR BLOWER</b>								
PN:390-385024-0005	MOS	29-Jun-21						Component ATA:21 OVERHAUL
SN:285	HRS	1533.1	1600	TSO 0	3133.1		1073.6	
WC#: 21.120	AFL	1373						
PROC. REF: AMM 21-50-14								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>TBO13</b>	<b>AIR CONDITIONING CONDENSER BLOWER MOTOR</b>							<b>Component</b>	<b>ATA:21</b>
PN:BA128E-7 (390-385034-0007)	MOS	16-Dec-19		TSO 30				OVERHAUL	
SN:299	HRS	1256.4		TSO 434.57					
WC#: 21.200	AFL	1205		TSO 364					
	ACH	1246	2400	TSO 600	3046		1408.8		
PROC. REF: AMM 21-50-07									
<b>TBO15</b>	<b>BLEED AIR HEAT EXCHANGER BLOWER MOTOR</b>							<b>Component</b>	<b>ATA:21</b>
PN:390-385034-0005	MOS	23-Nov-20		TSO 0				OVERHAUL	
SN:469	HRS	1384.8	7200	TSO 0	8584.8		6525.3		
WC#: 21.250	AFL	1293							
PROC. REF: AMM 21-60-11									
<b>TBO18</b>	<b>AIR CONDITIONING COMPRESSOR MOTOR</b>							<b>Component</b>	<b>ATA:21</b>
PN:PN	MOS	16-Dec-19		TSO 0				OVERHAUL	
SN:UNKNOWN	HRS	1256.43		TSO 0					
WC#: 21.170	AFL	1205		TSO 0					
	ACH	1246	2000	TSO 0	3246		1608.8		
PROC. REF: AMM 21-50-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221001</b>		<b>ELEVATOR SERVO MOUNT</b>						<b>Component</b>	<b>ATA:22</b>
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48FMR	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
<b>221002</b>		<b>ELEVATOR SERVO</b>						<b>Component</b>	<b>ATA:22</b>
PN:822-1168-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48GNH	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
<b>221011</b>		<b>RUDDER SERVO MOUNT</b>						<b>Component</b>	<b>ATA:22</b>
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
<b>221012</b>		<b>RUDDER SERVO</b>						<b>Component</b>	<b>ATA:22</b>
PN:822-1168-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BG3D	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
<b>221021</b>		<b>AILERON SERVO MOUNT</b>						<b>Component</b>	<b>ATA:22</b>
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3V1LC	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
<b>221022</b>		<b>AILERON SERVO</b>						<b>Component</b>	<b>ATA:22</b>
PN:822-1168-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BFYT	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
<b>221051</b>		<b>AUXILIARY ROLL TRIM CONTROLLER</b>						<b>Component</b>	<b>ATA:22</b>
PN:390-384061-0003	MOS/MSC	30-Aug-12	O/C	TSN 0					
SN:1122	HRS	11.1		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 27-10-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>231001</b>		<b>UPPER VHF COMM ANTENNA</b>						<b>Component</b>	<b>ATA:23</b>
PN:S65-8280-42	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:323-1788	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
<b>231002</b>		<b>LOWER VHF COMM ANTENNA</b>						<b>Component</b>	<b>ATA:23</b>
PN:S65-8280-42	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:323-1789	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
<b>231011</b>		<b>NO. 1 VHF COMM TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:822-1115-021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
<b>231012</b>		<b>NO. 2 VHF COMM TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:822-1115-021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
<b>231015</b>		<b>HF RECEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02									
<b>231021</b>		<b>CTL-23 CONTROL</b>						<b>Component</b>	<b>ATA:23</b>
PN:822-2177-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BF4K	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
<b>231040<sup>U</sup></b>		<b>NO.1 VHF TRANSCEIVER</b>						<b>Component</b>	<b>ATA:23</b>
PN:822-1468-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B36K	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
2310401 <sup>U</sup>		NO.2 VHF TRANSCEIVER					Component	ATA:23	
PN:822-1468-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48JBT	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01									
231101		HF (KCU 951) CONTROLLER					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.130	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01									
231301		RADIO TELEPHONE ANTENNA					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
231311		FLITEPHONE					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
231313		NO. 1 DATA ACQUISITION UNIT					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
231314		NO. 2 DATA ACQUISITION UNIT					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
235001		NO. 1 AUDIO AMP					Component	ATA:23	
PN:700-008	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:71843	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-30-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
235002		NO. 2 AUDIO AMP						Component	ATA:23
PN:700-008	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:73519	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-30-03									
235011		PA AMP						Component	ATA:23
PN:MODEL 240	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4148	HRS	0		TSN 0					
WC#: 23.080	AFL	0		TSN 0					
PROC. REF: AMM 23-30-02									
237001		COCKPIT VOICE RECORDER						Component	ATA:23
PN:2100-1020-51	MOS/MSC	19-Jul-14	O/C						
SN:000739454	HRS	208.9							
WC#: 23.010	AFL	207							
PROC. REF: AMM 23-70-01									
237014		UNDERWATER LOCATOR BEACON						Component	ATA:23
PN:KD120/90	MOS/MSC	12-Jan-18	O/C	TSN 0					
SN:AT101819	HRS	845		TSN 0					
WC#: 23.010	AFL	866		TSN 0					
PROC. REF: AMM 23-70-05									
237016		TEST UNDERWATER LOCATOR BEACON BATTERY AND UNIT						Service	ATA:23
	MOS	10-Jul-23	24 (+30d/-30d)		10-Jul-25	09-Aug-25	330 d (+30)		
	HRS	1970.3							
WC#: 23.010	AFL	1639							
PROC. REF: AMM 23-70-00									
237017		REPLACE UNDERWATER LOCATOR BEACON BATTERY						Service	ATA:23
PN:KD120/90	MOS	12-Jan-18	84		01-Jan-25 (M)		140 d	MANDATORY	
SN:AT101819	HRS	845							
WC#: 23.010	AFL	866							
PROC. REF: GENERIC NO REF									
237021		IMPACT SWITCH						Component	ATA:23
PN:6895D2X2.5-2.5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:8748	HRS	0		TSN 0					
WC#: 23.090	AFL	0		TSN 0					
PROC. REF: AMM 23-70-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
240001	STATIC INVERTER							Component	ATA:24
PN:SS50	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:5910	HRS	0		TSN 0					
WC#: 24.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243001	LEFT HAND GENERATOR CONTROL UNIT							Component	ATA:24
PN:390-384005-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:651	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: AMM 24-30-02									
243002	RIGHT HAND GENERATOR CONTROL UNIT							Component	ATA:24
PN:CG201A-1	MOS/MSC	21-Dec-21	O/C	TSO 0					
SN:592	HRS	1616.4		TSO 0					
WC#: 24.110	AFL	1426		TSO 0					
PROC. REF: AMM 24-30-02									
243003	LEFT HAND GROUND FAULT TRANSFORMER							Component	ATA:24
PN:76394-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3936	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
243005	RIGHT HAND GROUND FAULT TRANSFORMER							Component	ATA:24
PN:76394-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3940	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
245001	DC/AC INVERTER							Component	ATA:24
PN:AC1500-393-3	MOS/MSC	10-Jan-19	O/C	TSN 0					
SN:54	HRS	1074		TSN 0					
WC#: 24.120	AFL	1066		TSN 0					
PROC. REF: GENERIC NO REF									
246001	NO. 1 AC/DC INVERTER							Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0961	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
246002		NO. 2 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0957	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
246003		NO. 3 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0963	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300A22 <sup>S</sup>		INSPECT MAIN BATTERY						Service	ATA:24
PN:RG-380E/44	MOS	11-Jun-24							
SN:41162880	HRS	2032	600 (+20)						
WC#: 24.050	AFL	1683							
PROC. REF: GENERIC NO REF									
300A23 <sup>S</sup>		INSPECT GROUNDING POINT OF LEFT/RIGHT GENERATORS BATTERY AND EXTERNAL POWER						Service	ATA:24
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 24.015	AFL	1683							
PROC. REF: GENERIC NO REF									
300A24 <sup>S</sup>		INSPECT MAIN POWER BOX						Service	ATA:24
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 24.080	AFL	1683							
PROC. REF: GENERIC NO REF									
400A02 <sup>S</sup>		INSPECT NO. 1 ENGINE STARTER/GENERATOR						Service	ATA:24
PN:390-389001-0001	MOS	11-Jun-24							
SN:427AB	HRS	2032	600 (+20)						
WC#: 24.020	AFL	1683							
PROC. REF: GENERIC NO REF									
400A03		INSPECT NO. 1 ENGINE STARTER/GENERATOR BRUSHES						Service	ATA:24
PN:390-389001-0001	MOS	23-Nov-20							
SN:427AB	HRS	1384.8	800 (+20)		2184.8	2204.8	125.3 (+20)		
	AFL	1293							
PROC. REF: CMM 24-30-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
400B02 <sup>S</sup>		INSPECT NO. 2 ENGINE STARTER/GENERATOR							Service ATA:24
PN:390-389001-0001	MOS		11-Jun-24						
SN:743AB	HRS		2032			600 (+20)			
WC#: 24.030	AFL		1683						
PROC. REF: GENERIC NO REF								PKG:6	
400B03		INSPECT NO. 2 ENGINE STARTER/GENERATOR BRUSHES							Service ATA:24
PN:390-389001-0001	MOS		23-Nov-20						
SN:743AB	HRS		1384.8		2184.8	2204.8	125.3 (+20)		
	AFL		1293						
PROC. REF: CMM 24-30-00									
OPS05		OPERATIONAL TEST ELECTRICAL SYSTEM LATENT FAILURE							Service ATA:24
	MOS		27-Jun-12					AIRWORTHINESS	
	HRS		0		2400	2600	340.5 (+200)		
WC#: 24.040	AFL		0						
PROC. REF: AMM 24-30-00									
SPC10		PERFORM LEVEL TEST OF STANDBY POWER SUPPLY							Service ATA:24
	MOS/MSC		27-Jun-12	A/R					
	HRS		0						
WC#: 24.160	AFL		0						
PROC. REF: CMM 24-32-17									
SPC13		ENERGY LEVEL TEST STANDBY BATTERY STANDBY POWER SUPPLY BATTERY							Service ATA:24
PN:390-384027-0001	MOS		17-Jun-24		17-Jun-25	17-Jul-25	307 d (+30)		
SN:1419	HRS		2032						
WC#: 24.140	AFL		1683						
PROC. REF: CMM 24-32-17									
SPC22		CAPACITY CHECK MAIN BATTERY							Service ATA:24
PN:RG-380E/44	MOS		11-Jun-24	3	11-Sep-24		28 d		
SN:41162880	HRS		2032						
WC#: 24.050	AFL		1683						
PROC. REF: GENERIC NO REF									
TBO16		NO. 1 ENGINE STARTER/GENERATOR							Component ATA:24
PN:390-389001-0001	MOS		23-Nov-20		TSO 0			OVERHAUL	
SN:427AB	HRS		1384.8	1400	TSO 0	2784.8	725.3		
WC#: 24.020	AFL		1293		TSO 0				
PROC. REF: AMM 24-30-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>TBO16</b>		<b>NO. 2 ENGINE STARTER/GENERATOR</b>						<b>Component</b>	<b>ATA:24</b>
PN:390-389001-0001	MOS	23-Nov-20		TSO 0				OVERHAUL	
SN:743AB	HRS	1384.8	1400	TSO 0	2784.8		725.3		
WC#: 24.030	AFL	1293		TSO 0					
PROC. REF: AMM 24-30-01									
<b>TBO17</b>		<b>MAIN BATTERY</b>						<b>Component</b>	<b>ATA:24</b>
PN:RG-380E/44	MOS/MSC	03-Jul-21	O/C	TSN 2					
SN:41162880	HRS	1533.1		TSN 0					
WC#: 24.050	AFL	1373		TSN 0					
PROC. REF: CMM 24-30-71									
<b>TBO19</b>		<b>STANDBY BATTERY</b>						<b>Component</b>	<b>ATA:24</b>
PN:100-0206-01	MOS	29-Jun-21	48	TSO 0	29-Jun-25		319 d		
SN:1419	HRS	1533.1							
WC#: 24.100	AFL	1373							
PROC. REF: AMM 24-30-05									
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
<b>200A08<sup>S</sup></b>		<b>INSPECT FLIGHT CREW SEATS</b>						<b>Service</b>	<b>ATA:25</b>
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 25.010	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:6									
<b>200B05<sup>S</sup></b>		<b>INSPECT SEAT ATTACHMENT</b>						<b>Service</b>	<b>ATA:25</b>
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 25.030	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:7									
<b>250001<sup>U</sup></b>		<b>FIRST KIT AID INSPECTION REPLACEMENT</b>						<b>Component</b>	<b>ATA:25</b>
PN:42 KIT	MOS/MSC	10-Jul-23	DUE	TSN 0	17-Nov-25 (M)		460 d		
SN:UNKNOWN	HRS	1970.3		TSN 0					
	AFL	1639		TSN 0					
Expiry Date: : 17-Nov-25									
<b>2510500<sup>U</sup></b>		<b>LIFT DUMP SWITCH ASSEMBLY</b>						<b>Component</b>	<b>ATA:25</b>
PN:390-384069-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
2510505 <sup>U</sup>		LH HAND MICROPHONE REEL ASSEMBLY						Component	ATA:25
PN:390-384056-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2550506 <sup>U</sup>		RH HAND MICROPHONE REEL ASSEMBLY						Component	ATA:25
PN:390-384056-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
256001		EMERGENCY LOCATOR TRANSMITTER						Component	ATA:25
PN:453-5000-(366)	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:210-03779	HRS	0		TSN 0					
WC#: 25.040	AFL	0		TSN 0					
PROC. REF: AMM 25-60-01									
256004		EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY						Component	ATA:25
PN:452-0133	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:395797-019	HRS	1906.5		TSN 0					
	AFL	1603		TSN 0					
PROC. REF: AMM 25-60-01									
256011		ELT BLADE ANTENNA						Component	ATA:25
PN:110-337	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:346056	HRS	0		TSN 0					
WC#: 25.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256021		EMERGENCY EXIT PULL HANDLE						Component	ATA:25
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256041		PILOT LIFE VEST						Component	ATA:25
PN:P01074-113	MOS/MSC	10-Jul-23	O/C	TSN 0					
SN:23010140072	HRS	1970.3		TSN 0					
WC#: 25.110	AFL	1639		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
256042	COPILOT LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:22111120001	HRS	1906.5		TSN 0					
WC#: 25.110	AFL	1603		TSN 0					
PROC. REF: GENERIC NO REF									
256051	NO. 1 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:22032020043	HRS	1906.5		TSN 0					
WC#: 25.120	AFL	1603		TSN 0					
PROC. REF: GENERIC NO REF									
256052	NO. 2 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:22031620038	HRS	1906.5		TSN 0					
WC#: 25.120	AFL	1603		TSN 0					
PROC. REF: GENERIC NO REF									
256053	NO. 3 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	O/C	TSN 0					
SN:22031620015	HRS			TSN 0					
WC#: 25.130	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256054	NO. 4 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	O/C	TSN 0					
SN:23010140060	HRS			TSN 0					
WC#: 25.130	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256055	NO. 5 LIFE VEST							Component	ATA:25
PN:P0640-101	MOS/MSC	04-Jun-24	O/C	TSN 0					
SN:221203450066	HRS			TSN 0					
WC#: 25.140	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256056	NO. 6 LIFE VEST							Component	ATA:25
PN:P01074-201	MOS/MSC	04-Jun-24	O/C	TSN 0					
SN:254188	HRS			TSN 0					
WC#: 25.140	AFL			TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>256401<sup>U</sup> LIFE RAFT Component ATA:25</b>								
PN:RAF118-301	MOS/MSC	31-Jan-23	O/C	TSO 0				
SN:1122125034H2/3119120415	HRS	1922		TSO 0				
	AFL	1613		TSO 0				
<b>257021 MUFFIN FAN Component ATA:25</b>								
PN:011868	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:108451632	HRS	0		TSN 0				
WC#: 25.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>2570500<sup>U</sup> MOUNTING TRAY Component ATA:25</b>								
PN:822-1290-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:18PNY2	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>SPC02 REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY BATTERY Service ATA:25</b>								
PN:452-0133	MOS/MSC	30-Dec-22	DUE		01-Jul-27 (M)		1051 d	MANDATORY
SN:395797-019	HRS	1906.5						
WC#: 25.040	AFL	1603						
PROC. REF: AMM 25-60-01								
<b>SPC04 RECERTIFY COPILOT LIFE VEST GA-12 Service ATA:25</b>								
PN:P01074-113	MOS/MSC		N/A					
SN:22111120001	HRS							
WC#: 25.110	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC04 RECERTIFY NO. 1 LIFE VEST GA-12 Service ATA:25</b>								
PN:P01074-113	MOS/MSC		N/A					
SN:22032020043	HRS							
WC#: 25.120	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC04 RECERTIFY NO. 2 LIFE VEST GA-12 Service ATA:25</b>								
PN:P01074-113	MOS/MSC		N/A					
SN:22031620038	HRS							
WC#: 25.120	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>SPC04 RECERTIFY NO. 3 LIFE VEST GA-12</b>								Service ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	N/A					
SN:22031620015	HRS							
WC#: 25.130	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC04 RECERTIFY NO. 4 LIFE VEST GA-12</b>								Service ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	N/A					
SN:23010140060	HRS							
WC#: 25.130	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC04 RECERTIFY NO. 5 LIFE VEST GA-12</b>								Service ATA:25
PN:P0640-101	MOS/MSC	04-Jun-24	N/A					
SN:221203450066	HRS							
WC#: 25.140	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC04 RECERTIFY NO. 6 LIFE VEST GA-12</b>								Service ATA:25
PN:P01074-201	MOS/MSC	04-Jun-24	N/A					
SN:254188	HRS							
WC#: 25.140	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC04 RECERTIFY PILOT LIFE VEST GA-12</b>								Service ATA:25
PN:P01074-113	MOS/MSC		N/A					
SN:23010140072	HRS							
WC#: 25.110	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY COPILOT LIFE VEST</b>								Service ATA:25
PN:P01074-113	MOS	23-Dec-22	60 (+30d/-30d)		01-Dec-27 (M)	31-Dec-27	1204 d (+30)	
SN:22111120001	HRS							
WC#: 25.110	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY NO. 1 LIFE VEST</b>								Service ATA:25
PN:P01074-113	MOS	21-Dec-22	60 (+30d/-30d)		25-Mar-27 (M)	24-Apr-27	953 d (+30)	
SN:22032020043	HRS							
WC#: 25.120	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>SPC06 RECERTIFY NO. 2 LIFE VEST Service ATA:25</b>								
PN:P01074-113	MOS	21-Dec-22	60 (+30d/-30d)		21-Dec-27	20-Jan-28	1224 d (+30)	
SN:22031620038	HRS							
WC#: 25.120	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY NO. 3 LIFE VEST Service ATA:25</b>								
PN:P01074-113	MOS	25-Mar-22	60 (+30d/-30d)		25-Mar-27	24-Apr-27	953 d (+30)	
SN:22031620015	HRS							
WC#: 25.130	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY NO. 4 LIFE VEST Service ATA:25</b>								
PN:P01074-113	MOS	01-Feb-23	60 (+30d/-30d)		01-Feb-28	02-Mar-28	1266 d (+30)	
SN:23010140060	HRS							
WC#: 25.130	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY NO. 5 LIFE VEST Service ATA:25</b>								
PN:P0640-101	MOS	20-Dec-22	60 (+30d/-30d)		20-Dec-27	19-Jan-28	1223 d (+30)	
SN:221203450066	HRS							
WC#: 25.140	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY NO. 6 LIFE VEST Service ATA:25</b>								
PN:P01074-201	MOS	19-Jun-23	60 (+30d/-30d)		19-Jun-28	19-Jul-28	1405 d (+30)	
SN:254188	HRS							
WC#: 25.140	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC06 RECERTIFY PILOT LIFE VEST Service ATA:25</b>								
PN:P01074-113	MOS	01-Feb-23	60 (+30d/-30d)		01-Feb-28	02-Mar-28	1266 d (+30)	
SN:23010140072	HRS							
WC#: 25.110	AFL							
PROC. REF: GENERIC NO REF								
<b>SPC07 CHECK FIRST AID KIT Service ATA:25</b>								
	MOS	17-Jun-24	12 (+30d/-30d)		17-Jun-25	17-Jul-25	307 d (+30)	
	HRS	2032						
WC#: 25.070	AFL	1683						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>SPC15 INSPECT EMERGENCY LOCATOR TRANSMITTER EMERGENCY LOCATOR TRANSMITTER FAR 91.207(D)</b>								
PN:453-5000-(366)	MOS	14-Nov-23	12 (+30d/-30d)		14-Nov-24	14-Dec-24	92 d (+30)	Service ATA:25
SN:210-03779	HRS	2022.5						
WC#: 25.040	AFL	1675						
PROC. REF: GENERIC NO REF, FAR 91-207(D)								WO#: MP-7833
<b>ATA 26 - FIRE PROTECTION</b>								
<b>200A01 HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER</b>								
PN:C352TS	MOS	29-Jun-21	144 (+30d/-30d)		01-Jan-33 (M)	31-Jan-33	3062 d (+30)	Service ATA:26
SN:G-40531726	HRS							MANDATORY
WC#: 26.060	AFL							
PROC. REF: GENERIC NO REF								
<b>261001 FIRE DETECTION CONTROLLER</b>								
PN:477-90005	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:26
SN:0121-008	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01								
<b>262001 ENGINE FIRE BOTTLE EXTINGUISHER</b>								
PN:30400018-1	MOS/MSC	09-Jun-16	O/C					Component ATA:26
SN:52054B1	HRS	607.7						
WC#: 26.040	AFL	627						
PROC. REF: AMM 26-20-01								
<b>262010 ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE</b>								
PN:13083-5	MOS	14-Nov-23	72		25-Jul-29		1806 d	Component ATA:26
SN:N/A	HRS	2022.5		TSN 0				LIFE LIMIT
WC#: 26.040	AFL	1675		TSN 0				
Manufacture Date:: 25-Jul-23			PROC. REF: AMM 26-20-02					
<b>262011 ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE</b>								
PN:13083-5	MOS	14-Nov-23	72		01-Apr-29		1691 d	Component ATA:26
SN:N/A	HRS	2022.5		TSN 0				LIFE LIMIT
WC#: 26.040	AFL	1675		TSN 0				
Manufacture Date:: 01-Apr-23			PROC. REF: AMM 26-20-02					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262013	REPLACE ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service	ATA:26
PN:13083-5	MOS	14-Nov-23	48		10-Nov-27 (M)		1183 d	SERVICE LIFE LIMIT	
SN:N/A	HRS								
WC#: 26.040	AFL								
PROC. REF: GENERIC NO REF									
262014	REPLACE ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service	ATA:26
PN:13083-5	MOS	14-Nov-23	48		10-Nov-27 (M)		1183 d	SERVICE LIFE LIMIT	
SN:N/A	HRS	2022.5							
WC#: 26.040	AFL	1675							
PROC. REF: GENERIC NO REF									
262101	PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	29-Jun-21	O/C						
SN:G-40531726	HRS	1533.1							
WC#: 26.060	AFL	1373							
PROC. REF: AMM 26-20-03									
300A26	VISUAL AND OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PLUMBING							Service	ATA:26
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1200 (+20/-20)		2974.2	2994.2	914.7 (+20)		
WC#: 26.040	AFL	1522							
PROC. REF: GENERIC NO REF									
300A27 <sup>S</sup>	INSPECT BLEED AIR LEAK DETECTION SENSING ELEMENTS							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.010	AFL	1683							
PROC. REF: AMM 26-10-00									
400A04 <sup>S</sup>	INSPECT NO. 1 ENGINE FIRE DETECTION LOOP AND TUBING							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.020	AFL	1683							
PROC. REF: GENERIC NO REF									
400B04 <sup>S</sup>	INSPECT NO. 2 ENGINE FIRE DETECTION LOOP AND TUBING							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.020	AFL	1683							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>LIMITS01</b>		<b>HYDROSTATIC TEST ENGINE FIRE BOTTLE EXTINGUISHER</b>						Service	ATA:26
PN:30400018-1	MOS	19-Nov-20	60		19-Nov-25		462 d	MANDATORY	
SN:52054B1	HRS								
WC#: 26.040	AFL								
PROC. REF: GENERIC NO REF									
<b>LIMITS03</b>		<b>HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER</b>						Service	ATA:26
PN:C352TS	MOS	29-Jun-21	144		01-Jan-33 (M)		3062 d	MANDATORY	
SN:G-40531726	HRS								
WC#: 26.060	AFL								
PROC. REF: GENERIC NO REF									
<b>OPS06</b>		<b>OPERATIONAL TEST FIRE DETECTION CONTROLLER AND SENSOR CABLE</b>						Service	ATA:26
	MOS	21-Jun-19							
	HRS	1200.17	1200 (+20)		2400.17	2420.17	340.7 (+20)		
WC#: 26.030	AFL	1162							
PROC. REF: AMM 26-10-00									
<b>OPS07</b>		<b>ENGINE FIRE EXTINGUISHING SYSTEM</b>						Service	ATA:26
	MOS	21-Jun-19						AIRWORTHINESS	
	HRS	1200.17	1200 (+20/-20)		2400.17	2420.17	340.7 (+20)		
WC#: 26.050	AFL	1162							
PROC. REF: AMM 26-20-00									
<b>SPC08</b>		<b>WEIGHT CHECK PORTABLE FIRE EXTINGUISHER</b>						Service	ATA:26
	MOS	08-Nov-23	12 (+30d/-30d)		08-Nov-24 (M)	08-Dec-24	86 d (+30)	MANDATORY	
	HRS								
WC#: 26.060	AFL								
PROC. REF: AMM 26-20-00									
WO#: MP-7833									
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>100A01<sup>S</sup></b>		<b>INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS</b>						Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.160	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:7									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
100A02 <sup>S</sup>	INSPECT FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.150	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:7
100A03 <sup>S</sup>	INSPECT RUDDER PEDALS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.260	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-20-00								PKG:7
100B04 <sup>S</sup>	INSPECT FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.720	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:7
100B05 <sup>S</sup>	INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.710	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:7
100B06 <sup>S</sup>	CHECK AILERON CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.030	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6
100B12 <sup>S</sup>	CHECK ELEVATOR CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.355	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-30-00								PKG:6
100B13 <sup>S</sup>	CHECK RUDDER CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.255	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-20-00								PKG:6

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
200A10 <sup>S</sup>		INSPECT CONTROL COLUMN							Service ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.130	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6	
200A11 <sup>S</sup>		INSPECT RUDDER PEDALS							Service ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.190	AFL	1683							
PROC. REF: AMM 27-20-00								PKG:6	
200D03 <sup>S</sup>		CHECK AILERON AUTOPILOT SERVO BRIDLE CABLE							Service ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.020	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6	
270001		LEFT PILOT POSITION SENSOR							Component ATA:27
PN:390-381012-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:M3521	HRS	0			TSN 0				
WC#: 27.730	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
270002		RIGHT CO-PILOT POSITION SENSOR							Component ATA:27
PN:390-381012-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:M8811	HRS	0			TSN 0				
WC#: 27.730	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
270011		LEFT CONTROL WHEEL							Component ATA:27
PN:390-382052-0009	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0202	HRS	0			TSN 0				
WC#: 27.740	AFL	0			TSN 0				
PROC. REF: AMM 27-10-10									
270012		RIGHT CONTROL WHEEL							Component ATA:27
PN:390-382052-0010	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0197	HRS	0			TSN 0				
WC#: 27.740	AFL	0			TSN 0				
PROC. REF: AMM 27-10-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>271001</b>		<b>LEFT AILERON TRIM TAB ACTUATOR</b>					<b>Component ATA:27</b>		
PN:390-381009-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:150	HRS	0		TSN 0					
WC#: 27.750	AFL	0		TSN 0					
PROC. REF: AMM 27-10-02									
<b>271002</b>		<b>RIGHT AILERON TRIM TAB ACTUATOR</b>					<b>Component ATA:27</b>		
PN:390-381009-0010	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:164	HRS	0		TSN 0					
WC#: 27.750	AFL	0		TSN 0					
PROC. REF: AMM 27-10-02									
<b>271011</b>		<b>LEFT AILERON</b>					<b>Component ATA:27</b>		
PN:390-130001-0023	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740709473	HRS	0		TSN 0					
WC#: 27.760	AFL	0		TSN 0					
PROC. REF: AMM 27-10-01									
<b>271012</b>		<b>RIGHT AILERON</b>					<b>Component ATA:27</b>		
PN:390-130001-0024	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740709472	HRS	0		TSN 0					
WC#: 27.760	AFL	0		TSN 0					
PROC. REF: AMM 27-10-01									
<b>272001</b>		<b>RUDDER</b>					<b>Component ATA:27</b>		
PN:390-630010-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S7H0008	HRS	0		TSN 0					
WC#: 27.250	AFL	0		TSN 0					
PROC. REF: AMM 27-20-01									
<b>272005</b>		<b>RUDDER TRIM TAB</b>					<b>Component ATA:27</b>		
PN:390-630050-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.230	AFL	0		TSN 0					
PROC. REF: AMM 27-20-02									
<b>272011</b>		<b>RUDDER TRIM TAB ACTUATOR</b>					<b>Component ATA:27</b>		
PN:390-386003-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0335	HRS	0		TSN 0					
WC#: 27.780	AFL	0		TSN 0					
PROC. REF: AMM 27-20-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
272021	LEFT INBOARD RUDDER BOOST PRESSURE TRANSDUCER							Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7499-11-467	HRS	0		TSN 0					
WC#: 27.790	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272022	LEFT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER							Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7533-9-385	HRS	0		TSN 0					
WC#: 27.790	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272031	RIGHT INBOARD RUDDER BOOST PRESSURE TRANSDUCER							Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7533-9-487	HRS	0		TSN 0					
WC#: 27.800	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272032	RIGHT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER							Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7533-9-476	HRS	0		TSN 0					
WC#: 27.800	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272041	VERTICAL STABILIZER ASSEMBLY							Component	ATA:27
PN:390-640010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RB-293	HRS	0		TSN 0					
WC#: 27.770	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
273001	LEFT ELEVATOR							Component	ATA:27
PN:390-610100-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S7H0004	HRS	0		TSN 0					
WC#: 27.290	AFL	0		TSN 0					
PROC. REF: AMM 27-30-01									
273002	RIGHT ELEVATOR							Component	ATA:27
PN:390-610100-0018	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S70140	HRS	0		TSN 0					
WC#: 27.290	AFL	0		TSN 0					
PROC. REF: AMM 27-30-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>273011</b>		<b>ELEVATOR TAB GEARBOX</b>							<b>Component ATA:27</b>
PN:390-526251-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0003	HRS	0		TSN 0					
WC#: 27.810	AFL	0		TSN 0					
PROC. REF: AMM 27-30-10									
<b>273101</b>		<b>LEFT AOA TRANSMITTER</b>							<b>Component ATA:27</b>
PN:SLZ8060-5	MOS/MSC	01-Sep-14	O/C	TSN 27					
SN:AB01177	HRS	237		TSN 237					
WC#: 27.820	AFL	237		TSN 237					
PROC. REF: AMM 27-31-01									
<b>273102</b>		<b>RIGHT AOA TRANSMITTER</b>							<b>Component ATA:27</b>
PN:SLZ8060-5	MOS/MSC	01-Sep-14	O/C	TSN 27					
SN:AB01188	HRS	237		TSN 237					
WC#: 27.820	AFL	237		TSN 237					
PROC. REF: AMM 27-31-01									
<b>274001</b>		<b>PITCH TRIM CONTROL UNIT</b>							<b>Component ATA:27</b>
PN:390-384028-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3069	HRS	0		TSN 0					
WC#: 27.830	AFL	0		TSN 0					
PROC. REF: AMM 27-40-06									
<b>274006</b>		<b>UPPER YOKE SCISSOR FITTING</b>							<b>Component ATA:27</b>
PN:390-610110/390-600115	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.460	AFL	0							
PROC. REF: AMM 55-10-01									
<b>274007</b>		<b>LOWER YOKE SCISSOR FITTING</b>							<b>Component ATA:27</b>
PN:390-610110/390-600115	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.470	AFL	0							
PROC. REF: AMM 55-30-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
274011	HORIZONTAL STABILIZER ASSEMBLY							Component	ATA:27
PN:390-620000-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S750671463	HRS	0		TSN 0					
WC#: 27.840	AFL	0		TSN 0					
PROC. REF: AMM 27-40-01									
274020	HORIZONTAL CENTER FITTING							Component	ATA:27
PN:390-620170	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.490	AFL	0		TSN 0					
PROC. REF: AMM 27-40-01									
274021	LEFT HORIZONTAL STABILIZER POTENTIOMETER							Component	ATA:27
PN:390-386043-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0735	HRS	0		TSN 0					
WC#: 27.850	AFL	0		TSN 0					
PROC. REF: AMM 27-40-03									
274022	RIGHT HORIZONTAL STABILIZER POTENTIOMETER							Component	ATA:27
PN:390-386043-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0713	HRS	0		TSN 0					
WC#: 27.850	AFL	0		TSN 0					
PROC. REF: AMM 27-40-03									
275001	FLAP POTENTIOMETER							Component	ATA:27
PN:390-381404-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:432	HRS	0		TSN 0					
WC#: 27.860	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275011	FLAP CONTROL UNIT							Component	ATA:27
PN:390-381401-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:K0386	HRS	0		TSN 0					
WC#: 27.860	AFL	0		TSN 0					
PROC. REF: AMM 27-50-08									
275021	LEFT OUTBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160002-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740542014	HRS	0		TSN 0					
WC#: 27.870	AFL	0		TSN 0					
PROC. REF: AMM 27-50-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
275022	RIGHT OUTBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160002-0020	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740634707	HRS	0		TSN 0					
WC#: 27.870	AFL	0		TSN 0					
PROC. REF: AMM 27-50-02									
275023	LEFT INBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160001-0015	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740635927	HRS	0		TSN 0					
WC#: 27.880	AFL	0		TSN 0					
PROC. REF: AMM 27-50-01									
275024	RIGHT INBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160001-0016	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740668364	HRS	0		TSN 0					
WC#: 27.880	AFL	0		TSN 0					
PROC. REF: AMM 27-50-01									
275041	LEFT NO. 1 FLAP ACTUATOR							Component	ATA:27
PN:390-381402-0018	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:G0625	HRS	0		TSN 0					
WC#: 27.890	AFL	0		TSN 0					
PROC. REF: AMM 27-50-03									
275042	LEFT NO. 2 FLAP ACTUATOR							Component	ATA:27
PN:390-381402-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:G0331	HRS	0		TSN 0					
WC#: 27.890	AFL	0		TSN 0					
PROC. REF: AMM 27-50-03									
275043	LEFT NO. 3 FLAP ACTUATOR							Component	ATA:27
PN:390-381402-0017	MOS/MSC	30-Nov-23	O/C	TSN 137					
SN:G0656	HRS	2023.6		TSN 2023.6					
WC#: 27.890	AFL	1676		TSN 1676					
PROC. REF: AMM 27-50-03									
275044	LEFT NO.5 FLAP ACTUATOR							Component	ATA:27
PN:390-381403-0011	MOS/MSC	30-Nov-23	O/C						
SN:H0660	HRS	2023.6							
WC#: 27.890	AFL	1676							
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
275061	RIGHT NO. 1 FLAP ACTUATOR							Component	ATA:27
PN:390-381402-0017	MOS/MSC	07-Feb-24	O/C						
SN:2A8206G	HRS	2027							
WC#: 27.900	AFL	1679							
					PROC. REF: AMM 27-50-03				
275062	RIGHT NO. 2 FLAP ACTUATOR							Component	ATA:27
PN:390-381402-0020	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:G0328	HRS	0		TSN 0					
WC#: 27.900	AFL	0		TSN 0					
					PROC. REF: AMM 27-50-03				
275063	RIGHT NO. 3 FLAP ACTUATOR							Component	ATA:27
PN:390-381402-0018	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:G0665	HRS	0		TSN 0					
WC#: 27.900	AFL	0		TSN 0					
					PROC. REF: AMM 27-50-03				
275064	RIGHT NO. 5 FLAP ACTUATOR							Component	ATA:27
PN:390-381403-0011	MOS/MSC	30-Nov-23	O/C	TSN 137					
SN:H0658	HRS	2023.6		TSN 2023.6					
WC#: 27.900	AFL	1676		TSN 1676					
					PROC. REF: AMM 27-50-03				
276001	SPOILER CONTROL UNIT							Component	ATA:27
PN:390-384011-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0345	HRS	0		TSN 0					
WC#: 27.910	AFL	0		TSN 0					
					PROC. REF: AMM 27-60-05				
276011	LEFT SPOILER (ROLL CONTROL) PANEL							Component	ATA:27
PN:390-381039-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0234	HRS	0		TSN 0					
WC#: 27.920	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
276012	RIGHT SPOILER (ROLL CONTROL) PANEL							Component	ATA:27
PN:390-381039-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
WC#: 27.920	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>276021</b>		<b>LEFT SPOILER SPEED BRAKE PANEL</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381038-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0237	HRS	0			TSN 0				
WC#: 27.930	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>276022</b>		<b>RIGHT SPOILER SPEED BRAKE PANEL</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381038-0002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0233	HRS	0			TSN 0				
WC#: 27.930	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>276031</b>		<b>SPOILER CONTROL MODULE</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381006-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:327	HRS	0			TSN 0				
WC#: 27.940	AFL	0			TSN 0				
PROC. REF: AMM 27-60-01									
<b>276041</b>		<b>LEFT UPLOCK RELEASE ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381201-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:1976	HRS	0			TSN 0				
WC#: 27.950	AFL	0			TSN 0				
PROC. REF: AMM 27-60-13									
<b>276042</b>		<b>RIGHT UPLOCK RELEASE ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381201-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:1977	HRS	0			TSN 0				
WC#: 27.950	AFL	0			TSN 0				
PROC. REF: AMM 27-60-13									
<b>276051</b>		<b>LEFT LIFT DUMP ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381008-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0641	HRS	0			TSN 0				
WC#: 27.960	AFL	0			TSN 0				
PROC. REF: AMM 27-60-02									
<b>276052</b>		<b>RIGHT LIFT DUMP ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381008-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0636	HRS	0			TSN 0				
WC#: 27.960	AFL	0			TSN 0				
PROC. REF: AMM 27-60-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>276061</b>		<b>LEFT BLOWDOWN ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0624	HRS	0		TSN 0					
WC#: 27.970	AFL	0		TSN 0					
PROC. REF: AMM 27-60-03									
<b>276062</b>		<b>RIGHT BLOWDOWN ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0654	HRS	0		TSN 0					
WC#: 27.970	AFL	0		TSN 0					
PROC. REF: AMM 27-60-03									
<b>276071</b>		<b>LEFT ROLL SPOILER ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381007-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0561	HRS	0		TSN 0					
WC#: 27.980	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04									
<b>276072</b>		<b>RIGHT ROLL SPOILER ACTUATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381007-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0628	HRS	0		TSN 0					
WC#: 27.980	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04									
<b>276081</b>		<b>LEFT SPOILER POSITION SENSOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381011-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:01385	HRS	0		TSN 0					
WC#: 27.990	AFL	0		TSN 0					
PROC. REF: AMM 27-60-10									
<b>276082</b>		<b>RIGHT SPOILER POSITION SENSOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381011-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:01384	HRS	0		TSN 0					
WC#: 27.990	AFL	0		TSN 0					
PROC. REF: AMM 27-60-10									
<b>276091</b>		<b>LEFT SPOILER (LIFT DUMP) PANEL</b>						<b>Component</b>	<b>ATA:27</b>
PN:390-381037-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0237	HRS	0		TSN 0					
WC#: 27.995	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
276092	RIGHT SPOILER (LIFT DUMP) PANEL							Component	ATA:27
PN:390-381037-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:H0008	HRS	0		TSN 0					
WC#: 27.995	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300A02	VISUAL CHECK ELEVATOR AND ATTACHMENT STRUCTURE							Service	ATA:27
	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1403 d (+30)	AIRWORTHINESS	
	HRS	2032	1200 (+20/-20)		3232	3252	1172.5 (+20)		
WC#: 27.300	AFL	1683							
PROC. REF: AMM 27-30-00									
300A04	VISUAL CHECK LOWER YOKE SCISSOR FITTING							Service	ATA:27
PN:390-610110/390-600115	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1403 d (+30)		
SN:UNKNOWN	HRS	2032	1200 (+20/-20)		3232	3252	1172.5 (+20)		
WC#: 27.470	AFL	1683							
PROC. REF: GENERIC NO REF									
300A04	VISUAL CHECK UPPER YOKE SCISSOR FITTING							Service	ATA:27
PN:390-610110/390-600115	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1403 d (+30)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2032	1200 (+20/-20)		3232	3252	1172.5 (+20)		
WC#: 27.460	AFL	1683							
PROC. REF: GENERIC NO REF									
300A05	INSPECT PITCH TRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHING AND STRUCTURE							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	400 (+20/-20)		2174.2	2194.2	114.7 (+20)		
WC#: 27.480	AFL	1522							
PROC. REF: AMM 27-40-00									
300A06	VISUAL CHECK RUDDER ATTACHMENT STRUCTURE							Service	ATA:27
	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1403 d (+30)	AIRWORTHINESS	
	HRS	2032	1200 (+20/-20)		3232	3252	1172.5 (+20)		
WC#: 27.250	AFL	1683							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
300A09	VISUAL/EDDY CURRENT INSPECT CENTER HORIZONTAL FITTING							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)		
WC#: 27.500	AFL	0							
	PROC. REF: AMM 55-10-01								
300A28 <sup>S</sup>	INSPECT RUDDER/ELEVATOR FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.240	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00							PKG:6	
300B02 <sup>S</sup>	INSPECT RUDDER							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.250	AFL	1683							
	PROC. REF: AMM 27-20-00							PKG:6	
300B03 <sup>S</sup>	INSPECT RUDDER TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.230	AFL	1683							
	PROC. REF: AMM 27-20-00							PKG:6	
300B04 <sup>S</sup>	INSPECT RUDDER TRIM ACTUATOR AND LINKAGE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.210	AFL	1683							
	PROC. REF: AMM 27-20-00							PKG:6	
300B05 <sup>S</sup>	INSPECT RUDDER TRIM TAB HINGE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.230	AFL	1683							
	PROC. REF: AMM 27-20-00							PKG:6	
300B06 <sup>S</sup>	INSPECT RUDDER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.180	AFL	1683							
	PROC. REF: AMM 27-20-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
300B07 <sup>S</sup>	INSPECT RUDDER AUTOPILOT SERVO AND BRIDLE CABLE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.170	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300B08 <sup>S</sup>	INSPECT RUDDER QUADRANT, BELLCRANK, STOP BOLTS, TORQUE TUBE, RUDDER COUNTER BALANCE AND CENTERING SPRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.200	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300B09 <sup>S</sup>	PERFORM RUDDER TRIM TAB FREEPLAY INSPECTION							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.220	AFL	1683							
	PROC. REF: AMM 27-20-00								PKG:6
300B10 <sup>S</sup>	INSPECT ELEVATOR AUTOPILOT SERVO AND BRIDLE CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.310	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-30-00								PKG:6
300B11 <sup>S</sup>	INSPECT ELEVATOR CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.320	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-30-00								PKG:6
300B12 <sup>S</sup>	INSPECT ELEVATOR TRIM TAB SYSTEM, ELEVATOR QUADRANT, PUSHROD, CONNECTING BOLTS, AND STOP BOLTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.330	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300B13 <sup>S</sup>	INSPECT VERTICAL STABILIZER FRONT AND REAR SPAR ATTACHMENT							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 55.020	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
300B17 <sup>S</sup>	INSPECT RUDDER CABLE TENSION							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300C02 <sup>S</sup>	INSPECT ELEVATOR CONTROL LINKAGE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.340	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-30-00								PKG:6
300C03	INSPECT PITCH TRIM ACTUATOR SYSTEM, PITCHTRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHINGS, AND STRUCTURE							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	400 (+20/-20)		2174.2	2194.2	114.7 (+20)		
WC#: 27.450	AFL	1522							
	PROC. REF: AMM 27-40-00								
300C04 <sup>S</sup>	INSPECT ELEVATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.350	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300C05 <sup>S</sup>	INSPECT ELEVATOR HINGES AND HINGE BOLTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.360	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300C06 <sup>S</sup>	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TABS AND HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.370	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300C07	VISUAL CHECK ELEVATOR TRIM TAB SYSTEM							Service	ATA:27
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	247 (+20)		
WC#: 27.380	AFL	1603							
	PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
300C09 <sup>S</sup>	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB GEAR BOXES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.390	AFL	1683							
	PROC. REF: AMM 27-30-00							PKG:6	
300C10 <sup>S</sup>	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB JACK SCREW							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.400	AFL	1683							
	PROC. REF: AMM 27-30-00							PKG:6	
300C11 <sup>S</sup>	INSPECT ELEVATOR TRIM TAB JACK SCREW FLEX SHAFT							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.410	AFL	1683							
	PROC. REF: AMM 27-30-00							PKG:6	
300C12 <sup>S</sup>	VISUALLY CHECK AFT PIVOT FITTING ASSEMBLY							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.520	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:7	
300C17 <sup>S</sup>	INSPECT HORIZONTAL ATTACHMENT PIN							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.530	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:7	
500C01 <sup>S</sup>	INSPECT LEFT WING FLAP DOORS (540LL, 540NL, 230HL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.570	AFL	1683							
	PROC. REF: AMM 06-50-02, AMM 06-50-05							PKG:6	
500C03 <sup>S</sup>	INSPECT LEFT WING SPOILER HYDRAULIC LINES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.640	AFL	1683							
	PROC. REF: AMM 27-60-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
500C04 <sup>S</sup>	INSPECT LEFT WING AILERON CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.060	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:6	
500C06 <sup>S</sup>	INSPECT LEFT WING AILERON AUTOPILOT SERVO AND CABLE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.080	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6	
500C07	INSPECT LEFT AILERON TRIM TAB SYSTEM							Service	ATA:27
	MOS	30-Dec-22							
	HRS	1906.5	400 (+20)		2306.5	2326.5	247 (+20)		
	AFL	1603							
PROC. REF: AMM 27-10-00									
500C08 <sup>S</sup>	INSPECT LEFT WING AILERON TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.090	AFL	1683							
PROC. REF: AMM 27-10-00								PKG:6	
500C09 <sup>S</sup>	INSPECT LEFT WING AILERON HINGES AND ATTACH POINTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.100	AFL	1683							
PROC. REF: AMM 27-10-00								PKG:6	
500C10	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1540.5 (+200)		
WC#: 27.120	AFL	0							
PROC. REF: AMM 27-10-00									
500C11	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1540.5 (+200)		
WC#: 27.140	AFL	0							
PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
500C12 <sup>S</sup>	INSPECT LEFT WING AILERON DRY BAY (530LL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.070	AFL	1683							
				PROC. REF: AMM 27-10-00				PKG:6	
500C13 <sup>S</sup>	INSPECT LEFT WING FLAP							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.580	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C15	INSPECT LEFT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service	ATA:27
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	200 (+20/-20)		2232	2252	172.5 (+20)		
WC#: 27.590	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C16 <sup>S</sup>	INSPECT LEFT WING FLAP ACTUATOR WIRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.600	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C17 <sup>S</sup>	INSPECT LEFT WING FLAP ROLLERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.610	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C19 <sup>S</sup>	INSPECT LEFT WING SPOILERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.650	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
500C20 <sup>S</sup>	INSPECT LEFT WING SPOILER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.660	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
500C21 <sup>S</sup>	INSPECT LEFT WING SPOILER DRY BAY (530EL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.680	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
500C22 <sup>S</sup>	INSPECT LEFT WING SPOILER ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.700	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
500C23 <sup>S</sup>	INSPECT LEFT WING SPOILER BLOWDOWN ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.670	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:7	
500C24	INSPECT LEFT WING LIFT DUMP ACTUATOR							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1000 (+20/-20)		2774.2	2794.2	714.7 (+20)		
WC#: 27.690	AFL	1522							
				PROC. REF: AMM 27-60-00					
600C01 <sup>S</sup>	INSPECT RIGHT WING FLAP DOORS (640LL, 640NL, 230KR)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.570	AFL	1683							
				PROC. REF: AMM 06-50-02, AMM 06-50-05				PKG:6	
600C03 <sup>S</sup>	INSPECT RIGHT WING SPOILER HYDRAULIC LINES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.640	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
600C04 <sup>S</sup>	INSPECT RIGHT WING AILERON CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.060	AFL	1683							
				PROC. REF: AMM 20-14-00, AMM 27-00-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
600C07	INSPECT RIGHT AILERON TRIM TAB SYSTEM							Service	ATA:27
	MOS	28-Jun-22							
	HRS	1774.2	400 (+20)		2174.2	2194.2	114.7 (+20)		
WC#: 27.110	AFL	1522							
PROC. REF: AMM 27-00-00, AMM 27-10-00									
600C08 <sup>S</sup>	INSPECT RIGHT WING AILERON TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.090	AFL	1683							
PROC. REF: AMM 27-10-00									
600C09 <sup>S</sup>	INSPECT RIGHT WING AILERON HINGES AND ATTACH POINTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.100	AFL	1683							
PROC. REF: AMM 27-10-00									
600C10	INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1540.5 (+200)		
WC#: 27.120	AFL	0							
PROC. REF: AMM 27-10-00									
600C11	INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1540.5 (+200)		
WC#: 27.140	AFL	0							
PROC. REF: AMM 27-10-00									
600C12 <sup>S</sup>	INSPECT RIGHT WING AILERON DRY BAY (630LL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.070	AFL	1683							
PROC. REF: AMM 27-10-00									
600C13 <sup>S</sup>	INSPECT RIGHT WING FLAP							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.580	AFL	1683							
PROC. REF: AMM 27-50-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
600C15	INSPECT RIGHT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service	ATA:27
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	200 (+20/-20)		2232	2252	172.5 (+20)		
WC#: 27.590	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
600C16 <sup>S</sup>	INSPECT RIGHT WING FLAP ACTUATOR WIRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.600	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
600C17 <sup>S</sup>	INSPECT RIGHT WING FLAP ROLLERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.610	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
600C18 <sup>S</sup>	INSPECT RIGHT WING FLAP POSITION TRANSMITTER							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.620	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
600C19 <sup>S</sup>	INSPECT RIGHT WING SPOILERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.650	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
600C20 <sup>S</sup>	INSPECT RIGHT WING SPOILER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.660	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
600C21 <sup>S</sup>	INSPECT RIGHT WING SPOILER DRY BAY (630EL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.680	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>600C22<sup>S</sup> INSPECT RIGHT WING SPOILER ACTUATOR Service ATA:27</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.700	AFL	1683						
PROC. REF: AMM 27-60-00								PKG:6
<b>600C23<sup>S</sup> INSPECT RIGHT WING SPOILER BLOWDOWN ACTUATOR Service ATA:27</b>								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 27.670	AFL	1683						
PROC. REF: AMM 27-60-00								PKG:7
<b>600C24 INSPECT RIGHT WING LIFT DUMP ACTUATOR Service ATA:27</b>								
	MOS	28-Jun-22						AIRWORTHINESS
	HRS	1774.2	1000 (+20/-20)		2774.2	2794.2	714.7 (+20)	
WC#: 27.690	AFL	1522						
PROC. REF: AMM 27-60-00								
<b>LIMITS07 PITCH TRIM ACTUATOR Component ATA:27</b>								
PN:DL4256M1	MOS	29-Jan-19		TSO 0, TSR 79				MANDATORY
SN:0093	HRS	1082.1	6000	TSO 1887, TSR 0	5195.1		3135.6	
WC#: 27.440	AFL	1070		TSO 0				
PROC. REF: AMM 27-40-02								
<b>OPS08<sup>S</sup> ADJUSTMENT/CHECK AILERON SYSTEM Service ATA:27</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.010	AFL	1683						
PROC. REF: AMM 27-10-00								PKG:6
<b>OPS09<sup>S</sup> FUNCTIONAL TEST ROLL TRIM Service ATA:27</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.050	AFL	1683						
PROC. REF: AMM 27-10-00								PKG:6
<b>OPS10<sup>S</sup> FUNCTIONAL CHECK RUDDER SYSTEM Service ATA:27</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.040	AFL	1683						
PROC. REF: AMM 27-20-00								PKG:6

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
OPS11	OPERATIONAL TEST RUDDER BOOST							Service	ATA:27
	MOS	29-Jun-21						AIRWORTHINESS	
	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	273.6 (+20)		
WC#: 27.270	AFL	1373							
	PROC. REF: AMM 27-20-00								
OPS12 <sup>S</sup>	OPERATIONAL TEST RUDDER SYSTEM							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.280	AFL	1683							
	PROC. REF: AMM 27-20-00							PKG:6	
OPS13 <sup>S</sup>	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.420	AFL	1683							
	PROC. REF: AMM 27-30-00							PKG:6	
OPS14 <sup>S</sup>	OPERATIONAL TEST G SWITCH							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.430	AFL	1683							
	PROC. REF: AMM 27-31-00							PKG:6	
OPS15 <sup>S</sup>	OPERATIONAL CHECK HORIZONTAL STABILIZERS NORMAL							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.550	AFL	1683							
	PROC. REF: AMM 27-40-00							PKG:6	
OPS16	OPERATIONAL TEST TAKE-OFF CONFIGURATION WARNING							Service	ATA:27
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	47 (+20)		
WC#: 27.560	AFL	1603							
	PROC. REF: AMM 27-40-00								
OPS17 <sup>S</sup>	FUNCTIONAL TEST FLAP SYSTEM							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.630	AFL	1683							
	PROC. REF: AMM 27-50-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
200D04 <sup>S</sup>	REPLACE FUEL DISTRIBUTION FILTER ELEMENTS							Service	ATA:28
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 28.070	AFL		1683						
					PROC. REF: AMM 28-20-08			PKG:6	
281001	REFUEL/DEFUEL ADAPTER							Component	ATA:28
PN:390-389023-0001	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 28.110	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-10				
281011	PRECHECK VALVE							Component	ATA:28
PN:61618-1	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:922	HRS		0		TSN 0				
WC#: 28.120	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-11				
281021	FUEL CAP							Component	ATA:28
PN:PN	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 28.130	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-10				
281071	NO. 1 OUTBOARD CHECK VALVE							Component	ATA:28
PN:101-389011-109	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:0650	HRS		0		TSN 0				
WC#: 28.140	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-04				
281072	NO. 2 OUTBOARD CHECK VALVE							Component	ATA:28
PN:101-389011-109	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:0648	HRS		0		TSN 0				
WC#: 28.140	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-04				
281081	LEFT WING FORWARD INBOARD FLOAT CHECK VALVE							Component	ATA:28
PN:118-381002-5	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:1318	HRS		0		TSN 0				
WC#: 28.150	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-01				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>281082 LEFT WING AFT INBOARD FLOAT CHECK VALVE</b>								Component ATA:28
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1312	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01								
<b>281083 RIGHT WING FORWARD FLOAT VALVE</b>								Component ATA:28
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1313	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01								
<b>281084 RIGHT WING AFT FLOAT VALVE</b>								Component ATA:28
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1315	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01								
<b>281091 NO. 1 OUTBOARD FLOAT CHECK VALVE</b>								Component ATA:28
PN:128-389031-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:765	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01								
<b>281092 NO. 2 OUTBOARD FLOAT CHECK VALVE</b>								Component ATA:28
PN:128-389031-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:757	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01								
<b>282011 NO. 1 FUEL FILTER</b>								Component ATA:28
PN:45AS48014-005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:B2000	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: AMM 28-20-07								
<b>282012 NO. 2 FUEL FILTER</b>								Component ATA:28
PN:45AS48014-005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:B2011	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: AMM 28-20-07								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
282041	NO. 1 FUEL SHUTOFF VALVE							Component	ATA:28
PN:118-389005-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11-10199	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-20-09									
282042	NO. 2 FUEL SHUTOFF VALVE							Component	ATA:28
PN:118-389005-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:10-1211350	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-20-09									
282051	NO. 1 FUEL BOOST PUMP							Component	ATA:28
PN:118-389006-7	MOS/MSC	14-Jul-23	O/C	TSN 0					
SN:8AR32	HRS	1970.3		TSN 0					
WC#: 28.200	AFL	1639		TSN 0					
PROC. REF: AMM 28-20-01									
282052	NO. 2 FUEL BOOST PUMP							Component	ATA:28
PN:118-389006-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11BF23	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01									
282061	NO. 1 MAIN TANK JET PUMP							Component	ATA:28
PN:118-389007-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0605	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282062	NO. 2 MAIN TANK JET PUMP							Component	ATA:28
PN:118-389007-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0608	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282071	NO. 1 TRANSFER JET PUMP							Component	ATA:28
PN:128-389033-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0621	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282072	NO. 2 TRANSFER JET PUMP							Component	ATA:28
PN:128-389033-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0623	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
282081	LEFT REFUEL/DEFUEL VALVE ASSEMBLY							Component	ATA:28
PN:390-920128-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0247	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-10-13									
282082	RIGHT REFUEL/DEFUEL VALVE ASSEMBLY							Component	ATA:28
PN:390-920128-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0262	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-10-13									
282091	LEFT PILOT CUTOFF VALVE ASSEMBLY							Component	ATA:28
PN:132-389002-9	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:117	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-10-12									
282092	RIGHT PILOT CUTOFF VALVE ASSEMBLY							Component	ATA:28
PN:132-389002-11	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:110	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-10-12									
282101	WING CROSS TRANSFER PUMP							Component	ATA:28
PN:390-389016-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
284001	NO. 1 FUEL QUANTITY INDICATOR							Component	ATA:28
PN:390-382032-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AAD1632	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-40-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284002	NO. 2 FUEL QUANTITY INDICATOR							Component	ATA:28
PN:390-382032-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AAD1629	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-40-02									
284011	LEFT NO. 1 FUEL PROBE							Component	ATA:28
PN:390-389009-0021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0842-0004	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284012	LEFT NO. 2 FUEL PROBE							Component	ATA:28
PN:390-389009-0025	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0835-0011	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284013	LEFT NO. 3 FUEL PROBE							Component	ATA:28
PN:390-389009-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0008	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284014	LEFT NO. 4 FUEL PROBE							Component	ATA:28
PN:390-389009-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0012	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284021	RIGHT NO. 1 FUEL PROBE							Component	ATA:28
PN:390-389009-0021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0821-0005	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284022	RIGHT NO. 2 FUEL PROBE							Component	ATA:28
PN:390-389009-0025	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0835-0016	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
284023	RIGHT NO. 3 FUEL PROBE							Component	ATA:28
PN:390-389009-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0011	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284024	RIGHT NO. 4 FUEL PROBE							Component	ATA:28
PN:390-389009-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0014	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284041	NO. 1 LOW LEVEL SENSOR							Component	ATA:28
PN:390-389028-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:843	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-40-04									
284042	NO. 2 LOW LEVEL SENSOR							Component	ATA:28
PN:390-389028-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:807	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-40-04									
284051	NO. 1 FUEL PRESSURE SWITCH							Component	ATA:28
PN:45AS48008-015	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:J029840	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: AMM 28-40-05									
284052	NO. 2 FUEL PRESSURE SWITCH							Component	ATA:28
PN:45AS48008-015	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:J033633	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: AMM 28-40-05									
284061	CROSS TRANSFER FLOW SWITCH							Component	ATA:28
PN:V10F2-17	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:459	HRS	0		TSN 0					
WC#: 28.280	AFL	0		TSN 0					
PROC. REF: AMM 28-40-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
284071	LEFT PRESSURE RELIEF VALVE							Component	ATA:28
PN:132-389009-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1033	HRS	0		TSN 0					
WC#: 28.290	AFL	0		TSN 0					
PROC. REF: AMM 28-10-03									
284072	RIGHT PRESSURE RELIEF VALVE							Component	ATA:28
PN:132-389007-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1038	HRS	0		TSN 0					
WC#: 28.290	AFL	0		TSN 0					
PROC. REF: AMM 28-10-03									
500B02 <sup>S</sup>	INSPECT LEFT FUEL DIVERTER VALVE (520DL)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.080	AFL	1683							
PROC. REF: AMM 28-20-13									
500B03 <sup>S</sup>	INSPECT LEFT FUEL VENT SYSTEM VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.030	AFL	1683							
PROC. REF: AMM 28-10-00									
500B04 <sup>S</sup>	INSPECT LEFT FUEL VENT SYSTEM TUBES/HOSES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.040	AFL	1683							
PROC. REF: AMM 28-10-00									
500B05 <sup>S</sup>	INSPECT LEFT FLAME ARRESTOR (VENT LINE)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.050	AFL	1683							
PROC. REF: AMM 28-10-00									
500B06 <sup>S</sup>	INSPECT LEFT PRESSURE AND VACUUM RELIEF VALVE							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.060	AFL	1683							
PROC. REF: AMM 28-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
500B10 <sup>S</sup>	INSPECT LEFT WING FUEL DRAIN VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.200	AFL	1683							
				PROC. REF: AMM 28-00-00				PKG:7	
600B02 <sup>S</sup>	INSPECT RIGHT FUEL DIVERTER VALVE (620DL)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.080	AFL	1683							
				PROC. REF: AMM 28-20-13				PKG:7	
600B03 <sup>S</sup>	INSPECT RIGHT FUEL VENT SYSTEM VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.030	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B04 <sup>S</sup>	INSPECT RIGHT FUEL VENT SYSTEM TUBES/HOSES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.040	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B05 <sup>S</sup>	INSPECT RIGHT FLAME ARRESTOR (VENT LINE)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.050	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B06 <sup>S</sup>	INSPECT RIGHT PRESSURE AND VACUUM RELIEF VALVE							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.060	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B10 <sup>S</sup>	INSPECT RIGHT WING FUEL DRAIN VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.200	AFL	1683							
				PROC. REF: AMM 28-00-00				PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
OPS18 <sup>S</sup>		OPERATIONAL TEST FUEL INDICATING SYSTEM						Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.100	AFL	1683							
						PROC. REF: AMM 28-40-00		PKG:7	
<b>ATA 29 - HYDRAULIC POWER</b>									
290001		NO. 1 SHUT-OFF VALVE						Component	ATA:29
PN:45AS65014-003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11-073035	HRS	0			TSN 0				
WC#: 29.040	AFL	0			TSN 0				
						PROC. REF: AMM 29-10-03			
290002		NO. 2 SHUT-OFF VALVE						Component	ATA:29
PN:45AS65014-003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11-073042	HRS	0			TSN 0				
WC#: 29.040	AFL	0			TSN 0				
						PROC. REF: AMM 29-10-03			
291001		HYDRAULIC PACKAGE						Component	ATA:29
PN:390-384403-0009	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0205	HRS	0			TSN 0				
WC#: 29.010	AFL	0			TSN 0				
						PROC. REF: AMM 29-10-02			
291011		NO. 1 ENGINE HYDRAULIC PUMP						Component	ATA:29
PN:390-389022-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:K0632	HRS	0			TSN 0				
WC#: 29.070	AFL	0			TSN 0				
						PROC. REF: AMM 29-10-01			
291012		NO. 2 ENGINE HYDRAULIC PUMP						Component	ATA:29
PN:390-389022-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.070	AFL	0			TSN 0				
						PROC. REF: AMM 29-10-01			
2910504 <sup>U</sup>		LH PULSATION DAMPENER						Component	ATA:29
PN:9012160100-3	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
2910505 <sup>U</sup>		RH PULSATION DAMPENER						Component	ATA:29
PN:9012160100-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2910510 <sup>U</sup>		LH HYDRAULIC TUBE						Component	ATA:29
PN:390-580035-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
293001		HYDRAULIC PRESSURE INDICATOR						Component	ATA:29
PN:390-382009-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11G72	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01									
300A29 <sup>S</sup>		INSPECT HYDRAULIC PACKAGE						Service	ATA:29
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 29.010	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:6									
300A30 <sup>S</sup>		INSPECTION/CHECK HYDRAULIC PACKAGE INLET AIR FILTER/CHECK VALVE						Service	ATA:29
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 29.010	AFL	1683							
PROC. REF: AMM 29-10-11									
PKG:6									
LIMITS11		REPLACE LEFT ENGINE HYDRAULIC PUMP (P/N 390-580035-1 OR P/N 390-580035-5) TUBE						Component	ATA:29
PN:PN	MOS	27-Jun-12		TSN 0					
SN:UNKNOWN	HRS	0	2500	TSN 0	2500		440.5		
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
SPC23		REPLACE HYDRAULIC PACKAGE PRESSURE AND RETURN FILTERS, PERFORM LEAK AND OPS CHECK						Service	ATA:29
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20)		2306.5	2326.5	247 (+20)		
WC#: 29.030	AFL	1603							
PROC. REF: CMM 29-10-02, AMM 29-10-02, AMM 29-10-08									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
100E06	INSPECT FRONT AND SIDE WINDSHIELDS							Service	ATA:30
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)		
WC#: 30.160	AFL	1603							
	PROC. REF: AMM 30-40-00								
200D06 <sup>S</sup>	INSPECT ANTI-ICE DUCTS							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 30.010	AFL	1683							
	PROC. REF: AMM 30-10-00								
300A31 <sup>S</sup>	INSPECT ANTI-ICE CROSS FEED VALVE							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 30.020	AFL	1683							
	PROC. REF: GENERIC NO REF								
300C14 <sup>S</sup>	INSPECT ENERGY STORAGE BANK							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 30.030	AFL	1683							
	PROC. REF: GENERIC NO REF								
300C18	REPLACE LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
	MOS	27-Jun-12		TAC 0				MANDATORY	
	HRS	0	5400		5400		3340.5		
WC#: 30.100	AFL	0		TAC 0					
	PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
	PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
	PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
300C18	REPLACE LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
300C18	REPLACE LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
	MOS	27-Jun-12		TAC 0				MANDATORY	
	HRS	0	5400		5400		3340.5		
WC#: 30.100	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
300C18	REPLACE RIGHT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				MANDATORY	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3340.5		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
301001	<b>ANTI-ICE CROSSFEED VALVE</b>							Component	ATA:30
PN:390-385013-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0310	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-10-01									
301011	<b>NO. 1 EJECTOR PUMP</b>							Component	ATA:30
PN:390-385041-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0610	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
301012	<b>NO. 2 EJECTOR PUMP</b>							Component	ATA:30
PN:390-385041-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0618	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
301021	<b>DE-ICING CONTROL UNIT</b>							Component	ATA:30
PN:390-384013-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0387	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: AMM 30-11-01									
301031	<b>LEFT HAND PRESSURE REGULATOR AND SOLENOID VALVE</b>							Component	ATA:30
PN:390-385036-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0714	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-10-09									
301032	<b>RIGHT HAND PRESSURE REGULATOR AND SOLENOID VALVE</b>							Component	ATA:30
PN:390-385036-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0723	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-10-09									
301101	<b>NO. 1 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY</b>							Component	ATA:30
PN:390-620097-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:319	HRS	0		TSN 0					
WC#: 30.210	AFL	0		TSN 0					
PROC. REF: AMM 30-11-04									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
301102	NO. 2 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY							Component	ATA:30
PN:390-620097-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:320	HRS	0		TSN 0					
WC#: 30.210	AFL	0		TSN 0					
PROC. REF: AMM 30-11-04									
301111	NO. 1 ENERGY STORAGE BANK							Component	ATA:30
PN:390-386000-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0616	HRS	0		TSN 0					
WC#: 30.230	AFL	0		TSN 0					
PROC. REF: AMM 30-11-02									
301112	NO. 2 ENERGY STORAGE BANK							Component	ATA:30
PN:390-386000-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0618	HRS	0		TSN 0					
WC#: 30.230	AFL	0		TSN 0					
PROC. REF: AMM 30-11-02									
301120	LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301121	LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301122	LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301123	LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
301124	LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301125	LEFT NO. 3 REPLACE ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301126	LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301127	LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301128	LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301129	LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301130	LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>301131 LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
<b>301132 RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
<b>301133 RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
<b>301134 RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
<b>301135 RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
<b>301136 RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
<b>301137 RIGHT NO. 3 RIGHT ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR</b>								<b>Component ATA:30</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
301138	RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301139	RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301140	RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301141	RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301142	RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301143	RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
308001	NO. 1 ICE DETECTOR							Component	ATA:30
PN:0871KK3	MOS/MSC	29-Sep-23	O/C	TSR 0					
SN:0544	HRS	2012.2		TSR 0					
WC#: 30.220	AFL	1666		TSR 0					
PROC. REF: AMM 30-80-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
308002	NO. 2 ICE DETECTOR							Component	ATA:30
PN:0871KK2	MOS/MSC	17-Jul-17	O/C	TSN 0					
SN:0853	HRS	852.5		TSN 0					
WC#: 30.220	AFL	866		TSN 0					
PROC. REF: AMM 30-80-01									
OPS20	OPERATIONAL TEST WING ANTI-ICE CROSS FEED VALVE AND ANTI-ICE SWITCHES							Service	ATA:30
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	247 (+20)		
WC#: 30.180	AFL	1603							
PROC. REF: AMM 30-10-00									
OPS21	OPERATIONAL TEST STRUCTURE OVER TEMPERATURE SWITCH							Service	ATA:30
	MOS	29-May-15						AIRWORTHINESS	
	HRS	394	3600 (+200)		3994	4194	1934.5 (+200)		
WC#: 30.070	AFL	394							
PROC. REF: AMM 30-10-00									
OPS22	OPERATIONAL TEST LEADING EDGE OVER TEMPERATURE SWITCH							Service	ATA:30
	MOS	29-May-15						AIRWORTHINESS	
	HRS	394	3600 (+200)		3994	4194	1934.5 (+200)		
WC#: 30.080	AFL	394							
PROC. REF: AMM 30-10-00									
OPS23 <sup>S</sup>	OPERATIONAL TEST AUTO MODE							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 30.090	AFL	1683							
PROC. REF: AMM 30-11-00									
OPS24 <sup>S</sup>	OPERATIONAL TEST MANUAL MODE (EMED)							Service	ATA:30
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	1200 (+20/-20)						
WC#: 30.090	AFL	1683							
PROC. REF: AMM 30-11-00									
OPS26 <sup>S</sup>	OPERATIONAL CHECK TT2 SENSOR							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 30.120	AFL	1683							
PROC. REF: AMM 30-20-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>OPS27 OPERATIONAL TEST ENGINE ANTI-ICE PRESSURE SWITCH Service ATA:30</b>								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	1540.5 (+200)	
WC#: 30.130	AFL	0						
PROC. REF: AMM 30-20-01								
<b>OPS28<sup>S</sup> OPERATIONAL TEST PITOT STATIC PROBE HEAT Service ATA:30</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 30.140	AFL	1683						
PROC. REF: AMM 30-30-00								
<b>OPS30<sup>S</sup> OPERATIONAL TEST FRONT AND SIDE WINDSHIELD HEAT Service ATA:30</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 30.170	AFL	1683						
PROC. REF: AMM 30-40-00								
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>311011 CABIN BRIEFER Component ATA:31</b>								
PN:930-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>311013 DIFFERENTIAL PRESSURE GAUGE INDICATOR Component ATA:31</b>								
PN:390-382025-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:508334	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>311041 PITCH TRIM INDICATOR Component ATA:31</b>								
PN:390-382034-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:11G213	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-40-04								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>311051 RUDDER TRIM INDICATOR Component ATA:31</b>								
PN:390-382035-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:08F341	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-20-04								
<b>3110517<sup>U</sup> RUDDER TRIM SWITCH Component ATA:31</b>								
PN:88415-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3110525<sup>U</sup> PILOT AUDIO CONTROL PANEL Component ATA:31</b>								
PN:806-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3110526<sup>U</sup> CO-PILOT AUDIO CONTROL PANEL Component ATA:31</b>								
PN:807-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3110530<sup>U</sup> NO. 1 DISPLAY MOUNT Component ATA:31</b>								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3110531<sup>U</sup> NO. 2 DISPLAY MOUNT Component ATA:31</b>								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3110532<sup>U</sup> NO. 3 DISPLAY MOUNT Component ATA:31</b>								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3110535<sup>U</sup> LH DME RECEIVER Component ATA:31</b>								
PN:822-1828-112	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
<b>3110536<sup>U</sup></b>		<b>RH DME RECEIVER</b>						<b>Component</b>	<b>ATA:31</b>
PN:822-1828-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>3110542<sup>U</sup></b>		<b>CURSOR CONTROL PANEL</b>						<b>Component</b>	<b>ATA:31</b>
PN:822-1746-012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>311061</b>		<b>ROLL TRIM INDICATOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:390-382036-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11G20	HRS	0		TSN 0					
WC#: 31.050	AFL	0		TSN 0					
PROC. REF: AMM 27-10-04									
<b>311071</b>		<b>FLAP INDICATOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:390-382037-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:08E406	HRS	0		TSN 0					
WC#: 31.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>311075</b>		<b>ANNUNCIATOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:390-382004-0013	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.080	AFL	0		TSN 0					
PROC. REF: AMM 31-10-01									
<b>311091</b>		<b>NO. 1 DC LOAD INDICATOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:390-382030-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11H204	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>311092</b>		<b>NO. 2 DC LOAD INDICATOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:390-382030-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11H208	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>311097 DC VOLTMETER Component ATA:31</b>								
PN:390-382031-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:08H878	HRS	0		TSN 0				
WC#: 31.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>313031 MATRIX SWITCH Component ATA:31</b>								
PN:851-38606-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0398	HRS	0		TSN 0				
WC#: 21.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>314001 MAINTENANCE DIAGNOSTIC COMPUTER Component ATA:31</b>								
PN:822-1987-005	MOS/MSC	03-Jul-24	O/C	TSR 0				
SN:46MTC	HRS	2038		TSR 0				
WC#: 31.100	AFL	1690		TSR 0				
PROC. REF: AMM 31-40-01								
<b>314011 ICC-3000 COMPUTER Component ATA:31</b>								
PN:822-1129-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:48CMH	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01								
<b>314021 IEC-3001 CARD CAGE Component ATA:31</b>								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01								
<b>314031 NO. 1 PWR-3000 CARD CAGE Component ATA:31</b>								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01								
<b>314032 NO. 2 PWR-3000 CARD CAGE Component ATA:31</b>								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
314041	NO. 1 IOC-3100 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.140	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01									
314042	NO. 2 IOC-3100 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.140	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01									
314051	NO. 1 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:822-1132-002	MOS/MSC	29-Jan-19	O/C						
SN:3YBLW	HRS	1082.17							
WC#: 31.150	AFL	1070							
PROC. REF: AMM 31-40-02									
314052	NO. 2 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:822-1132-002	MOS/MSC	29-Jan-19	O/C						
SN:3YBLV	HRS	1082.17							
WC#: 31.150	AFL	1070							
PROC. REF: AMM 31-40-02									
314061	NO. 1 OPTION CONTROL MODULE							Component	ATA:31
PN:822-1484-252	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:44F4H	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01									
314062	NO. 2 OPTION CONTROL MODULE							Component	ATA:31
PN:822-1484-252	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B1PN	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01									
315001	AURAL WARNING GENERATOR							Component	ATA:31
PN:630-007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1783	HRS	0		TSN 0					
WC#: 31.170	AFL	0		TSN 0					
PROC. REF: AMM 31-50-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
OPS31	TEST FLAPS AND SPOILERS TAKEOFF CONFIGURATION WARNING							Service	ATA:31
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	47 (+20)		
WC#: 31.020	AFL	1603							
	PROC. REF: AMM 31-50-00								
OPS37	CHECK DCU AURAL WARNING							Service	ATA:31
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	47 (+20)		
WC#: 31.010	AFL	1603							
	PROC. REF: AMM 31-40-02								
<b>ATA 32 - LANDING GEAR</b>									
100A04 <sup>S</sup>	INSPECT BRAKE CONTROL CABLE, LINKAGE, AND CONNECTORS - PARKING BRAKE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.240	AFL	1683							
	PROC. REF: AMM 32-40-00							PKG:7	
100A05 <sup>S</sup>	INSPECT STEERING BELLCRANKS AND PUSHRODS							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.340	AFL	1683							
	PROC. REF: AMM 32-50-00							PKG:7	
100A06 <sup>S</sup>	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.100	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:7	
100A07 <sup>S</sup>	INSPECT LANDING GEAR ALTERNATE EXTENSION FORWARD QUADRANT							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.020	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>100A08<sup>S</sup> INSPECT BRAKE LINKAGE Service ATA:32</b>								
	MOS/MSC	11-Jun-24	N/A					
	HRS	2032						
WC#: 32.250	AFL	1683						
PROC. REF: AMM 32-40-00								PKG:7
<b>100B07<sup>S</sup> INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 32.010	AFL	1683						
PROC. REF: AMM 32-30-00								PKG:7
<b>200D07<sup>S</sup> INSPECT BRAKE ASSEMBLIES - BRAKE SYSTEM Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.320	AFL	1683						
PROC. REF: AMM 32-40-00								PKG:6
<b>200D08 INSPECT ANTI-SKID SYSTEM Service ATA:32</b>								
	MOS	30-Dec-22						AIRWORTHINESS
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	247 (+20)	
	AFL	1603						
PROC. REF: AMM 32-40-00								
<b>320001 LANDING GEAR CONTROL Component ATA:32</b>								
PN:390-382011-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:327	HRS	0		TSN 0				
WC#: 32.410	AFL	0		TSN 0				
PROC. REF: AMM 32-30-01								
<b>320011 LANDING GEAR SELECTOR VALVE Component ATA:32</b>								
PN:390-381200-0007	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0313	HRS	0		TSN 0				
WC#: 32.420	AFL	0		TSN 0				
PROC. REF: AMM 32-30-02								
<b>321001 LEFT MAIN LANDING GEAR DOOR ACTUATOR Component ATA:32</b>								
PN:390-381202-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0629	HRS	0		TSN 0				
WC#: 32.430	AFL	0		TSN 0				
PROC. REF: AMM 32-30-11								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>321002 RIGHT MAIN LANDING GEAR DOOR ACTUATOR</b>								Component ATA:32
PN:390-381202-0006	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:0611	HRS	0			TSN 0			
WC#: 32.430	AFL	0			TSN 0			
PROC. REF: AMM 32-30-11								
<b>321011 LEFT MAIN LANDING GEAR ASSEMBLY</b>								Component ATA:32
PN:390-110084	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.070	AFL	0			TSN 0			
PROC. REF: AMM 32-10-01								
<b>321012 RIGHT MAIN LANDING GEAR ASSEMBLY</b>								Component ATA:32
PN:390-110084	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 32.070	AFL	0			TSN 0			
PROC. REF: AMM 32-10-01								
<b>321021 LEFT MAIN LANDING GEAR RESTRICTOR</b>								Component ATA:32
PN:390-388113-0001	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:0334	HRS	0			TSN 0			
WC#: 32.440	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>321022 RIGHT MAIN LANDING GEAR RESTRICTOR</b>								Component ATA:32
PN:390-388114-0001	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:0327	HRS	0			TSN 0			
WC#: 32.440	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>321031 LEFT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY</b>								Component ATA:32
PN:390-381203-0003	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:766	HRS	0			TSN 0			
WC#: 32.450	AFL	0			TSN 0			
PROC. REF: AMM 32-30-13								
<b>321032 RIGHT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY</b>								Component ATA:32
PN:390-381203-0003	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:759	HRS	0			TSN 0			
WC#: 32.450	AFL	0			TSN 0			
PROC. REF: AMM 32-30-13								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
321041	LEFT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY							Component	ATA:32
PN:390-381204-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:771	HRS	0		TSN 0					
WC#: 32.460	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13									
321042	RIGHT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY							Component	ATA:32
PN:390-381204-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:757	HRS	0		TSN 0					
WC#: 32.460	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13									
321052	VALVE PACKAGE CABLE ASSEMBLY							Component	ATA:32
PN:390-381205-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:414	HRS	0		TSN 0					
WC#: 32.650	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13									
322001	NOSE LANDING GEAR DOWNLOCK ACTUATOR							Component	ATA:32
PN:390-384112-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0317	HRS	0		TSN 0					
WC#: 32.470	AFL	0		TSN 0					
PROC. REF: AMM 32-30-05									
322011	NOSE LANDING GEAR ASSY							Component	ATA:32
PN:390-820001-0003	MOS/MSC	28-Jun-22	O/C	TSR 0					
SN:09071101ICT	HRS	1774.2		TSR 0					
WC#: 32.480	AFL	1522		TSR 0					
PROC. REF: AMM 32-20-01									
323001	NOSE LANDING GEAR RETRACT ACTUATOR							Component	ATA:32
PN:390-388200-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0299	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03									
323011	NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR							Component	ATA:32
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:2207	HRS	0		TSN 0					
WC#: 32.500	AFL	0		TSN 0					
PROC. REF: AMM 32-30-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323031 LEFT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR</b> <span style="float:right">Component ATA:32</span>								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2230	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08								
<b>323032 RIGHT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR</b> <span style="float:right">Component ATA:32</span>								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2239	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08								
<b>323041 LEFT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR</b> <span style="float:right">Component ATA:32</span>								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2175	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12								
<b>323042 RIGHT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR</b> <span style="float:right">Component ATA:32</span>								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2092	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12								
<b>323051 LEFT MAIN LANDING GEAR RETRACT ACTUATOR</b> <span style="float:right">Component ATA:32</span>								
PN:390-388100-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0747	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-30-07								
<b>323052 RIGHT MAIN LANDING GEAR RETRACT ACTUATOR</b> <span style="float:right">Component ATA:32</span>								
PN:390-388100-0010	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:693	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-30-07								
<b>323061 MAIN LANDING GEAR EXTEND VALVE</b> <span style="float:right">Component ATA:32</span>								
PN:390-388112-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0379	HRS	0		TSN 0				
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: AMM 32-30-14								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323071 MAIN LANDING GEAR EMERGENCY CABLE ASSEMBLY</b>								Component ATA:32
PN:390-384317-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:391	HRS	0		TSN 0				
WC#: 32.540	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13								
<b>324001 POWER BRAKE VALVE</b>								Component ATA:32
PN:390-384079-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:290	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: AMM 32-40-05								
<b>324011 HYDRAULIC ACCUMULATOR</b>								Component ATA:32
PN:390-384106-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0391	HRS	0		TSN 0				
WC#: 32.560	AFL	0		TSN 0				
PROC. REF: AMM 32-40-13								
<b>324021 PARKING BRAKE VALVE</b>								Component ATA:32
PN:390-384114-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0411	HRS	0		TSN 0				
WC#: 32.570	AFL	0		TSN 0				
PROC. REF: AMM 32-40-15								
<b>324031 NOSE LANDING GEAR WHEEL</b>								Component ATA:32
PN:3-1586	MOS/MSC	11-Jun-24	O/C	TSO 0				
SN:0070	HRS	2032		TSO 0				
WC#: 32.580	AFL	1683		TSO 0				
PROC. REF: AMM 32-40-01								
<b>324041 NOSE LANDING GEAR TIRE</b>								Component ATA:32
PN:019-611-0	MOS/MSC	11-Jun-24	O/C	TSN 0				
SN:2256T00408	HRS	2032		TSN 0				
WC#: 32.580	AFL	1683		TSN 0				
PROC. REF: AMM 32-40-01								
<b>3240502<sup>U</sup> POWER BRAKE VALVE</b>								Component ATA:32
PN:390-384300-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324051</b>		<b>LEFT MAIN LANDING GEAR WHEEL ASSY</b>						<b>Component</b>	<b>ATA:32</b>
PN:3-1576	MOS/MSC	11-Jun-24	O/C	TSN 144, TSO 0					
SN:0851	HRS	2032	TSN 2032, TSO 0						
WC#: 32.590	AFL	1683	TSN 1683, TSO 0						
PROC. REF: AMM 32-40-02									
<b>3240515<sup>U</sup></b>		<b>LH MASTER CYLINDER ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
<b>3240516<sup>U</sup></b>		<b>LH MASTER CYLINDER ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
<b>3240517<sup>U</sup></b>		<b>RH MASTER CYLINDER ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
<b>3240518<sup>U</sup></b>		<b>RH MASTER CYLINDER ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
<b>324052</b>		<b>RIGHT MAIN LANDING GEAR WHEEL ASSY</b>						<b>Component</b>	<b>ATA:32</b>
PN:3-1576	MOS/MSC	11-Jun-24	O/C	TSN 144, TSO 0					
SN:0834	HRS	2032	TSN 2032, TSO 0						
WC#: 32.600	AFL	1683	TSN 1683, TSO 0						
PROC. REF: AMM 32-40-02									
<b>3240520<sup>U</sup></b>		<b>ACCUMULATOR ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-384083-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
<b>3240525<sup>U</sup></b>		<b>PULSE DAMPENER ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-384080-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>3240526<sup>U</sup></b>		<b>PRESSURE REGULATING VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-384082-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>3240527<sup>U</sup></b>		<b>PRESSURE GAUGE</b>						<b>Component</b>	<b>ATA:32</b>
PN:90-900-1048	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>324061</b>		<b>LEFT MAIN LANDING GEAR TIRE</b>						<b>Component</b>	<b>ATA:32</b>
PN:026-618-0	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:3346P00019	HRS	2032		TSN 0					
WC#: 32.590	AFL	1683		TSN 0					
PROC. REF: AMM 32-40-02									
<b>324062</b>		<b>RIGHT MAIN LANDING GEAR TIRE</b>						<b>Component</b>	<b>ATA:32</b>
PN:026-618-0	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:3345P00157	HRS	2032		TSN 0					
WC#: 32.600	AFL	1683		TSN 0					
PROC. REF: AMM 32-40-02									
<b>324071</b>		<b>LEFT MAIN LANDING GEAR BRAKE ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-388103-0007	MOS/MSC	28-Jun-22	O/C	TSO 0					
SN:0936	HRS	1774.2		TSO 0					
WC#: 32.660	AFL	1522		TSO 0					
PROC. REF: AMM 32-40-03									
<b>324072</b>		<b>RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-388103-0007	MOS/MSC	28-Jun-22	O/C	TSO 0					
SN:0105	HRS	1774.2		TSO 0					
WC#: 32.660	AFL	1522		TSO 0					
PROC. REF: AMM 32-40-03									
<b>324101</b>		<b>ANTI-SKID CONTROL UNIT</b>						<b>Component</b>	<b>ATA:32</b>
PN:390-384032-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:449A	HRS	0		TSN 0					
WC#: 32.610	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>325001</b>		<b>NOSE LANDING GEAR STEERING DAMPENER</b>					<b>Component</b>		<b>ATA:32</b>
PN:45100-41	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:062311-01	HRS	0	TSN 0						
WC#: 32.620	AFL	0	TSN 0						
PROC. REF: AMM 32-50-07									
<b>32NDT1</b>		<b>NDT INSPECT NOSE LANDING GEAR WHEEL</b>					<b>Service</b>		<b>ATA:32</b>
PN:3-1586	MOS/MSC	11-Jun-24	A/R						
SN:0070	HRS	2032							
WC#: 32.580	AFL	1683							
PROC. REF: GENERIC NO REF, CMM 32-47-25									
<b>32NDT2</b>		<b>NDT INSPECT LEFT MAIN LANDING GEAR WHEEL ASSY</b>					<b>Service</b>		<b>ATA:32</b>
PN:3-1576	MOS/MSC	11-Jun-24	A/R						
SN:0851	HRS	2032							
WC#: 32.590	AFL	1683							
PROC. REF: GENERIC NO REF, CMM 32-45-27									
<b>32NDT3</b>		<b>NDT INSPECT RIGHT MAIN LANDING GEAR WHEEL ASSY</b>					<b>Service</b>		<b>ATA:32</b>
PN:3-1576	MOS/MSC	11-Jun-24	A/R						
SN:0834	HRS	2032							
WC#: 32.600	AFL	1683							
PROC. REF: GENERIC NO REF, CMM 32-45-27									
<b>700A03<sup>S</sup></b>		<b>INSPECT NOSE LANDING GEAR STRUT ASSEMBLY</b>					<b>Service</b>		<b>ATA:32</b>
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.110	AFL	1683							
PROC. REF: AMM 12-10-25, AMM 32-20-00									
<b>700A04<sup>S</sup></b>		<b>INSPECT NOSE LANDING GEAR DRAG STRUT ASSEMBLY</b>					<b>Service</b>		<b>ATA:32</b>
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.140	AFL	1683							
PROC. REF: AMM 32-20-00									
<b>700A05<sup>S</sup></b>		<b>INSPECT NOSE LANDING GEAR SHIMMY DAMPER</b>					<b>Service</b>		<b>ATA:32</b>
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.150	AFL	1683							
PROC. REF: AMM 32-20-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
700A06 <sup>S</sup>	INSPECT NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR ALTERNATE EXTENSION CABLE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.170	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:6	
700A07 <sup>S</sup>	INSPECT NOSE LANDING GEAR UPLOCK ASSEMBLY							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.180	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:6	
700A10 <sup>S</sup>	INSPECT NOSE WHEEL STEERING SYSTEM							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.350	AFL	1683							
	PROC. REF: AMM 32-50-00							PKG:6	
700A12 <sup>S</sup>	INSPECT NOSE LANDING GEAR WHEEL WELL							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.160	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
700A13	VISUAL AND NDI (MAGNETIC PARTICLE) OF NOSE LANDING GEAR STRUCTURE							Service	ATA:32
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)		
WC#: 32.130	AFL	0	5000		5000		3293		
	PROC. REF: CMM 32-20-01, AMM 20-26-00								
700A14 <sup>S</sup>	INSPECT NOSE LANDING GEAR WHEEL WELL							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
700A15	INSPECT NOSE LANDING GEAR UPPER DRAG BRACE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)		3232	3252	1172.5 (+20)		
	AFL	1683							
	PROC. REF: CMM 32-25-01							PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>700B05<sup>S</sup> INSPECT LEFT MAIN LANDING GEAR STRUT ASSEMBLY Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.030	AFL	1683						
PROC. REF: AMM 12-10-25								PKG:6
<b>700B06<sup>S</sup> INSPECT LEFT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.370	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
<b>700B07<sup>S</sup> INSPECT LEFT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.190	AFL	1683						
PROC. REF: AMM 32-30-00								PKG:6
<b>700B17<sup>S</sup> INSPECT LEFT LANDING GEAR SQUAT SWITCH Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.390	AFL	1683						
PROC. REF: AMM 32-00-00								PKG:6
<b>700B18<sup>S</sup> INSPECT LEFT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
<b>700B21 VISUAL AND NDI(MAGNETIC PARTICLE) LEFT MAIN LANDING GEAR ASSEMBLY Service ATA:32</b>								
PN:390-110084	MOS	27-Jun-12						AIRWORTHINESS
SN:UNKNOWN	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)	
WC#: 32.070	AFL	0	5000		5000		3293	
PROC. REF: CMM 32-10-01, AMM 20-26-00								
<b>700B22<sup>S</sup> INSPECT LEFT LANDING GEAR WHEEL WELL Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>700C05<sup>S</sup> INSPECT RIGHT MAIN LANDING GEAR STRUT ASSEMBLY Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.030	AFL	1683						
PROC. REF: AMM 12-10-25								PKG:6
<b>700C06<sup>S</sup> INSPECT RIGHT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.370	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
<b>700C07<sup>S</sup> INSPECT RIGHT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.190	AFL	1683						
PROC. REF: AMM 32-30-00								PKG:6
<b>700C17<sup>S</sup> INSPECT RIGHT LANDING GEAR SQUAT SWITCH Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.390	AFL	1683						
PROC. REF: AMM 32-00-00								PKG:6
<b>700C18<sup>S</sup> INSPECT RIGHT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.380	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
<b>700C20 VISUAL AND NDI(MAGNETIC PARTICLE) RIGHT MAIN LANDING GEAR ASSEMBLY Service ATA:32</b>								
PN:390-110084	MOS	27-Jun-12						AIRWORTHINESS
SN:UNKNOWN	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)	
WC#: 32.070	AFL	0	5000		5000		3293	
PROC. REF: CMM 32-10-01, AMM 20-26-00								
<b>700C21<sup>S</sup> INSPECT RIGHT LANDING GEAR WHEEL WELL Service ATA:32</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
OPS32 <sup>S</sup>		FUNCTIONAL TEST LANDING GEAR ALTERNATE EXTENSION SYSTEM						Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.230	AFL	1683							
PROC. REF: AMM 32-30-00								PKG:6	
OPS33		PERFORM TEST OF EMERGENCY BRAKE SYSTEM						Service	ATA:32
	MOS	30-Dec-22							
	HRS	1906.5	400 (+20)		2306.5	2326.5	247 (+20)		
WC#: 32.310	AFL	1603							
PROC. REF: AMM 32-40-00									
OPS34		TEST ANTI-SKID BRAKE						Service	ATA:32
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	247 (+20)		
WC#: 32.330	AFL	1603							
PROC. REF: AMM 32-40-00									
SPC09 <sup>S</sup>		INSPECTION LEFT MAIN LANDING GEAR BRAKE						Service	ATA:32
	MOS/MSC	13-Jun-14	A/R						
	HRS	196.5							
WC#: 32.640	AFL	184							
PROC. REF: GENERIC NO REF									
SPC09 <sup>S</sup>		INSPECTION RIGHT MAIN LANDING GEAR BRAKE						Service	ATA:32
	MOS/MSC	13-Jun-14	A/R						
	HRS	196.5							
WC#: 32.640	AFL	184							
PROC. REF: GENERIC NO REF									
<b>ATA 33 - LIGHTS</b>									
331001		NO. 1 INCANDESCENT DIMMER						Component	ATA:33
PN:DC7-394	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0676	HRS	0			TSN 0				
WC#: 33.090	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>331002</b>		<b>NO. 2 INCANDESCENT DIMMER</b>						<b>Component</b>	<b>ATA:33</b>
PN:DC7-394	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>331015</b>		<b>AFT ANTI-COLLISION LIGHT</b>						<b>Component</b>	<b>ATA:33</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.020	AFL	0		TSN 0					
PROC. REF: AMM 33-40-03									
<b>331016</b>		<b>LEFT ANTI-COLLISION (STROBE) LIGHT</b>						<b>Component</b>	<b>ATA:33</b>
PN:390-384022-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:280	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-03									
<b>331017</b>		<b>RIGHT ANTI-COLLISION (STROBE) LIGHT</b>						<b>Component</b>	<b>ATA:33</b>
PN:39033011-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-03									
<b>331018<sup>U</sup></b>		<b>TAIL ANTI-COLLISION (STROBE) LIGHT</b>						<b>Component</b>	<b>ATA:33</b>
PN:39033019-1	MOS/MSC	27-Apr-19	O/C	TSN 0					
SN:21235	HRS			TSN 0					
	AFL			TSN 0					
<b>334001</b>		<b>AFT STROBE POWER SUPPLY</b>						<b>Component</b>	<b>ATA:33</b>
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1175M1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-04									
<b>334001</b>		<b>LEFT WING STROBE POWER SUPPLY</b>						<b>Component</b>	<b>ATA:33</b>
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1175M1	HRS	0		TSN 0					
WC#: 33.100	AFL	0		TSN 0					
PROC. REF: AMM 33-40-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>334001</b>		<b>RIGHT WING STROBE POWER SUPPLY</b>					<b>Component</b>		<b>ATA:33</b>
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1175M1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-02									
<b>334003</b>		<b>LIGHTING SWITCH CONTROLLER</b>					<b>Component</b>		<b>ATA:33</b>
PN:76771-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1301	HRS	0		TSN 0					
WC#: 33.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>334101</b>		<b>LEFT LANDING LIGHT</b>					<b>Component</b>		<b>ATA:33</b>
PN:390-384003-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:290	HRS	0		TSN 0					
WC#: 33.130	AFL	0		TSN 0					
PROC. REF: AMM 33-40-05									
<b>334102</b>		<b>RIGHT LANDING LIGHT</b>					<b>Component</b>		<b>ATA:33</b>
PN:LSM-SCD-009-1	MOS/MSC	28-Jun-22	O/C	TSN 0					
SN:70656	HRS	1774.2		TSN 0					
WC#: 33.130	AFL	1522		TSN 0					
PROC. REF: AMM 33-40-05									
<b>335010</b>		<b>EMERGENCY EXIT (SELF-ILLUMINATING) SIGN</b>					<b>Component</b>		<b>ATA:33</b>
PN:129-380003-1	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 33.080	AFL	0							
PROC. REF: GENERIC NO REF									
<b>335015</b>		<b>FORWARD PARTITION (SELF-ILLUMINATING) SIGN</b>					<b>Component</b>		<b>ATA:33</b>
PN:129-380003-1	MOS/MSC	27-Jun-12	O/C						
SN:A11-3783	HRS	0							
WC#: 33.120	AFL	0							
PROC. REF: GENERIC NO REF									
<b>LIMITS04</b>		<b>INSPECT EMERGENCY EXIT SIGN (SELF-ILLUMINATING)</b>					<b>Service</b>		<b>ATA:33</b>
	MOS	14-Nov-23	12 (+30d/-30d)		08-Nov-24 (M)	08-Dec-24	86 d (+30)	MANDATORY	
	HRS								
WC#: 33.080	AFL								
PROC. REF: AMM 33-50-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
LIMITS04	INSPECT FORWARD PARTITION (SELF-ILLUMINATING ON AFT SIDE)							Service	ATA:33
	MOS	14-Nov-23	12 (+30d/-30d)		08-Nov-24 (M)	08-Dec-24	86 d (+30)	MANDATORY	
	HRS								
WC#: 33.120	AFL								
				PROC. REF: AMM 33-50-00					
OPS42 <sup>S</sup>	FUNCTIONAL TEST AFT ANTI-COLLISION LIGHT							Service	ATA:33
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 33.020	AFL	1683							
				PROC. REF: CMM 33-40-03, AMM 33-40-00				PKG:7	
OPS43 <sup>S</sup>	FUNCTIONAL TEST LEFT ANTI-COLLISION LIGHT							Service	ATA:33
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 33.030	AFL	1683							
				PROC. REF: CMM 33-40-05, AMM 33-40-00				PKG:7	
<b>ATA 34 - NAVIGATION</b>									
100C04 <sup>S</sup>	INSPECT PITOT AND STATIC LINES AND CONNECTIONS - LEFT BAGGAGE COMPARTMENT							Service	ATA:34
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 34.020	AFL	1683							
				PROC. REF: AMM 34-12-00				PKG:6	
100D01 <sup>S</sup>	INSPECT PITOT AND STATIC LINE CONNECTIONS - RIGHT AVIONICS COMPARTMENT							Service	ATA:34
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 34.030	AFL	1683							
				PROC. REF: AMM 34-12-00				PKG:6	
100E10	INSPECT RVSM CONTOUR							Service	ATA:34
	MOS	11-Jun-24	24 (+30d/-30d)		11-Jun-26	11-Jul-26	666 d (+30)		
	HRS	2032							
WC#: 34.500	AFL	1683							
				PROC. REF: AMM 34-10-10					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>340001</b>		<b>UPPER COAXIAL SWITCH</b>					<b>Component</b>		<b>ATA:34</b>
PN:402-167	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:21323	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-54-01									
<b>340002</b>		<b>LOWER COAXIAL SWITCH</b>					<b>Component</b>		<b>ATA:34</b>
PN:402-167	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:21321	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-54-01									
<b>340003</b>		<b>PERFORM FEDERAL AVIATION ADMINISTRATION'S (FAA) REDUCED VERTICAL SEPARATION MINIMUM (RVSM) MONITORING</b>					<b>Service</b>		<b>ATA:34</b>
	MOS/MSC	27-Jun-12	A/R	TAC 0				FAA	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: GENERIC NO REF									
<b>340011</b>		<b>STANDBY COMPASS</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>340021</b>		<b>MAGNETIC COMPASS</b>					<b>Component</b>		<b>ATA:34</b>
PN:133-380035-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:BG16481011	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-22-01									
<b>3400504<sup>U</sup></b>		<b>NO.1 DCP 3000 DISPLAY CONTROL PANEL</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1828-012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4905L	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>3400505<sup>U</sup></b>		<b>NO.2 DCP 3000 DISPLAY CONTROL PANEL</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1828-012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4905K	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341001</b>		<b>NO. 1 AIR DATA COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1109-016	MOS/MSC	15-Jul-22	O/C						
SN:4829R	HRS	1784.3							
WC#: 34.050	AFL	1528							
PROC. REF: AMM 34-11-01									
<b>341002</b>		<b>NO. 2 AIR DATA COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1109-016	MOS/MSC	15-Jul-22	O/C						
SN:4829P	HRS	1784.3							
WC#: 34.050	AFL	1528							
PROC. REF: AMM 34-11-01									
<b>341025</b>		<b>STANDBY ALTIMETER</b>						<b>Component</b>	<b>ATA:34</b>
PN:390-382042-0001	MOS/MSC	17-Jun-24	O/C	TSO 0					
SN:164626	HRS	2032		TSO 0					
WC#: 34.100	AFL	1683		TSO 0					
PROC. REF: AMM 34-12-06									
<b>341031</b>		<b>NO. 1 EXTERNAL COMPENSATION UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1200-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N3F	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									
<b>341032</b>		<b>NO. 2 EXTERNAL COMPENSATION UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1200-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N2M	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									
<b>341041</b>		<b>NO. 1 AHC 3000 AHRS UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1110-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N1W	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									
<b>341042</b>		<b>NO. 2 AHC 3000 AHRS UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1110-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49MXN	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341047</b>		<b>ALT-4000 TRANSMITTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0615-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4963T	HRS	0		TSN 0					
WC#: 34.130	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01									
<b>3410509<sup>U</sup></b>		<b>CENTER ADAPTIVE FLIGHT DISPLAY</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1084-014	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>341051</b>		<b>NO. 1 ADAPTIVE FLIGHT DISPLAY</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1084-017	MOS/MSC	30-Nov-23	O/C	TSO 0					
SN:3YORD	HRS	2023.6		TSO 0					
WC#: 34.140	AFL	1676		TSO 0					
PROC. REF: AMM 34-25-01									
<b>341052</b>		<b>NO. 2 ADAPTIVE FLIGHT DISPLAY</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1084-017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3V10Y	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
<b>341061</b>		<b>ADAPTIVE FLIGHT DISPLAY CENTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1753-017	MOS/MSC	18-Jun-20	O/C						
SN:49RHR	HRS	1296.7							
WC#: 34.140	AFL	1240							
PROC. REF: AMM 34-25-01									
<b>341071</b>		<b>NO. 1 CONTROL DISPLAY UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0884-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49DNL	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01									
<b>341072</b>		<b>NO. 2 CONTROL DISPLAY UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0884-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49DJB	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341081</b>		<b>WEATHER RADAR (RTA-800) ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-8440-004	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:3Y2RW	HRS	0			TSN 0				
WC#: 34.160	AFL	0			TSN 0				
PROC. REF: AMM 34-41-01									
<b>341091</b>		<b>AIRSPEED INDICATOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:390-382039-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:298282	HRS	0			TSN 0				
WC#: 34.170	AFL	0			TSN 0				
PROC. REF: AMM 34-12-01									
<b>341093</b>		<b>MMT-3010 MOUNT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1290-003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.510	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>341101</b>		<b>NO. 1 PITOT VALVE</b>						<b>Component</b>	<b>ATA:34</b>
PN:122-380046-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0718	HRS	0			TSN 0				
WC#: 34.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>341102</b>		<b>NO. 2 PITOT VALVE</b>						<b>Component</b>	<b>ATA:34</b>
PN:122-380046-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0705	HRS	0			TSN 0				
WC#: 34.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>341111</b>		<b>OAT PROBE</b>						<b>Component</b>	<b>ATA:34</b>
PN:122-384003-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:B4916	HRS	0			TSN 0				
WC#: 34.190	AFL	0			TSN 0				
PROC. REF: AMM 34-13-01									
<b>341121</b>		<b>NO. 1 PITOT STATIC PROBE</b>						<b>Component</b>	<b>ATA:34</b>
PN:390-382059-0001	MOS/MSC	09-Jan-20	O/C		TSN 0				
SN:315694	HRS	1270.3			TSN 0				
WC#: 34.200	AFL	1212			TSN 0				
PROC. REF: AMM 34-12-07									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
341122	NO. 2 PITOT STATIC PROBE							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.200	AFL	0			TSN 0				
PROC. REF: AMM 34-12-07									
341201	NO. 1 NAV ANTENNA							Component	ATA:34
PN:22-37-103	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:4253	HRS	0			TSN 0				
WC#: 34.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01									
341202	NO. 2 NAV ANTENNA							Component	ATA:34
PN:22-37-103	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:4252	HRS	0			TSN 0				
WC#: 34.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01									
341211	PHASING COUPLER							Component	ATA:34
PN:80-37-101	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:6393	HRS	0			TSN 0				
WC#: 34.220	AFL	0			TSN 0				
PROC. REF: AMM 34-31-01									
341221	STANDBY AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.230	AFL	0			TSN 0				
PROC. REF: AMM 34-12-05									
342011	UPPER FLUX DETECTOR							Component	ATA:34
PN:822-1193-001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:300605	HRS	0			TSN 0				
WC#: 34.240	AFL	0			TSN 0				
PROC. REF: AMM 34-21-01									
342012	LOWER FLUX DETECTOR							Component	ATA:34
PN:822-1193-001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:300579	HRS	0			TSN 0				
WC#: 34.240	AFL	0			TSN 0				
PROC. REF: AMM 34-21-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342031	ATTITUDE INDICATOR							Component	ATA:34
PN:390-382065-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3143	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01									
342041	VERTICAL SPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: AMM 34-12-02									
3420500.1 <sup>U</sup>	STANDBY ATTITUDE INDICATOR							Component	ATA:34
PN:501-1828-01	MOS/MSC	27-Feb-19	O/C	TSO 0					
SN:3046	HRS	1096.92		TSO 0					
	AFL	1083		TSO 0					
343001	NO. 1 COUPLER							Component	ATA:34
PN:DMH24-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:16391	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343002	NO. 2 COUPLER							Component	ATA:34
PN:DMH21-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:45353	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343003	NO. 3 COUPLER							Component	ATA:34
PN:DMH21-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:46539	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343021	MARKER BEACON ANTENNA							Component	ATA:34
PN:DM N27-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:17770	HRS	0		TSN 0					
WC#: 34.280	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>343031</b>		<b>GLIDESLOPE ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:100-384128	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:9006	HRS	0		TSN 0					
WC#: 34.290	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
<b>343041</b>		<b>NO. 1 VIR-432 NAV RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1465-101	MOS/MSC	11-Jun-24	O/C	TSO 0					
SN:39G0R	HRS	2032		TSO 0					
WC#: 34.300	AFL	1683		TSO 0					
PROC. REF: AMM 34-31-01									
<b>343042</b>		<b>NO. 2 VIR-432 NAV RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1465-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:44G1G	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
<b>3430501<sup>U</sup></b>		<b>NO. 1 GLIDESLOPE/MARKER BEACON/VOR/ILS NAVIGATION RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7194-201	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>3430504<sup>U</sup></b>		<b>NO. 2 GLIDESLOPE/MARKER BEACON/VOR/ILS NAVIGATION RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7194-201	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>344001</b>		<b>UPPER TCAS ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-8973-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:50075	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									
<b>344002</b>		<b>LOWER TCAS ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-8973-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:444CL	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>344011</b>		<b>UPPER TRANSPONDER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:27106	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									
<b>344012</b>		<b>LOWER TRANSPONDER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:27533	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									
<b>344021</b>		<b>TCAS TRANSMITTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1294-032	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:177927	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									
<b>344031</b>		<b>TCAS COAX KIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:999ML-500-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:E90135	HRS	0		TSN 0					
WC#: 34.340	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>344301</b>		<b>RADIO ALTIMETER RECEIVER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:DM PN19-2-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:6397	HRS	0		TSN 0					
WC#: 34.350	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01									
<b>344302</b>		<b>RADIO ALTIMETER TRANSMITTER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.350	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01									
<b>3443501<sup>U</sup></b>		<b>RADIO ALTIMETER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:DM PN19-2-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:6398	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
345001	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	04-Oct-17	O/C						
SN:491XD	HRS	852.3							
WC#: 34.040	AFL	866							
PROC. REF: AMM 34-54-01									
345002	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	04-Oct-17	O/C						
SN:491WY	HRS	852.3							
WC#: 34.040	AFL	866							
PROC. REF: AMM 34-54-01									
345011	SINGLE ADF ANTENNA							Component	ATA:34
PN:622-7383-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48TJH	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
345012	DUAL ADF ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
345021	NO. 1 DME ANTENNA							Component	ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:27536	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
345022	NO. 2 DME ANTENNA							Component	ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
345031	NO. 1 DME							Component	ATA:34
PN:822-1466-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BH2D	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
345032	NO. 2 DME							Component	ATA:34
PN:622-7309-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
345041	NO. 1 GPS ANTENNA							Component	ATA:34
PN:429-410	MOS/MSC	09-Sep-22	O/C	TSN 0					
SN:699715	HRS	1828.2		TSN 0					
WC#: 34.400	AFL	1558		TSN 0					
PROC. REF: AMM 34-51-01									
345042	NO. 2 GPS ANTENNA							Component	ATA:34
PN:C1401-22A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									
3450504 <sup>U</sup>	CUMMUNICATIONS/NAVIGATION TUNING UNIT							Component	ATA:34
PN:822-1121-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450508 <sup>U</sup>	NO. 1 IAPS POWER SUPPLY							Component	ATA:34
PN:822-1137-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B28J	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450509 <sup>U</sup>	IAPS ENVIRONMENTAL CONTROLLER							Component	ATA:34
PN:822-1167-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B1PR	HRS	0		TSN 0					
	AFL	0		TSN 0					
345051	NO. 1 GLOBAL POSITIONING SYSTEM							Component	ATA:34
PN:822-2189-004	MOS/MSC	04-Oct-17	O/C						
SN:46F5T	HRS	852.3							
WC#: 34.410	AFL	866							
PROC. REF: AMM 34-51-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
3450511 <sup>U</sup>		NO. 1 IAPS INPUT/OUTPUT CONCENTRATOR					Component	ATA:34	
PN:822-1361-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4941X	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450519 <sup>U</sup>		NO. 2 IAPS POWER SUPPLY					Component	ATA:34	
PN:822-1137-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B28F	HRS	0		TSN 0					
	AFL	0		TSN 0					
345052		NO. 2 GLOBAL POSITIONING SYSTEM					Component	ATA:34	
PN:822-2189-004	MOS/MSC	04-Oct-17	O/C						
SN:44H6F	HRS	852.3							
WC#: 34.410	AFL	866							
PROC. REF: AMM 34-51-01									
3450520 <sup>U</sup>		NO. 2 IAPS INPUT/OUTPUT CONCENTRATOR					Component	ATA:34	
PN:822-1361-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4941Y	HRS	0		TSN 0					
	AFL	0		TSN 0					
345061		SINGLE ADF-462 TRANSCEIVER					Component	ATA:34	
PN:622-7382-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
345062		DUAL ADF-462 TRANSCEIVER					Component	ATA:34	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
3451500 <sup>U</sup>		XM DATA ID					Component	ATA:34	
PN:XM DATA ID	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>3451501<sup>U</sup> XM GRAPHICAL WEATHER</b> Component ATA:34								
PN:810-0007-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3451502<sup>U</sup> XM WEATHER RECEIVER</b> Component ATA:34								
PN:822-2031-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3451505<sup>U</sup> EXTERNAL COMPENSATION UNIT</b> Component ATA:34								
PN:822-1200-998	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3451510<sup>U</sup> NAVIGATION RECEIVER</b> Component ATA:34								
PN:822-1579-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3451512<sup>U</sup> MODULAR TRAY</b> Component ATA:34								
PN:822-1811-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3451515<sup>U</sup> ENHANCED MAP OVERLAYS</b> Component ATA:34								
PN:810-0003-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>3451516<sup>U</sup> FILE SERVER UNIT</b> Component ATA:34								
PN:822-1543-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<b>346001 NO. 1 DCP-3000 DISPLAY CONTROL PANEL</b> Component ATA:34								
PN:822-1134-112	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				

PROC. REF: AMM 34-25-01

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>346002</b>		<b>NO. 2 DCP-3000 DISPLAY CONTROL PANEL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1134-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
<b>346011</b>		<b>NO. 1 FLIGHT GUIDANCE COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1108-317	MOS/MSC	14-May-17	O/C	TSN 59					
SN:44BJC	HRS	813.42		TSN 813.42					
WC#: 34.430	AFL	833		TSN 833					
PROC. REF: AMM 31-40-01									
<b>346012</b>		<b>NO. 2 FLIGHT GUIDANCE COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1108-317	MOS/MSC	14-May-17	O/C	TSN 59					
SN:44DFK	HRS	813.42		TSN 813.42					
WC#: 34.430	AFL	833		TSN 833					
PROC. REF: AMM 31-40-01									
<b>346021</b>		<b>NO. 1 CONFIGURATION STRAPPING UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1363-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B1LT	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01									
<b>346022</b>		<b>NO. 2 CONFIGURATION STRAPPING UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1363-002	MOS/MSC	03-Jul-21	O/C						
SN:4M8DLK	HRS	1533.1							
WC#: 34.440	AFL	1373							
PROC. REF: AMM 31-40-01									
<b>346031</b>		<b>NO. 1 FLIGHT MANAGEMENT COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0883-040	MOS/MSC	03-Jul-21	O/C	TSO 0					
SN:20CVX	HRS	1533.1		TSO 0					
WC#: 34.450	AFL	1373		TSO 0					
PROC. REF: AMM 31-40-01									
<b>346032</b>		<b>NO. 2 FLIGHT MANAGEMENT COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0883-040	MOS/MSC	03-Jul-21	O/C	TSO 0					
SN:3N2GB	HRS	1533.1		TSO 0					
WC#: 34.450	AFL	1373		TSO 0					
PROC. REF: AMM 31-40-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
346041	SDD-640C SENSOR DISPLAY DRIVE							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.460	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346061	ENHANCED GROUND PROXIMITY WARNING UNIT							Component	ATA:34
PN:965-0976-040-210-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:EMK5-28268	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: AMM 34-45-01									
346071	429 COMPUTER							Component	ATA:34
PN:90001-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.480	AFL	0		TSN 0					
PROC. REF: AMM 23-30-05									
346081	DATA BASE UNIT							Component	ATA:34
PN:822-2215-201	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1BSP7	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01									
OPS38	OPERATIONAL TEST REVERSION SWITCHES							Service	ATA:34
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	47 (+20)		
WC#: 34.010	AFL	1603							
PROC. REF: AMM 34-00-01									
SPC03	RECERTIFY STANDBY ALTIMETER							Service	ATA:34
PN:390-382042-0001	MOS	11-Jun-24	24		11-Jun-26		666 d	MANDATORY	
SN:164626	HRS	2032							
WC#: 34.100	AFL	1683							
PROC. REF: AMM 34-12-00									
SPC05	RECERTIFY NO. 1 AIR DATA COMPUTER							Service	ATA:34
PN:822-1109-016	MOS	01-Apr-24	24		01-Apr-26		595 d	MANDATORY	
SN:4829R	HRS	2032							
WC#: 34.050	AFL	1683							
PROC. REF: AMM 34-11-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>SPC05</b>		<b>RECERTIFY NO. 2 AIR DATA COMPUTER</b>						Service	ATA:34
PN:822-1109-016	MOS	01-Apr-24	24		01-Apr-26		595 d	MANDATORY	
SN:4829P	HRS	2032							
WC#: 34.050	AFL	1683							
PROC. REF: AMM 34-11-02									
<b>SPC11</b>		<b>RECERTIFY NO. 1 ATC TRANSPONDER</b>						Service	ATA:34
PN:622-9210-501	MOS	01-Apr-24	24		01-Apr-26		595 d	MANDATORY	
SN:491XD	HRS	2032							
WC#: 34.040	AFL	1683							
PROC. REF: AMM 34-54-00									
<b>SPC11</b>		<b>RECERTIFY NO. 2 ATC TRANSPONDER</b>						Service	ATA:34
PN:622-9210-501	MOS	01-Apr-24	24		01-Apr-26		595 d	MANDATORY	
SN:491WY	HRS	2032							
WC#: 34.040	AFL	1683							
PROC. REF: AMM 34-54-00									
<b>SPC12</b>		<b>RECERTIFY NO. 1 PITOT STATIC SYSTEM</b>						Service	ATA:34
	MOS	11-Jun-24	24		11-Jun-26		666 d	MANDATORY	
	HRS	2032							
WC#: 34.520	AFL	1683							
PROC. REF: AMM 34-12-00									
<b>SPC12</b>		<b>RECERTIFY NO. 2 PITOT STATIC SYSTEM</b>						Service	ATA:34
	MOS	11-Jun-24	24		11-Jun-26		666 d	MANDATORY	
	HRS	2032							
WC#: 34.520	AFL	1683							
PROC. REF: AMM 34-12-00									
<b>SPC16</b>		<b>DRAIN LEFT PITOT/STATIC SYSTEM</b>						Service	ATA:34
	MOS	10-Jul-23							
	HRS	1970.3	200 (+20)		2170.3	2190.3	110.8 (+20)		
WC#: 34.020	AFL	1639							
PROC. REF: AMM 34-12-00									
<b>SPC16</b>		<b>DRAIN RIGHT PITOT/STATIC SYSTEM</b>						Service	ATA:34
	MOS	10-Jul-23							
	HRS	1970.3	200 (+20)		2170.3	2190.3	110.8 (+20)		
WC#: 34.030	AFL	1639							
PROC. REF: AMM 34-12-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
100C02 <sup>S</sup>	INSPECT OXYGEN SYSTEM							Service	ATA:35
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.010	AFL	1683							
				PROC. REF: AMM 12-10-30				PKG:6	
200A12 <sup>S</sup>	INSPECT FLIGHT CREW OXYGEN SYSTEM							Service	ATA:35
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.020	AFL	1683							
				PROC. REF: AMM 35-10-01				PKG:6	
200B07 <sup>S</sup>	INSPECT OXYGEN MASK AND HOSES							Service	ATA:35
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.050	AFL	1683							
				PROC. REF: AMM 35-20-01				PKG:6	
350001	OXYGEN PRESSURE TRANSDUCER							Component	ATA:35
PN:122-382008-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7403-5-192	HRS	0		TSN 0					
WC#: 35.060	AFL	0		TSN 0					
				PROC. REF: AMM 35-10-08					
350011	OXYGEN SHUTOFF VALVE							Component	ATA:35
PN:101-384032-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:5303B	HRS	0		TSN 0					
WC#: 35.070	AFL	0		TSN 0					
				PROC. REF: AMM 35-10-05					
350101	OXYGEN BOTTLE							Component	ATA:35
PN:176419-77	MOS	20-Aug-16	180	TSN 0	01-May-25		260 d	LIFE LIMIT	
SN:ALT281-24534/2672	HRS	607.7							
WC#: 35.010	AFL	627							
	ACH								
		Manufacture Date:: 01-May-10		PROC. REF: AMM 35-10-04					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
351011	NO. 1 CREW STATION OXYGEN BOX							Component	ATA:35
PN:390-382044-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:00309	HRS	0			TSN 0				
WC#: 35.090	AFL	0			TSN 0				
PROC. REF: AMM 35-10-10									
351012	NO. 2 CREW STATION OXYGEN BOX							Component	ATA:35
PN:390-382044-0002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:00337	HRS	0			TSN 0				
WC#: 35.090	AFL	0			TSN 0				
PROC. REF: AMM 35-10-10									
351021	OVERBOARD DISCHARGE INDICATOR							Component	ATA:35
PN:171-502	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0313	HRS	0			TSN 0				
WC#: 35.100	AFL	0			TSN 0				
PROC. REF: AMM 35-10-06									
351031	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:99-384042-3	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:03302	HRS	0			TSN 0				
WC#: 35.110	AFL	0			TSN 0				
PROC. REF: AMM 35-10-02									
351035	OXYGEN PRESSURE INDICATOR							Component	ATA:35
PN:390-382010-0007	MOS/MSC	07-Jul-14	O/C		TSO 0				
SN:071330	HRS	200.9			TSO 0				
WC#: 35.120	AFL	189			TSO 0				
PROC. REF: AMM 35-10-07									
3510501 <sup>U</sup>	LH OXYGEN CREW MASK							Component	ATA:35
PN:390-382045-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:23984	HRS	0			TSN 0				
	AFL	0			TSN 0				
352020	CABIN OXYGEN CONTROL SOLENOID VALVE							Component	ATA:35
PN:101-384032-7	MOS/MSC	17-Jun-24	O/C		TSN 0				
SN:7209B	HRS	2032			TSN 0				
WC#: 35.030	AFL	1683			TSN 0				
PROC. REF: AMM 35-20-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>LIMITS14 HYDROSTATIC TEST OXYGEN BOTTLE CARBON FIBER BOTTLE P/N 101-384207-23 (77 CUBIC-FEET)</b>								Service ATA:35
PN:176419-77	MOS	23-Jun-21	60		23-Jun-26		678 d	MANDATORY
SN:ALT281-24534/2672	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
<b>OPS39<sup>S</sup> FUNCTIONAL TEST OXYGEN SYSTEM</b>								Service ATA:35
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 35.010	AFL	1683						
PROC. REF: AMM 35-00-00								
PKG:6								
<b>SPC14 #1 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1191 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.130	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
<b>SPC14 #2 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		1099 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.130	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
<b>SPC14 #3 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1191 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.140	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
<b>SPC14 #4 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		1099 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.140	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
<b>SPC14 #5 PASSENGER OXYGEN MASK</b>								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1191 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.150	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
<b>SPC14</b>		<b>#6 PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		1099 d	OVERHAUL	
SN:UNKNOWN	HRS	1296.7		TSN 0					
WC#: 35.150	AFL	1240		TSN 0					
PROC. REF: AMM 35-20-01									
<b>SPC14</b>		<b>LAVATORY PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1191 d	OVERHAUL	
SN:UNKNOWN	HRS	1296.7		TSN 0					
WC#: 35.160	AFL	1240		TSN 0					
PROC. REF: AMM 35-20-01									
<b>SPC26</b>		<b>NO. 1 CREW OXYGEN MASK OVERHAUL</b>						<b>Component</b>	<b>ATA:35</b>
PN:174252-13	MOS	08-May-23	72 (+30d/-30d)	TSO 0	08-May-29	07-Jun-29	1728 d (+30)	OVERHAUL	
SN:23595	HRS	1964.5		TSO 0					
WC#: 35.080	AFL	1636		TSO 0					
PROC. REF: CMM 35-10-01, AMM 35-10-01									
<b>SPC26</b>		<b>NO. 2 CREW OXYGEN MASK OVERHAUL</b>						<b>Component</b>	<b>ATA:35</b>
PN:174252-13	MOS	08-May-23	72 (+30d/-30d)	TSO 0	08-May-29	07-Jun-29	1728 d (+30)	OVERHAUL	
SN:20790	HRS	1964.5		TSO 0					
WC#: 35.080	AFL	1636		TSO 0					
PROC. REF: CMM 35-10-01, AMM 35-10-01									
<b>TBO06</b>		<b>OXYGEN REGULATOR</b>						<b>Component</b>	<b>ATA:35</b>
PN:172400-14	MOS	29-Jun-21	60	TSO 0	29-Jun-26		684 d	OVERHAUL	
SN:2672	HRS	1533.1							
WC#: 35.010	AFL	1373		TSO 0					
PROC. REF: GENERIC NO REF									
<b>TBO07</b>		<b>REPLACE CABIN OXYGEN CONTROL SOLENOID VALVE O-RINGS</b>						<b>Service</b>	<b>ATA:35</b>
PN:101-384032-7	MOS	17-Jun-24	48		17-Jun-28		1403 d		
SN:7209B	HRS	2032							
WC#: 35.040	AFL	1683							
PROC. REF: AMM 35-20-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
361001	PNEUMATIC PRESSURE REGULATOR							Component	ATA:36
PN:390-385001-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0508	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01									
SPC19	DRAIN MOISTURE FROM PNEUMATIC DRAIN LINE							Service	ATA:36
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)		
WC#: 36.020	AFL	1603							
PROC. REF: GENERIC NO REF									
<b>ATA 38 - WATER/WASTE</b>									
200A06 <sup>S</sup>	INSPECT RELIEF TUBE							Service	ATA:38
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
PROC. REF: GENERIC NO REF									
3800400 <sup>U</sup>	RELIEF TUBE							Component	ATA:38
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PKG:6									
<b>ATA 52 - DOORS</b>									
200C01	VISUAL/A-SCAN CHECK PASSENGER DOOR							Service	ATA:52
PN:PN	MOS	27-Jun-12						AIRWORTHINESS	
SN:UNKNOWN	HRS	0	T:2400 (+200)		2400	2600	340.5 (+200)		
WC#: 52.010	AFL	0							
PROC. REF: AMM 20-26-00, AMM 52-10-01									
200C03	VISUAL CHECK EMERGENCY EXIT HATCH							Service	ATA:52
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)		
WC#: 52.040	AFL	0							
PROC. REF: AMM 52-20-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
200C06 <sup>S</sup>	VISUAL CHECK PASSENGER DOOR AND STEPS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01				PKG:6	
200C07 <sup>S</sup>	INSPECT PASSENGER DOOR LATCH MECHANISM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01				PKG:6	
200C08 <sup>S</sup>	INSPECT PASSENGER DOOR							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01				PKG:7	
200C09 <sup>S</sup>	INSPECT FUSELAGE DOOR LAND							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01				PKG:6	
200C10 <sup>S</sup>	INSPECT EMERGENCY EXIT HATCH SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
				PROC. REF: AMM 52-20-01				PKG:7	
200C11 <sup>S</sup>	INSPECT EMERGENCY EXIT HATCH DOOR FRAME AND WINDOW INSTALLATION							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
				PROC. REF: AMM 52-20-01				PKG:7	
200C12 <sup>S</sup>	INSPECT EMERGENCY EXIT HATCH FUSELAGE OPENING PERIMETER							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
				PROC. REF: AMM 52-20-01				PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
200C13 <sup>S</sup>	INSPECT EMERGENCY EXIT HATCH LATCHING MECHANISM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
	PROC. REF: AMM 52-20-01								PKG:7
300A33 <sup>S</sup>	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.050	AFL	1683							
	PROC. REF: AMM 52-30-00								PKG:7
521001	PASSENGER DOOR							Component	ATA:52
PN:390-430020-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RB-293	HRS	0			TSN 0				
WC#: 52.010	AFL	0			TSN 0				
	PROC. REF: AMM 52-10-01								
521002	PASSENGER DOOR SHELL ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
521011	CABIN DOOR KEY							Component	ATA:52
PN:390-384050-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:80477	HRS	0			TSN 0				
WC#: 52.100	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
522001	EMERGENCY EXIT HATCH							Component	ATA:52
PN:390-430003-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RB-293	HRS	0			TSN 0				
WC#: 52.040	AFL	0			TSN 0				
	PROC. REF: AMM 52-20-01								
523011	RIGHT AFT AVIONICS DOOR KEY							Component	ATA:52
PN:390-384008-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:80477	HRS	0			TSN 0				
WC#: 52.120	AFL	0			TSN 0				
	PROC. REF: AMM 52-30-03								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
524001	FORWARD BAGGAGE & AVIONICS DOOR KEY							Component	ATA:52
PN:390-384008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:80477	HRS	0		TSN 0					
WC#: 52.130	AFL	0		TSN 0					
PROC. REF: AMM 52-30-01									
800A02 <sup>S</sup>	INSPECT AFT BAGGAGE DOOR, LATCH, SWITCHES AND SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.150	AFL	1683							
PROC. REF: AMM 52-30-00									
800A03 <sup>S</sup>	INSPECT AFT AVIONICS DOOR, LATCH, SWITCHES AND SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.150	AFL	1683							
PROC. REF: AMM 52-30-00									
800A04 <sup>S</sup>	INSPECT AFT BAGGAGE DOOR LATCH PINS (4 LOCATIONS)							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.160	AFL	1683							
PROC. REF: AMM 52-30-05									
800A05 <sup>S</sup>	INSPECT AFT AVIONICS DOOR LATCH PINS (4 LOCATIONS)							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.160	AFL	1683							
PROC. REF: AMM 52-30-05									
800A06 <sup>S</sup>	ADJUSTMENT/TEST FORWARD AND AFT BAGGAGE/AVIONICS DOORS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.170	AFL	1683							
PROC. REF: AMM 52-70-00									
800A07	EDDY CURRENT INSPECT AFT BAGGAGE AND AVIONICS DOOR LATCH PINS (4 EACH SIDE)							Service	ATA:52
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)		
WC#: 52.140	AFL	0							
PROC. REF: AMM 20-26-00, AMM 52-30-05									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
OPS40 <sup>S</sup>	OPERATIONAL TEST PASSENGER DOOR WARNING SYSTEM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.030	AFL	1683							
PROC. REF: AMM 52-10-01								PKG:7	
<b>ATA 53 - FUSELAGE</b>									
100B08 <sup>S</sup>	INSPECT MOISTURE DRAIN HOLES AND VALVES							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.010	AFL	1683							
PROC. REF: AMM 06-20-00								PKG:7	
100B09 <sup>S</sup>	INSPECT WING SPIGOT FITTING INTERIOR REINFORCEMENTS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.030	AFL	1683							
PROC. REF: AMM 57-10-02								PKG:7	
100B10 <sup>S</sup>	INSPECT FORWARD AND AFT WING ATTACHMENT FITTINGS REINFORCEMENTS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.040	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
100B11 <sup>S</sup>	INSPECT/LUBRICATE WING SPIGOT							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.330	AFL	1683							
PROC. REF: AMM 12-20-02, AMM 57-10-02								PKG:6	
100C01	INSPECT LEFT BAGGAGE COMPARTMENT FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Jun-20	96 (+30d/-30d)		18-Jun-28	18-Jul-28	1404 d (+30)	AIRWORTHINESS	
	HRS	1296.7	2400 (+200)		3696.7	3896.7	1637.2 (+200)		
WC#: 53.050	AFL	1240							
PROC. REF: AMM 53-10-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
100C05 <sup>S</sup>	INSPECT LEFT BAGGAGE COMPARTMENT NOSE KEEL							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.200	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6	
100D03	INSPECT RIGHT AVIONICS COMPARTMENT FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Jun-20	96 (+30d/-30d)		18-Jun-28	18-Jul-28	1404 d (+30)	AIRWORTHINESS	
	HRS	1296.7	2400 (+200)		3696.7	3896.7	1637.2 (+200)		
WC#: 53.060	AFL	1240							
PROC. REF: AMM 53-10-01									
100D04 <sup>S</sup>	INSPECT RIGHT AVIONICS COMPARTMENT NOSE KEEL							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.210	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6	
100E02 <sup>S</sup>	INSPECT FUSELAGE SKIN - STRUCTURAL DAMAGE							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.070	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
100E04 <sup>S</sup>	INSPECT RADOME DETERIORATION (REMOVED)							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.240	AFL	1683							
PROC. REF: AMM 53-30-01, AMM 53-30-01								PKG:7	
100E05 <sup>S</sup>	INSPECT RADOME ANTENNA (REMOVED)							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.240	AFL	1683							
PROC. REF: AMM 53-30-01								PKG:7	
200B01	VISUAL OF AFT PRESSURE BULKHEAD							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)		2400	2600	340.5 (+200)		
WC#: 53.100	AFL	0							
PROC. REF: AMM 53-10-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
200B08 <sup>S</sup>	INSPECT FLOOR PANELS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.230	AFL	1683							
PROC. REF: AMM 06-50-01								PKG:7	
200C02	VISUAL CHECK OF FORWARD FUSELAGE SHELL AND FORWARD TO AFT SPLICE							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)		2400	2600	340.5 (+200)		
WC#: 53.080	AFL	0							
PROC. REF: AMM 53-10-02									
200C15 <sup>S</sup>	INSPECT FUSELAGE SKIN							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.110	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
200D10 <sup>S</sup>	INSPECT FUSELAGE AND WING ATTACHMENT FITTINGS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.120	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6,7	
300A07	VISUAL CHECK OF AFT FUSELAGE SHEL							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)		2400	2600	340.5 (+200)		
WC#: 53.130	AFL	0							
PROC. REF: AMM 53-30-03									
300A10	EDDY CURRENT INSPECT VERTICAL TAIL AFT SPAR (BOLT REMOVAL REQUIRED)							Service	ATA:53
PN:PN	MOS	27-Jun-12						AIRWORTHINESS	
SN:UNKNOWN	HRS	0	T:10000 (+200)		10000	10200	7940.5 (+200)		
WC#: 53.170	AFL	0							
PROC. REF: AMM 20-26-00, AMM 53-10-05									
300A37 <sup>S</sup>	INSPECT AFT FUSELAGE SKIN							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.020	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 53 - FUSELAGE</b>								
<b>300A38<sup>S</sup> INSPECT FORWARD ENGINE CARRY-THROUGH BEAM Service ATA:53</b>								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 53.180	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:7
<b>300A40<sup>S</sup> INSPECT MOISTURE DRAIN PATH Service ATA:53</b>								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 53.190	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6
<b>530001 PYLON ASSEMBLY Component ATA:53</b>								
PN:390-440252-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>531001 FORWARD FUSELAGE ASSEMBLY Component ATA:53</b>								
PN:390-400011-0021	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>531011 NOSE STRUCTURE Component ATA:53</b>								
PN:390-410006-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>531046 AFT FUSELAGE SHELL Component ATA:53</b>								
PN:390-444011-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.130	AFL	0		TSN 0				
PROC. REF: AMM 53-30-02								
<b>531049 EMPENNAGE Component ATA:53</b>								
PN:390-600100-6001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 53.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
531050	EMPENNAGE FITTING							Component	ATA:53
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.140	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531052	FORWARD CANTED BULKHEAD							Component	ATA:53
PN:390-440095-0007	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.150	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531055	AFT CANTED BULKHEAD							Component	ATA:53
PN:390-440089-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.160	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531057	VERTICAL TAIL AFT SPAR							Component	ATA:53
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.170	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
532001	AFT PRESSURE BULKHEAD							Component	ATA:53
PN:390-440031-6001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
532011	COCKPIT FLOOR STRUCTURE							Component	ATA:53
PN:390-420009-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.300	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
532021	NO. 1 CABIN FLOOR STRUCTURE							Component	ATA:53
PN:390-430361-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.310	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
532022	NO. 2 CABIN FLOOR STRUCTURE							Component	ATA:53
PN:390-430362-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
533001	TAILCONE							Component	ATA:53
PN:390-440215-0013	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.320	AFL	0		TSN 0					
PROC. REF: AMM 53-30-02									
535001	RADOME							Component	ATA:53
PN:390-415001-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:C198200-9	HRS	0		TSN 0					
WC#: 53.240	AFL	0		TSN 0					
PROC. REF: AMM 53-30-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
400A12 <sup>S</sup>	INSPECT NO. 1 ENGINE PYLON SKIN							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 54.010	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400A14 <sup>S</sup>	INSPECT NO. 1 ENGINE PYLON NACELLE SEAL							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 54.020	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	
400B12 <sup>S</sup>	INSPECT NO. 2 ENGINE PYLON SKIN							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 54.010	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400B14 <sup>S</sup>	INSPECT NO. 2 ENGINE PYLON NACELLE SEAL							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 54.020	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
300B14 <sup>S</sup>	INSPECT VERTICAL STABILIZER SKIN AND LEADING EDGE							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.030	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
300B15 <sup>S</sup>	INSPECT FORWARD AND AFT DORSAL FIN							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.040	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
300C15 <sup>S</sup>	INSPECT HORIZONTAL STABILIZER SKIN AND LEADING EDGE							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.010	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
<b>ATA 56 - WINDOWS</b>									
100E07	VISUAL/EDDY CURRENT INSPECT FRONT AND SIDE WINDSHIELD CLAMPS							Service	ATA:56
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS	0	T:6000 (+200)		6000	6200	3940.5 (+200)		
WC#: 56.010	AFL	0							
	PROC. REF: AMM 56-00-00								
100E08	VISUAL CHECK WINDSHIELDS AND WINDOWS							Service	ATA:56
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS		T:2400 (+200)		2400 (M)	2600	340.5 (+200)		
WC#: 56.020	AFL	0							
	PROC. REF: AMM 56-00-00								
100E09 <sup>S</sup>	INSPECT WINDSHIELD FRAMES							Service	ATA:56
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 56.030	AFL	1683							
	PROC. REF: AMM 56-00-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
200C18 <sup>S</sup>	INSPECT CABIN WINDOW							Service	ATA:56
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 56.040	AFL	1683							
	PROC. REF: AMM 56-00-00								PKG:6
561001	LEFT WINDSHIELD ASSY							Component	ATA:56
PN:390-384000-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:1167H1698	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
	PROC. REF: AMM 56-10-01								
561002	RIGHT WINDSHIELD ASSY							Component	ATA:56
PN:390-384000-0006	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11116H6478	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
	PROC. REF: AMM 56-10-01								
561011	LEFT COCKPIT SIDE WINDOW							Component	ATA:56
PN:390-3840001-0007	MOS/MSC	20-Mar-16	O/C		TSN 0				
SN:16118H9733	HRS	607.7			TSN 0				
WC#: 56.060	AFL	627			TSN 0				
	PROC. REF: GENERIC NO REF								
561012	RIGHT COCKPIT SIDE WINDOW							Component	ATA:56
PN:390-384001-0008	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11154H0181	HRS	0			TSN 0				
WC#: 56.060	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
<b>ATA 57 - WINGS</b>									
200C14 <sup>S</sup>	INSPECT WING FUSELAGE FAIRINGS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.010	AFL	1683							
	PROC. REF: AMM 06-50-00								PKG:6

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500A01	EDDY CURRENT LEFT WING CENTER LINE RIB AND SPLICE PLATE							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2143 d (+30)		
	HRS	0	6000 (+20)		6000	6020	3940.5 (+20)		
WC#: 57.020	AFL	0							
PROC. REF: AMM 57-10-01									
500A02	VISUAL INSPECT LEFT WING BOLTS AND ATTACH LINKS							Service	ATA:57
	MOS	23-Nov-20							
	HRS	1384.8	1200 (+20)		2584.8	2604.8	525.3 (+20)		
WC#: 57.040	AFL	1293							
PROC. REF: GENERIC NO REF									
500A03	BORESCOPE LEFT WING AND FUSELAGE SPIGOT FITTINGS							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:14400 (+200)		14400	14600	12340.5 (+200)		
WC#: 57.030	AFL	0							
PROC. REF: AMM 57-10-02									
500A04	VISUAL INSPECT LEFT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2143 d (+30)	AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3940.5 (+200)		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REF									
500A08 <sup>S</sup>	INSPECT NO. 1 WING TIP ASSEMBLY							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.120	AFL	1683							
PROC. REF: GENERIC NO REF									
500A09 <sup>S</sup>	INSPECT LEFT WING LEADING EDGE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.130	AFL	1683							
PROC. REF: GENERIC NO REF									
500A12	PERFORM NDI(EDDY CURRENT) OF LEFT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service	ATA:57
	MOS	27-Jun-12							
	HRS	0	T:3600 (+200)		3600	3800	1540.5 (+200)		
	AFL	0							
PROC. REF: AMM 57-10-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500B01-ALM	EDDY CURRENT LEFT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:12000 (+200)		12000	12200	9940.5 (+200)		
WC#: 57.160	AFL	0							
PROC. REF: AMM 57-00-00									
500B02-ALM	EDDY CURRENT LEFT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3940.5 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B03-ALM	EDDY CURRENT LEFT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3940.5 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B04-ALM	EDDY CURRENT LEFT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9940.5 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B05-ALM	EDDY CURRENT LEFT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9940.5 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B06-ALM	EDDY CURRENT LEFT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3940.5 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B07 <sup>S</sup>	INSPECT LEFT WING RIBS, SPARS, STRINGERS AND SKINS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.080	AFL	1683							
PROC. REF: GENERIC NO REF									

PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
500B08 <sup>S</sup>	INSPECT LEFT WING RIB AT BL 00							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.090	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
500B09 <sup>S</sup>	INSPECT LEFT WING FUEL STORAGE SEALANT							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.190	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
500C14 <sup>S</sup>	INSPECT LEFT WING FLAP TRACKS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.150	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6	
571001	NO. 1 SKELETON WING ASSEMBLY							Component	ATA:57
PN:390-110003-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 57.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
571002	NO. 2 SKELETON WING ASSEMBLY							Component	ATA:57
PN:390-110003-0002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 57.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
572001	NO. 1 WING TIP ASSEMBLY							Component	ATA:57
PN:390-384004-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:309	HRS	0			TSN 0				
WC#: 57.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
572002	NO. 2 WING TIP ASSEMBLY							Component	ATA:57
PN:390-384004-0006	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:324	HRS	0			TSN 0				
WC#: 57.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
5720500 <sup>U</sup>	WING ASSEMBLY							Component	ATA:57
PN:390-100001-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
573001	NO. 1 WING PANEL ASSEMBLY							Component	ATA:57
PN:390-110001-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
573002	NO. 2 WING PANEL ASSEMBLY							Component	ATA:57
PN:390-110001-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
5730501 <sup>U</sup>	LH UPPER SKIN							Component	ATA:57
PN:390-110010-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730502 <sup>U</sup>	LH LOWER SKIN							Component	ATA:57
PN:390-110390-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730504 <sup>U</sup>	RH UPPER SKIN							Component	ATA:57
PN:390-110010-0012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730505 <sup>U</sup>	RH LOWER SKIN							Component	ATA:57
PN:390-110390-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600A01	EDDY CURRENT RIGHT WING CENTERLINE RIB AND SPLICE PLATE							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2143 d (+30)		
	HRS	0	6000 (+20)		6000	6020	3940.5 (+20)		
WC#: 57.020	AFL	0							
PROC. REF: AMM 57-10-01									
600A02	VISUAL CHECK RIGHT WING BOLTS AND ATTACH LINKS							Service	ATA:57
	MOS	23-Nov-20							
	HRS	1384.8	1200 (+20)		2584.8	2604.8	525.3 (+20)		
WC#: 57.040	AFL	1293							
PROC. REF: GENERIC NO REF									
600A03	VISUAL INSPECT RIGHT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2143 d (+30)	AIRWORTHINESS	
	HRS	0	6000 (+20)		6000	6020	3940.5 (+20)		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REF									
600A07 <sup>S</sup>	INSPECT NO. 2 WING TIP ASSEMBLY							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.120	AFL	1683							
PROC. REF: GENERIC NO REF									
600A08 <sup>S</sup>	INSPECT RIGHT WING LEADING EDGE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.130	AFL	1683							
PROC. REF: GENERIC NO REF									
600A11	PERFORM NDI(EDDY CURRENT) OF RIGHT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service	ATA:57
	MOS	27-Jun-12							
	HRS	0	T:3600 (+200)		3600	3800	1540.5 (+200)		
	AFL	0							
PROC. REF: AMM 57-10-03									
600B01-ALM	EDDY CURRENT RIGHT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:12000 (+200)		12000	12200	9940.5 (+200)		
WC#: 57.160	AFL	0							
PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600B02-ALM	EDDY CURRENT RIGHT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3940.5 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B03-ALM	EDDY CURRENT RIGHT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3940.5 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B04-ALM	EDDY CURRENT RIGHT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9940.5 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B05-ALM	EDDY CURRENT RIGHT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9940.5 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B06-ALM	EDDY CURRENT RIGHT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3940.5 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B07 <sup>S</sup>	INSPECT RIGHT WING RIBS, SPARS, STRINGERS AND SKINS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.080	AFL	1683							
	PROC. REF: GENERIC NO REF								
	PKG:7								
600B08 <sup>S</sup>	INSPECT RIGHT WING RIB AT BL 00							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.090	AFL	1683							
	PROC. REF: GENERIC NO REF								
	PKG:7								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600B09 <sup>S</sup>	INSPECT RIGHT WING FUEL STORAGE SEALANT							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.190	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
600C14 <sup>S</sup>	INSPECT RIGHT WING FLAP TRACKS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.150	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6	
700B19 <sup>S</sup>	INSPECT LEFT WING SKID RAIL STRUCTURE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.110	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
700B20 <sup>S</sup>	INSPECT LEFT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.100	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
700C19 <sup>S</sup>	INSPECT RIGHT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.100	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
SPC20	CHECK LEFT WING LEADING EDGE DRAIN HOLES							Service	ATA:57
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)		
WC#: 57.140	AFL	1603							
PROC. REF: GENERIC NO REF									
SPC20	CHECK RIGHT WING LEADING EDGE DRAIN HOLES							Service	ATA:57
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	47 (+20)		
WC#: 57.140	AFL	1603							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 70 - STANDARD PRACTICES - ENGINES</b>									
700401 <sup>S</sup>	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE BONDING AGENT WAS NOT APPLIED TO ELECTRICAL CONNECTORS (SINCE LAST ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
	PROC. REF: GENERIC NO REF							PKG:1,2	
700401 <sup>S</sup>	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE BONDING AGENT WAS NOT APPLIED TO ELECTRICAL CONNECTORS (SINCE LAST ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
	PROC. REF: GENERIC NO REF							PKG:1,2	
<b>ATA 71 - POWER PLANT</b>									
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 AFT NO. 1 ENGINE AFT FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9940.5 (+200)		
WC#: 71.070	AFL	0							
	PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 FORWARD NO. 1 ENGINE FORWARD FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9940.5 (+200)		
WC#: 71.060	AFL	0							
	PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 AFT NO. 2 ENGINE AFT FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9940.5 (+200)		
WC#: 71.070	AFL	0							
	PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 FORWARD NO. 2 ENGINE FORWARD FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9940.5 (+200)		
WC#: 71.060	AFL	0							
	PROC. REF: AMM 54-50-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
400A08 <sup>S</sup>	INSPECT NO. 1 ENGINE PYLON FIRE WALL							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.030	AFL	1683							
				PROC. REF: AMM 71-00-00				PKG:7	
400A13 <sup>S</sup>	INSPECT NO. 1 ENGINE BLEED AIR DUCTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.040	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400A15 <sup>S</sup>	INSPECT NO. 1 ENGINE ISOLATOR MOUNTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.110	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	
400A16 <sup>S</sup>	INSPECT NO. 1 ENGINE INLET							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.120	AFL	1683							
				PROC. REF: AMM 54-10-01				PKG:6	
400A17 <sup>S</sup>	CHECK NO. 1 ENGINE ASSESSORY DRAIN TUBES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.140	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400A35 <sup>S</sup>	VISUALLY INSPECT LEFT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 05.030	AFL	1683							
				PROC. REF: AMM 71-00-00				PKG:6	
400B08 <sup>S</sup>	INSPECT NO. 2 ENGINE PYLON FIRE WALL							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.030	AFL	1683							
				PROC. REF: AMM 71-00-00				PKG:7	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
400B13 <sup>S</sup>	INSPECT NO. 2 ENGINE BLEED AIR DUCTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.040	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
400B15 <sup>S</sup>	INSPECT NO. 2 ENGINE ISOLATOR MOUNTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.110	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:7	
400B16 <sup>S</sup>	INSPECT NO. 2 ENGINE INLET							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.120	AFL	1683							
	PROC. REF: AMM 54-10-01							PKG:6	
400B17 <sup>S</sup>	CHECK NO. 2 ENGINE ASSESSORY DRAIN TUBES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.140	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
400B33 <sup>S</sup>	VISUALLY INSPECT RIGHT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 05.030	AFL	1683							
	PROC. REF: AMM 71-00-00							PKG:6	
710010	NO. 1 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								
710010	NO. 2 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
710020	NO. 1 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	27-Jun-12	ALF		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								
710020	NO. 2 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	27-Jun-12	ALF		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								
710030	NO. 1 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-803A-913A-A								
710030	NO. 2 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-803A-913A-A								
710121	NO. 1 ENGINE UPPER FORWARD ISOLATOR MOUNT							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12			TSN 0			MANDATORY	
SN:1307	HRS	0	2500		TSN 0	2500	440.5		
WC#: 71.080	AFL	0			TSN 0				
	PROC. REF: AMM 71-20-01								
710122	NO. 2 ENGINE UPPER FORWARD ISOLATOR MOUNT							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12			TSN 0			MANDATORY	
SN:UNKNOWN	HRS	0	2500		TSN 0	2500	440.5		
WC#: 71.080	AFL	0			TSN 0				
	PROC. REF: AMM 71-20-01								
710123	NO. 1 ENGINE LOWER FORWARD ISOLATOR MOUNT							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12			TSN 0			MANDATORY	
SN:1305	HRS	0	2500		TSN 0	2500	440.5		
WC#: 71.090	AFL	0			TSN 0				
	PROC. REF: AMM 71-20-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
710124	NO. 2 ENGINE LOWER FORWARD ISOLATOR MOUNT							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12		TSN 0				MANDATORY	
SN:UNKNOWN	HRS	0	2500	TSN 0	2500		440.5		
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01									
710125	NO. 1 ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:390-389021-0003	MOS	27-Jun-12		TSN 0				MANDATORY	
SN:0517	HRS	0	2500	TSN 0	2500		440.5		
WC#: 71.095	AFL	0		TSN 0					
PROC. REF: AMM 71-20-02									
710126	NO. 2 ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:390-389021-0003	MOS	27-Jun-12		TSN 0				MANDATORY	
SN:0514	HRS	0	2500	TSN 0	2500		440.5		
WC#: 71.095	AFL	0		TSN 0					
PROC. REF: AMM 71-20-02									
716001	NO. 1 ENGINE INLET ASSEMBLY							Component	ATA:71
PN:390-910281-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:510794684	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01									
716002	NO. 2 ENGINE INLET ASSEMBLY							Component	ATA:71
PN:390-910281-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01									
71EN1	NO. 1 ENGINE							Component	ATA:71
	MOS/MSC	27-Jun-12	E/C						
SN:105499	HRS	0		TSO 607.7					
WC#: 71.EN1	AFL	0		TSO 627					
PROC. REF: AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
	MOS/MSC	27-Jun-12	E/C						
SN:105498	HRS	0		TSO 607.7					
WC#: 71.EN2	AFL	0		TSO 627					
PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
OPS41	PERFORM NO. 1 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	10-Jul-23							
	HRS	1970.3	300 (+20)		2270.3	2290.3	210.8 (+20)		
	AFL	1639							
PROC. REF: GENERIC NO REF									
OPS41	PERFORM NO. 2 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	10-Jul-23							
	HRS	1970.3	300 (+20)		2270.3	2290.3	210.8 (+20)		
	AFL	1639							
	ACH								
PROC. REF: GENERIC NO REF									
<b>ATA 72 - ENGINE</b>									
720018.10 <sup>U</sup>	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123510	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.10 <sup>U</sup>	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123510	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.11 <sup>U</sup>	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123511	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.11 <sup>U</sup>	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123511	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.12 <sup>U</sup>	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:122729	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720018.12<sup>U</sup> NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE</b> Component ATA:72								
PN:122729	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
<b>720018.8<sup>U</sup> NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE</b> Component ATA:72								
PN:123508	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
<b>720018.8<sup>U</sup> NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE</b> Component ATA:72								
PN:123508	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
<b>720018.9<sup>U</sup> NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE</b> Component ATA:72								
PN:123509	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
<b>720018.9<sup>U</sup> NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE</b> Component ATA:72								
PN:123509	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
<b>720060 NO. 1 ENGINE - ACCESSORY DRIVE SHAFT</b> Component ATA:72								
PN:50479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60-801A-500A-A								
<b>720060 NO. 2 ENGINE - ACCESSORY DRIVE SHAFT</b> Component ATA:72								
PN:50479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60-801A-500A-A								
<b>720502<sup>U</sup> NO. 1 ENGINE - FRONT LP SHAFT NUT</b> Component ATA:72								
PN:45785	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720502<sup>U</sup> NO. 2 ENGINE - FRONT LP SHAFT NUT</b> Component ATA:72								
PN:45785	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720504<sup>U</sup> NO. 1 ENGINE - CASE AND INSERT ASSEMBLY</b> Component ATA:72								
PN:66772	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720504<sup>U</sup> NO. 2 ENGINE - CASE AND INSERT ASSEMBLY</b> Component ATA:72								
PN:66772	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720508<sup>U</sup> NO. 1 ENGINE - NO. 1 CARBON SEAL</b> Component ATA:72								
PN:64771	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720508<sup>U</sup> NO. 2 ENGINE - NO. 1 CARBON SEAL</b> Component ATA:72								
PN:64771	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720509<sup>U</sup> NO. 1 ENGINE - NO. 1 CARBON SEAL RUNNER</b> Component ATA:72								
PN:57828	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720509<sup>U</sup> NO. 2 ENGINE - NO. 1 CARBON SEAL RUNNER</b> Component ATA:72								
PN:57828	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720511<sup>U</sup> NO. 1 ENGINE - NO. 1 SPLIT INNER RING BALL BEARING</b> Component ATA:72								
PN:56172	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720511<sup>U</sup> NO. 2 ENGINE - NO. 1 SPLIT INNER RING BALL BEARING</b> Component ATA:72								
PN:56172	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720512<sup>U</sup> NO. 1 ENGINE - NO. 4 ROLLER BEARING OUTER RACE</b> Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720512<sup>U</sup> NO. 2 ENGINE - NO. 4 ROLLER BEARING OUTER RACE</b> Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720513<sup>U</sup> NO. 1 ENGINE - NO. 1.5 ROLLER BEARING OUTER RACE</b> Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720513<sup>U</sup> NO. 2 ENGINE - NO. 1.5 ROLLER BEARING OUTER RACE</b> Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720514<sup>U</sup> NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY</b> Component ATA:72								
PN:50817	MOS/MSC	10-Jul-23	O/C					
SN:BCC-00011973	HRS	1970.3						
	ENC	1639						
<b>720514<sup>U</sup> NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY</b> Component ATA:72								
PN:50817	MOS/MSC	10-Jul-23	O/C					
SN:BCC-00012763	HRS	1970.3						
	ENC	1639						
<b>720516<sup>U</sup> NO. 1 ENGINE - OIL TANK COVER</b> Component ATA:72								
PN:54879	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720516 <sup>U</sup>		NO. 2 ENGINE - OIL TANK COVER						Component	ATA:72
PN:54879	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720517 <sup>U</sup>		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR						Component	ATA:72
PN:50349	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720517 <sup>U</sup>		NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR						Component	ATA:72
PN:50349	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720519 <sup>U</sup>		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR ROLLER BEARING						Component	ATA:72
PN:55392	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720519 <sup>U</sup>		NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR ROLLER BEARING						Component	ATA:72
PN:55392	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720520 <sup>U</sup>		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR BALL BEARING						Component	ATA:72
PN:44573	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720520 <sup>U</sup>		NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR BALL BEARING						Component	ATA:72
PN:44573	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720521 <sup>U</sup>		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR BEARING SUPPORT						Component	ATA:72
PN:57674	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720521<sup>U</sup> NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR BEARING SUPPORT</b> Component ATA:72								
PN:57674	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720522<sup>U</sup> NO. 1 ENGINE - 1ST REDUCTION PINION GEAR</b> Component ATA:72								
PN:56444	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720522<sup>U</sup> NO. 2 ENGINE - 1ST REDUCTION PINION GEAR</b> Component ATA:72								
PN:56444	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720524<sup>U</sup> NO. 1 ENGINE - NO. 2 CARBON SEAL FACE RUNNER</b> Component ATA:72								
PN:56479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720524<sup>U</sup> NO. 2 ENGINE - NO. 2 CARBON SEAL FACE RUNNER</b> Component ATA:72								
PN:56479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720525<sup>U</sup> NO. 1 ENGINE - NO. 2 BEARING HOUSING</b> Component ATA:72								
PN:56195	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720525<sup>U</sup> NO. 2 ENGINE - NO. 2 BEARING HOUSING</b> Component ATA:72								
PN:56195	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720526<sup>U</sup> NO. 1 ENGINE - NO. 2 BEARING</b> Component ATA:72								
PN:60265	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720526<sup>U</sup> NO. 2 ENGINE - NO. 2 BEARING</b> Component ATA:72								
PN:60265	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720527<sup>U</sup> NO. 1 ENGINE - NO. 2 CARBON SEAL</b> Component ATA:72								
PN:56478	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720527<sup>U</sup> NO. 2 ENGINE - NO. 2 CARBON SEAL</b> Component ATA:72								
PN:56478	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720529<sup>U</sup> NO. 1 ENGINE - HP COMPRESSOR COVER ASSEMBLY</b> Component ATA:72								
PN:69885	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU21619	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720529<sup>U</sup> NO. 2 ENGINE - HP COMPRESSOR COVER ASSEMBLY</b> Component ATA:72								
PN:69885	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU21612	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720532<sup>U</sup> NO. 1 ENGINE - BALANCE PISTON</b> Component ATA:72								
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720532<sup>U</sup> NO. 2 ENGINE - BALANCE PISTON</b> Component ATA:72								
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720534<sup>U</sup> NO. 1 ENGINE - HP TURBINE NOZZLE AND PRIMARY PLATE ASSEMBLY</b> Component ATA:72								
PN:62702	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720534<sup>U</sup> NO. 2 ENGINE - HP TURBINE NOZZLE AND PRIMARY PLATE ASSEMBLY</b>								
PN:62702	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720537<sup>U</sup> NO. 1 ENGINE - NO. 3 HP SHAFT ROLLER BEARING</b>								
PN:59853	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720537<sup>U</sup> NO. 2 ENGINE - NO. 3 HP SHAFT ROLLER BEARING</b>								
PN:59853	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720538<sup>U</sup> NO. 1 ENGINE - NO. 3 CARBON SEAL HOUSING</b>								
PN:54963	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720538<sup>U</sup> NO. 2 ENGINE - NO. 3 CARBON SEAL HOUSING</b>								
PN:54963	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720539<sup>U</sup> NO. 1 ENGINE - NO. 3 CARBON SEAL</b>								
PN:65307	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720539<sup>U</sup> NO. 2 ENGINE - NO. 3 CARBON SEAL</b>								
PN:65307	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720540<sup>U</sup> NO. 1 ENGINE - NO. 4 CARBON SEAL</b>								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720540<sup>U</sup> NO. 2 ENGINE - NO. 4 CARBON SEAL</b> Component ATA:72								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720541<sup>U</sup> NO. 1 ENGINE - NO. 4 CARBON SEAL</b> Component ATA:72								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720541<sup>U</sup> NO. 2 ENGINE - NO. 4 CARBON SEAL</b> Component ATA:72								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720542<sup>U</sup> NO. 1 ENGINE - 1ST LP TURBINE NOZZLE</b> Component ATA:72								
PN:60240	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720542<sup>U</sup> NO. 2 ENGINE - 1ST LP TURBINE NOZZLE</b> Component ATA:72								
PN:60240	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720543<sup>U</sup> NO. 1 ENGINE - LP TURBINE ROTOR BALANCE ASSEMBLY</b> Component ATA:72								
PN:55530	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720543<sup>U</sup> NO. 2 ENGINE - LP TURBINE ROTOR BALANCE ASSEMBLY</b> Component ATA:72								
PN:55530	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720546<sup>U</sup> NO. 1 ENGINE - NO. 4 BEARING INNER RACE</b> Component ATA:72								
PN:48639	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720546<sup>U</sup> NO. 2 ENGINE - NO. 4 BEARING INNER RACE</b>								
PN:48639	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720553<sup>U</sup> NO. 1 ENGINE - HYDROMECHANICAL METERING UNIT</b>								
PN:66311	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720553<sup>U</sup> NO. 2 ENGINE - HYDROMECHANICAL METERING UNIT</b>								
PN:66311	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720556<sup>U</sup> NO. 1 ENGINE - ELECTRONIC FUEL FILTER INDICATOR</b>								
PN:57847	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720556<sup>U</sup> NO. 2 ENGINE - ELECTRONIC FUEL FILTER INDICATOR</b>								
PN:57847	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720558<sup>U</sup> NO. 1 ENGINE - LUBE OIL COOLER</b>								
PN:59857	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720558<sup>U</sup> NO. 2 ENGINE - LUBE OIL COOLER</b>								
PN:59857	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720559<sup>U</sup> NO. 1 ENGINE - ITT PROBE ASSEMBLY</b>								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720559<sup>U</sup> NO. 2 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720560<sup>U</sup> NO. 1 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720560<sup>U</sup> NO. 2 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720561<sup>U</sup> NO. 1 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720561<sup>U</sup> NO. 2 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720562<sup>U</sup> NO. 1 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720562<sup>U</sup> NO. 2 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720563<sup>U</sup> NO. 1 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720563<sup>U</sup> NO. 2 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720564<sup>U</sup> NO. 1 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720564<sup>U</sup> NO. 2 ENGINE - ITT PROBE ASSEMBLY</b> Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720565<sup>U</sup> NO. 1 ENGINE - ITT FLIGHT HARNESS</b> Component ATA:72								
PN:62143	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720565<sup>U</sup> NO. 2 ENGINE - ITT FLIGHT HARNESS</b> Component ATA:72								
PN:62143	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720566<sup>U</sup> NO. 1 ENGINE - OIL LEVEL SENSOR</b> Component ATA:72								
PN:59843	MOS/MSC	16-Dec-19	O/C	TSN 0				
SN:MY0795	HRS	1256.43		TSN 0				
	ENC	1205		TSN 0				
<b>720566<sup>U</sup> NO. 2 ENGINE - OIL LEVEL SENSOR</b> Component ATA:72								
PN:59843	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720570<sup>U</sup> NO. 1 ENGINE - OIL TRANSFER HOUSING</b> Component ATA:72								
PN:56796	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
<b>720570<sup>U</sup> NO. 2 ENGINE - OIL TRANSFER HOUSING</b> Component ATA:72								
PN:56796	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720571<sup>U</sup> NO. 1 ENGINE - CDP TO HMU TUBE ASSEMBLY</b> Component ATA:72								
PN:54897	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>720571<sup>U</sup> NO. 2 ENGINE - CDP TO HMU TUBE ASSEMBLY</b> Component ATA:72								
PN:54897	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<b>722010 NO. 1 ENGINE - IP (STAGE 1&amp;2) VANE ASSEMBLY</b> Component ATA:72								
PN:115570	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU20330	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>722010 NO. 2 ENGINE - IP (STAGE 1&amp;2) VANE ASSEMBLY</b> Component ATA:72								
PN:115570	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU20337	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>723001 NO. 1 ENGINE - FAN ROTOR</b> Component ATA:72								
PN:117809	MOS	27-Jun-12		TSN 0				LIFE LIMIT
SN:HW31800	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10000		8293	
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A								
<b>723001 NO. 2 ENGINE - FAN ROTOR</b> Component ATA:72								
PN:117809	MOS	27-Jun-12		TSN 0				LIFE LIMIT
SN:HW30926	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10000		8293	
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723003 <sup>S</sup>	NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:117809	MOS		10-Jul-23						
SN:HW31800	HRS		1970.3		600 (+30)				
	ENC		1639						
PROC. REF: LMM 72-31-20-801A-310A-A								PKG:2	
723003 <sup>S</sup>	NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:117809	MOS		10-Jul-23						
SN:HW30926	HRS		1970.3		600 (+30)				
	ENC		1639						
PROC. REF: LMM 72-31-20-801A-310A-A								PKG:2	
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:118376	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:HW33856	HRS		0	TSN 0					
	ENC		0	TSN 0	(6000) 6000		4293		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:118376	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	TSN 0					
	ENC		0	TSN 0	(6000) 6000		4293		
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:115552	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:HW32564	HRS		0	TSN 0					
	ENC		0	TSN 0	(8000) 8000		6293		
PROC. REF: GENERIC NO REF									
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:115552	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:HW31918	HRS		0	TSN 0					
	ENC		0	TSN 0	(8000) 8000		6293		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723019	NO. 1 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU42187	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723019	NO. 2 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU42188	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723021 <sup>S</sup>	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 72-30-10-801A-310A-A									
723021 <sup>S</sup>	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 72-30-10-801A-310A-A									
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21260	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723028	NO. 1 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21447	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723028	NO. 2 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:AU21350	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723036	NO. 1 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:AU20311	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723036	NO. 2 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:AU20310	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723037	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:MX20084	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723037	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:MX20079	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX08RT2235	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX08RT2269	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:110697	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RX07TN0013	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:110697	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RX07TN0012	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 1 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:64411	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 2 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:64411	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724036	NO. 1 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724036	NO. 2 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724040	NO. 1 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724040	NO. 2 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21421	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21424	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:223704	MOS	29-Jun-21		TSN 0				LIFE LIMIT	
SN:HW63028	HRS	1533.1		TSN 0					
	ENC	1373	8000	TSN 0	(9373) 9373		7666		
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:223704	MOS	29-Jun-21		TSN 0				LIFE LIMIT	
SN:HW63022	HRS	1533.1		TSN 0					
	ENC	1373	8000	TSN 0	(9373) 9373		7666		
PROC. REF: GENERIC NO REF									
725016	NO. 1 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:73610	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21561	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725016	NO. 2 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:73610	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21534	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72037	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW34193	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8293		
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72037	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31907	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8293		
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31720	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8293		
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31740	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8293		
PROC. REF: GENERIC NO REF									
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:114130	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MX20036	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:114130	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MX20031	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A									
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
731001	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:YYK0737	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2940.5 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731001	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:YYK0736	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2940.5 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731010 <sup>S</sup>	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731010 <sup>S</sup>	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731015 <sup>S</sup>	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
731015 <sup>S</sup>	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A								PKG:1,2	
731020 <sup>S</sup>	NO. 1 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	10-Jul-23	A/R						
	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A								PKG:2	
731020 <sup>S</sup>	NO. 2 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	10-Jul-23	A/R						
	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A								PKG:2	
731025	NO. 1 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	1200 (+120)		(3170.3) 3170.3	3290.3	1110.8 (+120)		
	ENC	1639							
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A								PKG:2	
731025	NO. 2 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	1200 (+120)		(3170.3) 3170.3	3290.3	1110.8 (+120)		
	ENC	1639							
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A								PKG:2	
731046	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:56544	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
731046	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:56544	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
732001	NO. 1 ENGINE ECU							Component	ATA:73
PN:117162	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:LH2A0739	HRS	0			TSN 0				
WC#: 73.050	AFL	0			TSN 0				
PROC. REF: AMM 73-20-01									
732002	NO. 2 ENGINE ECU							Component	ATA:73
PN:117162	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:LH2A0732	HRS	0			TSN 0				
WC#: 73.050	AFL	0			TSN 0				
PROC. REF: AMM 73-20-01									
732101	NO. 1 ENGINE - ELECTRONIC CONTROL UNIT							Component	ATA:73
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-24-01-802A-520A-A									
732101	NO. 2 ENGINE - ELECTRONIC CONTROL UNIT							Component	ATA:73
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-24-01-802A-520A-A									
732104 <sup>S</sup>	NO. 1 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 73-24-01-805A-913A-A									
732104 <sup>S</sup>	NO. 2 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 73-24-01-805A-913A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
732105 <sup>S</sup>	NO. 1 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:PN	MOS		10-Jul-23						
SN:UNKNOWN	HRS		1970.3			300 (+30)			
	ENC		1639						
PROC. REF: LMM 71-00-00-818A-322A-A								PKG:1,2	
732105 <sup>S</sup>	NO. 2 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:PN	MOS		10-Jul-23						
SN:UNKNOWN	HRS		1970.3			300 (+30)			
	ENC		1639						
PROC. REF: LMM 71-00-00-818A-322A-A								PKG:1,2	
732401	NO. 1 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:78186	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:RF13444761	HRS		0	5000 (+100)	TSN 0	(5000) 5000	5100	2940.5 (+100)	
	ENC		0	TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
732401	NO. 2 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:78186	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:RF13444764	HRS		0	5000 (+100)	TSN 0	(5000) 5000	5100	2940.5 (+100)	
	ENC		0	TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
733001	NO. 1 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1/2-1-81-302	MOS/MSC		09-Sep-22	O/C					
SN:605963	HRS		1828.2						
WC#: 73.010	AFL		1558						
PROC. REF: AMM 73-30-01									
733002	NO. 2 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1/2-1-81-302	MOS/MSC		09-Sep-22	O/C					
SN:602858	HRS		1828.2						
WC#: 73.010	AFL		1558						
PROC. REF: AMM 73-30-01									
<b>ATA 74 - IGNITION</b>									
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC		10-Jul-23	O/C					
SN:CK-1905820	HRS		1970.3						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-1601397	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-1300539	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-2100966	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
742037 <sup>S</sup>	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742037 <sup>S</sup>	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742040 <sup>S</sup>	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-00-10-801A-340A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 74 - IGNITION</b>									
742040 <sup>S</sup>	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1,2	
742050 <sup>S</sup>	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
					PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742050 <sup>S</sup>	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
					PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				
742202	NO. 1 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742202	NO. 2 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-22-01-801A-520A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
751001	NO. 1 ENGINE ANTI ICE VALVE							Component	ATA:75
PN:5188-00-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0811	HRS	0		TSN 0					
WC#: 75.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
751002	NO. 2 ENGINE ANTI ICE VALVE							Component	ATA:75
PN:5188-00-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0807	HRS	0		TSN 0					
WC#: 75.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
753010 <sup>S</sup>	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 75-30-01-801A-310A-A									
753010 <sup>S</sup>	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 75-30-01-801A-310A-A									
753020	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753020	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
100A09 <sup>S</sup>	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-BELOW FLOORS							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 76.030	AFL	1683							
	PROC. REF: AMM 20-14-00								PKG:7
200A13 <sup>S</sup>	INSPECT THRUST LEVER/THROTTLE QUADRANT LEVER							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.010	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:6
200A14 <sup>S</sup>	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-ABOVE FLOORS							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.040	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
300A39 <sup>S</sup>	INSPECT POWER CONTROL CABLES - AFT FUSELAGE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.050	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
400A18 <sup>S</sup>	CHECK NO. 1 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.020	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
400B18 <sup>S</sup>	CHECK NO. 2 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.020	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
<b>ATA 77 - ENGINE INDICATING</b>									
771005	NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355-C	MOS/MS	16-May-17	O/C						
SN:MD-0140432	HRS	813.42							
	ENC	833							
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
<b>771005</b>		<b>NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR</b>						<b>Component</b>	<b>ATA:77</b>
PN:57355-C	MOS/MSC	16-May-17	O/C						
SN:MD-0134214	HRS	813.42							
	ENC	833							
PROC. REF: GENERIC NO REF									
<b>771015</b>		<b>NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR</b>						<b>Component</b>	<b>ATA:77</b>
PN:54831	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MD-0143176	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>771015</b>		<b>NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR</b>						<b>Component</b>	<b>ATA:77</b>
PN:54831	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MD-0139499	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>772005</b>		<b>NO. 1 ENGINE - TT2 SENSOR</b>						<b>Component</b>	<b>ATA:77</b>
PN:59715	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:LR10379	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-01-801A-520A-A									
<b>772005</b>		<b>NO. 2 ENGINE - TT2 SENSOR</b>						<b>Component</b>	<b>ATA:77</b>
PN:59715	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:LR10333	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-01-801A-520A-A									
<b>772010<sup>S</sup></b>		<b>NO. 1 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT</b>						<b>Service</b>	<b>ATA:77</b>
PN:59715	MOS	10-Jul-23							
SN:LR10379	HRS	1970.3	300 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A									

PKG:1,2

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
772010 <sup>S</sup>	NO. 2 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT							Service	ATA:77
PN:59715	MOS		10-Jul-23						
SN:LR10333	HRS		1970.3			300 (+30/-30)			
	ENC		1639						
					PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A			PKG:1,2	
<b>ATA 78 - EXHAUST</b>									
781001	NO. 1 ENGINE EXHAUST NOZZLE ASSEMBLY							Component	ATA:78
PN:390-910017-0003	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:51089926	HRS		0		TSN 0				
WC#: 78.020	AFL		0		TSN 0				
					PROC. REF: AMM 78-10-01				
781002	NO. 2 ENGINE EXHAUST NOZZLE ASSEMBLY							Component	ATA:78
PN:390-910017-0002	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 78.020	AFL		0		TSN 0				
					PROC. REF: AMM 78-10-01				
<b>ATA 79 - OIL</b>									
792015 <sup>S</sup>	NO. 1 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS		10-Jul-23						
	HRS		1970.3			300 (+30)			
	ENC		1639						
					PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A			PKG:1,2	
792015 <sup>S</sup>	NO. 2 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS		10-Jul-23						
	HRS		1970.3			300 (+30)			
	ENC		1639						
					PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A			PKG:1,2	
792020 <sup>S</sup>	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS		10-Jul-23						
	HRS		1970.3			300 (+30)			
	ENC		1639						
					PROC. REF: LMM 79-30-01-801A-310A-A			PKG:1,2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792020 <sup>S</sup>	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
	PROC. REF: LMM 79-30-01-801A-310A-A								PKG:1,2
792025 <sup>S</sup>	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
	PROC. REF: LMM 72-00-03-801A-200A-A								PKG:2
792025 <sup>S</sup>	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
	PROC. REF: LMM 72-00-03-801A-200A-A								PKG:2
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:110590	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:MX20375	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2940.5 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:110590	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:MX20377	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2940.5 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
793001	NO. 1 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:680S53	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:772	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
	PROC. REF: AMM 79-30-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2059.5 AFL: 1707 As Of: 13-Aug-2024

14-Aug-2024 09:31 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793002	NO. 2 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:680S53	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:775	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
PROC. REF: AMM 79-30-01									
793003	NO. 1 ENGINE OIL TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:170251	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: AMM 79-30-03									
793004	NO. 2 ENGINE OIL TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:168500	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: AMM 79-30-03									
793005	NO. 1 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:101-389023-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7883-12-23	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-30-02									
793006	NO. 2 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:101-389023-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task