

N390AA

2012 Beech Premier IA

CAMP Status Report

MSN: RB-293



Prepared by the worldwide aviation specialists at RidgeAire, Inc.



Status Report

PREMIER IA

S/N RB-293 N254BC

OWNER: AIR BC, LLC
ADDRESS: PO BOX 249
HEWITT TX 76643
OFFICE:
FAX:

OPERATOR: AIR BC, LLC
ADDRESS: PO BOX 249
HEWITT TX 76643
OFFICE:
FAX:

ANALYST: WADE HOAGBOON
EMAIL: WHOAGBOON@CAMPSYSTEMS.COM

1-316-462-2455 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : ATA:00, 05, 07, 08, 12, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 44, 46, 52, 53, 54, 55, 56, 57, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, GENERAL;Spl.
Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: RB-293/N254BC	MODEL: PREMIER IA	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 27-JUN-2012	LAST ACTUALS:	
		2064.9 A/C HRS	as of 19-NOV-2024
		1712 AFL	as of 19-NOV-2024
		1637.2 ACH	as of 17-JUN-2024

ENGINE NO. 1	SERIAL/PART: 105499/FJ44-2A	MODEL: FJ44-2A	MANUFACTURER: WILLIAMS INTERNATIONAL
	INSTALLED ON: 27-JUN-2012	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	2064.9 ENG. HRS	as of 19-NOV-2024
	0 ENC	1712 ENC	as of 19-NOV-2024

ENGINE NO. 2	SERIAL/PART: 105498/FJ44-2A	MODEL: FJ44-2A	MANUFACTURER: WILLIAMS INTERNATIONAL
	INSTALLED ON: 27-JUN-2012	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	2064.9 ENG. HRS	as of 19-NOV-2024
	0 ENC	1712 ENC	as of 19-NOV-2024



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
E082-160620	NO. 1 ENGINE - REVIEW FJ44-2A LM REV 39							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-160620	NO. 2 ENGINE - REVIEW FJ44-2A LM REV 39							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-160920	NO. 1 ENGINE - REVIEW FJ44-2A LM REV40							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-160920	NO. 2 ENGINE - REVIEW FJ44-2A LM REV40							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-161216	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 41							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-161216	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 41							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-170316	NO. 1 ENGINE - REVIEW		FJ44-2A LMM REV 42					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
				PROC. REF: RCF E082				
E082-170316	NO. 2 ENGINE - REVIEW		FJ44-2A LMM REV 42					Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
				PROC. REF: RCF E082				
E082-170621	NO. 1 ENGINE - REVIEW		FJ44-2A LMM REV 43					Service ATA:00
	MOS/MSC	27-Jun-12	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	ENC	0		TAC 0				
				PROC. REF: RCF E082				
E082-170621	NO. 2 ENGINE - REVIEW		FJ44-2A LMM REV 43					Service ATA:00
	MOS/MSC	27-Jun-12	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	ENC	0		TAC 0				
				PROC. REF: RCF E082				
E082-170922	NO. 1 ENGINE - REVIEW		FJ44-2A LMM REV 44					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
				PROC. REF: RCF E082				
E082-170922	NO. 2 ENGINE - REVIEW		FJ44-2A LMM REV 44					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
				PROC. REF: RCF E082				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
E082-171212	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 45							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-171212	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 45							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-180322	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 46							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-180322	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 46							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-180621	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 47							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-180621	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 47							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-180921	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 48							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-180921	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 48							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-181213	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 49							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-181213	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 49							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-190312	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 50							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			
E082-190312	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 50							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E082			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PM39-150717	REVIEW MODEL 390 MAINTENANCE MANUAL REVISION A42-CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-160701	REVIEW PREMIER I/IA MODEL 390 AMM REV. A43							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-171219	REVIEW AUDIT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-180321	REVIEW AUDIT SUMMARY CHANGE FORM - EMED POSITIONS							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-180910	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE - OXYGEN BOTTLE							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
					PROC. REF: RCF PM39				
PM39-190110	REVIEW AUDIT SUMMARY CHANGE FORM-DESCRIPTION CHANGE							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
					PROC. REF: RCF PM39				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PM39-190201	REVIEW PREMIER I/IA MODEL 390 AIRCRAFT MAINTENANCE MANUAL REV. B							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF PM39								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051001	SCHEDULED A INSPECTION							Package	ATA:05
	MOS	11-Jun-24							
	HRS	2032	600 (+20)		2632	2652	567.1 (+20)		
	AFL	1683							
	PROC. REF: AMM 05-20-02								
051002	SCHEDULED B INSPECTION							Package	ATA:05
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)		3232	3252	1167.1 (+20)		
	AFL	1683							
	PROC. REF: AMM 05-20-03								
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	300 (+10%/-10%)		(2270.3) 2270.3	2300.3	205.4 (+30)		
	ENC	1639							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	300 (+10%/-10%)		(2270.3) 2270.3	2300.3	205.4 (+30)		
	ENC	1639							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30)		(2570.3) 2570.3	2600.3	505.4 (+30)		
	ENC	1639							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package ATA:05
	MOS	10-Jul-23						
	HRS	1970.3	600 (+30)		(2570.3) 2570.3	2600.3	505.4 (+30)	
	ENC	1639						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:3000 (+50)		(3000) 3000	3050	935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:3
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:3000 (+50)		(3000) 3000	3050	935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:3
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:4
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052005	NO. 1 ENGINE - FJ44 CHECK 5								Package ATA:05
	MOS	27-Jun-12							
	HRS	0	T:8000 (+50)		(8000) 8000	8050	5935.1 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:5	
052005	NO. 2 ENGINE - FJ44 CHECK 5								Package ATA:05
	MOS	27-Jun-12							
	HRS	0	T:8000 (+50)		(8000) 8000	8050	5935.1 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:5	
052006	NO. 1 ENGINE - FJ44 CHECK 6								Package ATA:05
	MOS	27-Jun-12							
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7935.1 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:6	
052006	NO. 2 ENGINE - FJ44 CHECK 6								Package ATA:05
	MOS	27-Jun-12							
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7935.1 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:6	
052007	NO. 1 ENGINE - FJ44 CHECK 7								Package ATA:05
	MOS	27-Jun-12							
	HRS	0	T:13000 (+50)		(13000) 13000	13050	10935.1 (+50)		
	ENC	0							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:13000 (+50)		(13000) 13000	13050	10935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:7
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:8
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:8
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:18000 (+50)		(18000) 18000	18050	15935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:11
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:18000 (+50)		(18000) 18000	18050	15935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:11

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:20000 (+50)		(20000) 20000	20050	17935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:12
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:20000 (+50)		(20000) 20000	20050	17935.1 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:12
052011	NO. 1 ENGINE - FJ44 CHECK 11							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:23000 (+50)	TAC 0	(23000) 23000	23050	20935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:11
052011	NO. 2 ENGINE - FJ44 CHECK 11							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:23000 (+50)	TAC 0	(23000) 23000	23050	20935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:11
052012	NO. 1 ENGINE - FJ44 CHECK 12							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:25000 (+50)	TAC 0	(25000) 25000	25050	22935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052012	NO. 2 ENGINE - FJ44 CHECK 12							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:25000 (+50)	TAC 0	(25000) 25000	25050	22935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:12
052013	NO. 1 ENGINE - FJ44 CHECK 13							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:28000 (+50)	TAC 0	(28000) 28000	28050	25935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:13
052013	NO. 2 ENGINE - FJ44 CHECK 13							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:28000 (+50)	TAC 0	(28000) 28000	28050	25935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:13
052014	NO. 1 ENGINE - FJ44 CHECK 14							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:30000 (+50)	TAC 0	(30000) 30000	30050	27935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:14
052014	NO. 2 ENGINE - FJ44 CHECK 14							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:30000 (+50)	TAC 0	(30000) 30000	30050	27935.1 (+50)	
	ENC	0		TAC 0				
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:14

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05UNS1	ACCOMPLISH UNSCHEDULED LIGHTNING STRIKE INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
WC#: 05.040	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS2	ACCOMPLISH UNSCHEDULED HARD LANDING INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
WC#: 05.050	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS3	ACCOMPLISH UNSCHEDULED TURBULENT AIR INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
WC#: 05.060	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS4	ACCOMPLISH UNSCHEDULED FOREIGN OBJECT DAMAGE INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
WC#: 05.070	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS5	ACCOMPLISH UNSCHEDULED HIGH DRAG/SIDE LOAD INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
WC#: 05.080	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS6	ACCOMPLISH UNSCHEDULED OPERATION IN OR AROUND VOLCANIC ASH INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
WC#: 05.090	AFL	0							
					PROC. REF: AMM 05-50-00				
05UNS7	ACCOMPLISH UNSCHEDULED AIRSPEED (OVERSPEED) LIMITATION EXCEEDANCE INSPECTION							Service	ATA:05
	MOS/MSC	27-Jun-12	A/R						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
123C01 ^S	LUBRICATE RUDDER, ELEVATOR AND AILERON TRIM TAB PIANO HINGE							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
WC#: 12.070	AFL	1603							
				PROC. REF: GENERIC NO REF				PKG:8	
127A01 ^S	LUBRICATE NOSE LANDING GEAR LUBRICATIONS POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
				PROC. REF: AMM 12-20-01				PKG:8	
127B01 ^S	LUBRICATE LEFT MAIN LANDING GEAR LUBRICATION POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
				PROC. REF: AMM 12-20-01				PKG:8	
127C01 ^S	LUBRICATE RIGHT MAIN LANDING GEAR LUBRICATION POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
				PROC. REF: AMM 12-20-01				PKG:8	
200A02 ^S	LUBRICATE COCKPIT SECTION ZONE 210 - ABOVE FLOOR							Service	ATA:12
	MOS	28-Jun-22							
	HRS	1774.2	600 (+20)						
WC#: 12.010	AFL	1522							
				PROC. REF: AMM 12-20-01				PKG:9	
200D01 ^S	LUBRICATE MID FUSELAGE ZONE 230 - WING-TO-FUSELAGE FAIRING							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.040	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,7,9	
300A11 ^S	LUBRICATE AFT FUSELAGE ZONE 310 AFT PRESSURE BULKHEAD							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.050	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6,7,9	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
300B01 ^S	LUBRICATE ZONE 320 VERTICAL STABILIZER							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.060	AFL		1683						
					PROC. REF: AMM 12-20-02			PKG:6,7,9	
300C01 ^S	LUBRICATE ZONE 330 HORIZONTAL STABILIZER							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.130	AFL		1683						
					PROC. REF: AMM 12-20-02			PKG:6,7,9	
500C02 ^S	LUBRICATE LEFT WING ZONE 500/600, 530/630, 540/640 - FLIGHT CONTROLS (600 HOURS)							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.090	AFL		1683						
					PROC. REF: AMM 12-20-02			PKG:6,9	
600C02 ^S	LUBRICATE RIGHT WING ZONE 600, 630, 640 - FLIGHT CONTROLS (600 HOURS)							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.090	AFL		1683						
					PROC. REF: AMM 12-20-02			PKG:6,9	
700A01 ^S	LUBRICATE FORWARD FUSELAGE ZONE 710 - NOSE WHEEL WELL							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.100	AFL		1683						
					PROC. REF: AMM 12-20-02			PKG:6,9	
700B01 ^S	LUBRICATE LEFT WING ZONE 720 LEFT MAIN LANDING GEAR							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.110	AFL		1683						
					PROC. REF: AMM 06-50-06			PKG:6,7,9	
700C01 ^S	LUBRICATE RIGHT WING ZONE 730 RIGHT MAIN LANDING GEAR							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.110	AFL		1683						
					PROC. REF: AMM 06-50-06			PKG:6,7,9	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
800A01 ^S			LUBRICATE ZONE 830 PASSENGER DOOR, ZONE 840 EMERGENCY EXIT, ZONE 850 LEFT BAGGAGE AND ZONE 860 RIGHT AVIONICS DOOR					Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.160	AFL	1683							
				PROC. REF: AMM 12-20-02				PKG:6.9	
SPC24			200 HOUR LUBRICATION SERVICING					Package	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)		
	AFL	1603							
				PROC. REF: AMM 12-20-02				PKG:8	
SPC25			600 HOUR LUBRICATION SERVICING					Package	ATA:12
	MOS	28-Jun-22							
	HRS	1774.2	600 (+20)		2374.2	2394.2	309.3 (+20)		
	AFL	1522							
				PROC. REF: AMM 12-20-02				PKG:9	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
100D06 ^S			RESISTANCE CHECK ELECTRICAL BOND - NOSE AVIONICS ZONE 120					Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
100E11 ^S			RESISTANCE CHECK ELECTRICAL BOND - RADOME ZONE 110					Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
200A15 ^S			RESISTANCE CHECK ELECTRICAL BOND - COCKPIT ZONE 210					Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
200B11 ^S	RESISTANCE TEST ELECTRICAL BOND - CABIN ZONE 220							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	
200C20 ^S	RESISTANCE CHECK ELECTRICAL BOND - WING TO FUSELAGE ZONE 230							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	
200C21 ^S	RESISTANCE CHECK ELECTRICAL BOND - ANTENNAS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	
300A48 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 AFT AVIONICS COMPARTMENT							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	
300A49 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 TAILCONE							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	
300B16 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 320 VERTICAL STABILIZER							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	
300C19 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 330 HORIZONTAL STABILIZER							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
					PROC. REF: AMM 20-13-00			PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
500A11 ^S	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
600A10 ^S	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: AMM 20-13-00				PKG:7	
ATA 21 - AIR CONDITIONING									
100A11 ^S	INSPECT COCKPIT EVAPORATOR BLOWER - FORWARD - MOTOR BRUSHES							Service	ATA:21
PN:390-385024-0005	MOS	11-Jun-24							
SN:448	HRS	2032	1200 (+20)						
WC#: 21.100	AFL	1683							
				PROC. REF: CMM 21-22-22				PKG:7	
100B01 ^S	INSPECT ENVIRONMENTAL SYSTEM - AFT							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	
100B02 ^S	INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.030	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
100B03 ^S	INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.020	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
100B14	VISUALLY INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	27-Jun-12							
	HRS	0	6000 (+20)		6000	6020	3935.1 (+20)		
	AFL	0							
	PROC. REF: GENERIC NO REF								
100B15	VISUALLY INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	27-Jun-12							
	HRS	0	6000 (+20)		6000	6020	3935.1 (+20)		
	AFL	0							
	PROC. REF: GENERIC NO REF								
100B16	VISUAL INSPECT AFT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	27-Jun-12		TAC 0					
	HRS	0	6000 (+20)	TAC 0	6000	6020	3935.1 (+20)		
	AFL	0		TAC 0					
	PROC. REF: GENERIC NO REF								
200A03 ^S	INSPECT FORWARD ENVIROMENTAL SYSTEM							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: AMM 21-50-00								
	PKG:7								
200B03 ^S	INSPECT LEFT HAND SECONDARY OUTFLOW VALVE							Service	ATA:21
PN:390-384025-0005	MOS	11-Jun-24							
SN:0660	HRS	2032	600 (+20)						
WC#: 21.195	AFL	1683							
	PROC. REF: GENERIC NO REF								
	PKG:6								
200B03 ^S	INSPECT RIGHT HAND PRIMARY OUTFLOW VALVE							Service	ATA:21
PN:390-384024-0005	MOS	11-Jun-24							
SN:0735A	HRS	2032	600 (+20)						
WC#: 21.190	AFL	1683							
	PROC. REF: AMM 21-30-02								
	PKG:6								
200B10 ^S	INSPECT CABIN EVAPORATOR BLOWER - AFT - MOTOR BRUSHES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
	PROC. REF: CMM 21-22-22								
	PKG:7								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
200D02 ^S		INSPECT COCKPIT BLEED AIR DUCT					Service	ATA:21	
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 21.050	AFL	1683							
PROC. REF: AMM 21-20-00								PKG:7	
210001		LEFT HAND HEAT EXCHANGER					Component	ATA:21	
PN:390-385033-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:104	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-60-12, AMM 21-60-13									
210002		RIGHT HAND HEAT EXCHANGER					Component	ATA:21	
PN:390-385033-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:105	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-60-12, AMM 21-60-13									
211101		NO. 1 BLEED AIR CONTROL UNIT					Component	ATA:21	
PN:35009-20	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:D6437	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
211102		NO. 2 BLEED AIR CONTROL UNIT					Component	ATA:21	
PN:35009-20	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:D6099	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
211111		LEFT HAND TEMPERATURE SENSOR					Component	ATA:21	
PN:1300460-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05									
211112		RIGHT HAND TEMPERATURE SENSOR					Component	ATA:21	
PN:1300460-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212001	3-WAY SOLENOID VALVE							Component	ATA:21
PN:5303-23	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0648	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 52-10-06									
212011	LEFT HAND BI-LEVEL FLOW CONTROL VALVE							Component	ATA:21
PN:5158-00-3	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:0383	HRS	1256.43		TSO 0					
WC#: 21.060	AFL	1205		TSO 0					
PROC. REF: AMM 21-20-06									
212012	RIGHT HAND BI-LEVEL FLOW CONTROL VALVE							Component	ATA:21
PN:5185-003	MOS/MSC	06-Aug-19	O/C	TSO 0					
SN:0527	HRS	1243.25		TSO 0					
WC#: 21.060	AFL	1196		TSO 0					
PROC. REF: AMM 21-20-06									
212021	THREE WAY VALVE							Component	ATA:21
PN:390-385017-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0314	HRS	0		TSN 0					
WC#: 21.330	AFL	0		TSN 0					
PROC. REF: AMM 21-20-02, AMM 52-10-06									
213021	PRESSURIZATION CONTROLLER							Component	ATA:21
PN:390-385014-0003	MOS/MSC	18-Jul-23	O/C	TSO 0					
SN:0343	HRS	1971.2		TSO 0					
WC#: 21.340	AFL	1641		TSO 0					
PROC. REF: AMM 21-30-01									
213041	BAROMETRIC PRESSURE SWITCH							Component	ATA:21
PN:390-364403-0001	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:7593	HRS	2032		TSN 0					
WC#: 21.360	AFL	1683		TSN 0					
PROC. REF: AMM 21-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215025	COMPRESSOR DRIVE MODULE							Component	ATA:21
PN:1134930-5 (390-385026-0003)	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:499	HRS	1256.43		TSO 0					
WC#: 21.370	AFL	1205		TSO 0					
	ACH	1246		TSO 0					
PROC. REF: GENERIC NO REF									
215030	AIR CONDITIONING COMPRESSOR							Component	ATA:21
PN:PN	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:UNKNOWN	HRS	1256.43		TSO 0					
WC#: 21.160	AFL	1205		TSO 0					
	ACH	1246		TSO 0					
PROC. REF: AMM 21-50-03									
215040	AIR CONDITION CONDENSER							Component	ATA:21
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.180	AFL	0		TSN 0					
PROC. REF: AMM 21-50-06									
215043	RIGHT HAND PRIMARY OUTFLOW VALVE							Component	ATA:21
PN:390-384024-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0735A	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-30-02									
215044	LEFT HAND SECONDARY OUTFLOW VALVE							Component	ATA:21
PN:390-384025-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0660	HRS	0		TSN 0					
WC#: 21.195	AFL	0		TSN 0					
PROC. REF: AMM 21-30-03									
215051	SOFT START MODULE							Component	ATA:21
PN:1260470-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:238	HRS	0		TSN 0					
WC#: 21.380	AFL	0		TSN 0					
PROC. REF: AMM 21-50-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
2150510 ^U		AUTO LOAD SHED MODULE					Component	ATA:21	
PN:1240100-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2150512 ^U		AFT AXIAL BLOWER					Component	ATA:21	
PN:BA128E-7	MOS/MSC	18-Jan-17	O/C	TSO 8					
SN:024	HRS	739.75		TSO 0					
	AFL	756		TSO 0					
215061		COCKPIT REFRIGERANT SOLENOID VALVE					Component	ATA:21	
PN:390-385027-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0600	HRS	0		TSN 0					
WC#: 21.390	AFL	0		TSN 0					
PROC. REF: AMM 21-50-17									
215065		CABIN REFRIGERANT SOLENOID VALVE					Component	ATA:21	
PN:390-385027-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0638	HRS	0		TSN 0					
WC#: 21.395	AFL	0		TSN 0					
PROC. REF: AMM 21-50-17									
215071		FLIGHT DECK EVAPORATOR COIL					Component	ATA:21	
PN:390-385020-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:433	HRS	0		TSN 0					
WC#: 21.115	AFL	0		TSN 0					
PROC. REF: AMM 21-50-19									
215091		CABIN COIL EVAPORATOR					Component	ATA:21	
PN:390-385023-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:143	HRS	0		TSN 0					
WC#: 21.125	AFL	0		TSN 0					
PROC. REF: AMM 21-50-13									
215095		EVAPORATOR					Component	ATA:21	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216001		CABIN TEMPERATURE CONTROLLER					Component		ATA:21
PN:390-385011-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:811	HRS	0		TSN 0					
WC#: 21.400	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01									
216002		COCKPIT TEMPERATURE CONTROLLER					Component		ATA:21
PN:390-385011-0009	MOS/MSC	23-Nov-20	O/C						
SN:849	HRS	1384.8							
WC#: 21.400	AFL	1293							
PROC. REF: AMM 21-60-01									
216011		LEFT HAND TEMPERATURE SWITCH					Component		ATA:21
PN:1173T0777-01	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0681	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
216012		RIGHT HAND TEMPERATURE SWITCH					Component		ATA:21
PN:1173T0777-01	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0685	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
216021		COCKPIT (555750) VENT DUCT TEMPERATURE SENSOR					Component		ATA:21
PN:1300460-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:867	HRS	0		TSN 0					
WC#: 21.420	AFL	0		TSN 0					
PROC. REF: AMM 21-60-10									
216022		CABIN VENT DUCT TEMPERATURE SENSOR					Component		ATA:21
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.430	AFL	0		TSN 0					
PROC. REF: AMM 21-60-16									
216032		COCKPIT TEMPERATURE SENSOR					Component		ATA:21
PN:1300440-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.440	AFL	0		TSN 0					
PROC. REF: AMM 21-60-14									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216033	CABIN TEMPERATURE SENSOR							Component	ATA:21
PN:1300580-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:443	HRS	0			TSN 0				
WC#: 21.440	AFL	0			TSN 0				
PROC. REF: AMM 21-60-06									
216041	BAGGAGE HEAT CONTROLLER							Component	ATA:21
PN:390-385005-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:E11245045	HRS	0			TSN 0				
WC#: 21.450	AFL	0			TSN 0				
PROC. REF: AMM 21-40-02									
216045	BAGGAGE HEAT BLOWER							Component	ATA:21
PN:390-385005-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:122250166	HRS	0			TSN 0				
WC#: 21.460	AFL	0			TSN 0				
PROC. REF: AMM 21-40-01									
2160508 ^U	TEMPERATURE SENSOR							Component	ATA:21
PN:1300460-3	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
216051	NO. 1 MODULATING VALVE							Component	ATA:21
PN:390-385016-0001	MOS/MSC	09-Apr-14	O/C		TSN 22				
SN:842	HRS	160.6			TSN 220.9				
WC#: 21.470	AFL	147			TSN 221				
PROC. REF: AMM 21-60-03									
216052	NO. 2 MODULATING VALVE							Component	ATA:21
PN:390-385016-0001	MOS/MSC	09-Apr-14	O/C		TSN 22				
SN:824	HRS	160.6			TSN 220.9				
WC#: 21.470	AFL	147			TSN 221				
PROC. REF: AMM 21-60-03									
300A13 ^S	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT HEAT SYSTEM							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.210	AFL	1683							
PROC. REF: GENERIC NO REF									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
300A14 ^S	INSPECT BLEED AIR FLAPPER CHECK VALVES - TWO LOCATIONS							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.040	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
300A18 ^S	INSPECT RAM AIR DORSAL CHECK VALVES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.220	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
300A19 ^S	INSPECT BLOWER DUCT CHECK VALVES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.230	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
300A20 ^S	INSPECT BLEED AIR HEAT EXCHANGERS							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.240	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
300A21 ^S	INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.250	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
300A42	INSPECT AIR CONDITIONING COMPRESSOR MOTOR AIR CONDITIONING COMPRESSOR MOTOR							Service	ATA:21
PN:PN	MOS	28-Jun-22							
SN:UNKNOWN	HRS	1774.2							
WC#: 21.170	AFL	1522							
	ACH	1492.7	500 (+300)		1992.7	2292.7	355.5 (+300)		
				PROC. REF: CMM 21-00-13					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
300A46		INSPECT AIR CONDITIONING CONDENSER BLOWER MOTOR BRUSHES					Service		ATA:21
PN:BA128E-7 (390-385034-0007)	MOS	16-Dec-19							
SN:299	HRS	1256.4							
WC#: 21.480	AFL	1205							
	ACH	1246	1200	TAC 600	1846		208.8		
PROC. REF: CMM 21-11-09									
300A47		INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR BRUSHES					Service		ATA:21
PN:390-385034-0005	MOS	23-Nov-20							
SN:469	HRS	1384.8	3600 (+20)		4984.8	5004.8	2919.9 (+20)		
WC#: 21.490	AFL	1293							
PROC. REF: CMM 21-11-10									
OPS03^S		OPERATIONAL TEST CABIN ALTITUDE HIGH SWITCH					Service		ATA:21
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 21.080	AFL	1683							
PROC. REF: AMM 21-30-00									
OPS04		FUNCTIONAL TEST LEFT HAND PRIMARY OUTFLOW VALVE					Service		ATA:21
PN:390-384025-0005	MOS	29-Jun-21						AIRWORTHINESS	
SN:0660	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	268.2 (+20)		
WC#: 21.195	AFL	1373							
PROC. REF: GENERIC NO REF, AMM 21-30-02									
OPS04		FUNCTIONAL TEST OF THE PRESSURIZATION MODE (DUMP) SWITCH					Service		ATA:21
	MOS	29-Jun-21						AIRWORTHINESS	
	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	268.2 (+20)		
	AFL	1373							
PROC. REF: AMM 21-30-02									
OPS04		FUNCTIONAL TEST RIGHT HAND PRIMARY OUTFLOW VALVE					Service		ATA:21
PN:390-384024-0005	MOS	29-Jun-21						AIRWORTHINESS	
SN:0735A	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	268.2 (+20)		
WC#: 21.190	AFL	1373							
PROC. REF: AMM 21-30-02									

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
SPC17 CHANGE FORWARD ENVIRONMENTAL SYSTEM EVAPORATOR FILTER AND CHECK DRAIN Service ATA:21								
	MOS	30-Dec-22						
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)	
WC#: 21.130	AFL	1603						
PROC. REF: GENERIC NO REF								
SPC18 CHANGE AFT ENVIRONMENTAL SYSTEM EVAPORATOR FILTER Service ATA:21								
	MOS	30-Dec-22						
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)	
WC#: 21.150	AFL	1603						
PROC. REF: GENERIC NO REF								
TBO09 FORWARD COCKPIT EVAPORATOR BLOWER Component ATA:21								
PN:390-385024-0005	MOS	10-Jul-23		TSO 0				OVERHAUL
SN:448	HRS	1970.3	1600	TSO 0	3570.3		1505.4	
WC#: 21.110	AFL	1639		TSO 0				
PROC. REF: AMM 21-50-20								
TBO11 AFT CABIN EVAPORATOR BLOWER Component ATA:21								
PN:390-385024-0005	MOS	29-Jun-21						OVERHAUL
SN:285	HRS	1533.1	1600	TSO 0	3133.1		1068.2	
WC#: 21.120	AFL	1373						
PROC. REF: AMM 21-50-14								
TBO13 AIR CONDITIONING CONDENSER BLOWER MOTOR Component ATA:21								
PN:BA128E-7 (390-385034-0007)	MOS	16-Dec-19		TSO 30				OVERHAUL
SN:299	HRS	1256.4		TSO 434.57				
WC#: 21.200	AFL	1205		TSO 364				
	ACH	1246	2400	TSO 600	3046		1408.8	
PROC. REF: AMM 21-50-07								
TBO15 BLEED AIR HEAT EXCHANGER BLOWER MOTOR Component ATA:21								
PN:390-385034-0005	MOS	23-Nov-20						OVERHAUL
SN:469	HRS	1384.8	7200	TSO 0	8584.8		6519.9	
WC#: 21.250	AFL	1293						
PROC. REF: AMM 21-60-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
TBO18	AIR CONDITIONING COMPRESSOR MOTOR							Component	ATA:21
PN:PN	MOS	16-Dec-19		TSO 0				OVERHAUL	
SN:UNKNOWN	HRS	1256.43		TSO 0					
WC#: 21.170	AFL	1205		TSO 0					
	ACH	1246	2000	TSO 0	3246		1608.8		
PROC. REF: AMM 21-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221001		ELEVATOR SERVO MOUNT						Component	ATA:22
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48FMR	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
221002		ELEVATOR SERVO						Component	ATA:22
PN:822-1168-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48GNH	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
221011		RUDDER SERVO MOUNT						Component	ATA:22
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
221012		RUDDER SERVO						Component	ATA:22
PN:822-1168-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BG3D	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
221021		AILERON SERVO MOUNT						Component	ATA:22
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3V1LC	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
221022		AILERON SERVO						Component	ATA:22
PN:822-1168-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BFYT	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03									
221051		AUXILIARY ROLL TRIM CONTROLLER						Component	ATA:22
PN:390-384061-0003	MOS/MSC	30-Aug-12	O/C	TSN 0					
SN:1122	HRS	11.1		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 27-10-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231001		UPPER VHF COMM ANTENNA						Component	ATA:23
PN:S65-8280-42	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:323-1788	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
231002		LOWER VHF COMM ANTENNA						Component	ATA:23
PN:S65-8280-42	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:323-1789	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
231011		NO. 1 VHF COMM TRANSCEIVER						Component	ATA:23
PN:822-1115-021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
231012		NO. 2 VHF COMM TRANSCEIVER						Component	ATA:23
PN:822-1115-021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
231015		HF RECEIVER						Component	ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02									
231021		CTL-23 CONTROL						Component	ATA:23
PN:822-2177-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BF4K	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01									
231040^U		NO.1 VHF TRANSCEIVER						Component	ATA:23
PN:822-1468-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B36K	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
2310401 ^U		NO.2 VHF TRANSCEIVER					Component	ATA:23	
PN:822-1468-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48JBT	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01									
231101		HF (KCU 951) CONTROLLER					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.130	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01									
231301		RADIO TELEPHONE ANTENNA					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
231311		FLITEPHONE					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
231313		NO. 1 DATA ACQUISITION UNIT					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
231314		NO. 2 DATA ACQUISITION UNIT					Component	ATA:23	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01									
235001		NO. 1 AUDIO AMP					Component	ATA:23	
PN:700-008	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:71843	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235002		NO. 2 AUDIO AMP						Component	ATA:23
PN:700-008	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:73519	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-30-03									
235011		PA AMP						Component	ATA:23
PN:MODEL 240	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4148	HRS	0		TSN 0					
WC#: 23.080	AFL	0		TSN 0					
PROC. REF: AMM 23-30-02									
237001		COCKPIT VOICE RECORDER						Component	ATA:23
PN:2100-1020-51	MOS/MSC	19-Jul-14	O/C						
SN:000739454	HRS	208.9							
WC#: 23.010	AFL	207							
PROC. REF: AMM 23-70-01									
237014		UNDERWATER LOCATOR BEACON						Component	ATA:23
PN:KD120/90	MOS/MSC	12-Jan-18	O/C	TSN 0					
SN:AT101819	HRS	845		TSN 0					
WC#: 23.010	AFL	866		TSN 0					
PROC. REF: AMM 23-70-05									
237016		TEST UNDERWATER LOCATOR BEACON BATTERY AND UNIT						Service	ATA:23
	MOS	10-Jul-23	24 (+30d/-30d)		10-Jul-25	09-Aug-25	219 d (+30)		
	HRS	1970.3							
WC#: 23.010	AFL	1639							
PROC. REF: AMM 23-70-00									
237017		REPLACE UNDERWATER LOCATOR BEACON BATTERY						Service	ATA:23
PN:KD120/90	MOS	12-Jan-18	84		01-Jan-25		29 d	MANDATORY	
SN:AT101819	HRS	845							
WC#: 23.010	AFL	866							
Manufacture Date:: 01-Jan-18 PROC. REF: GENERIC NO REF									
237021		IMPACT SWITCH						Component	ATA:23
PN:6895D2X2.5-2.5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:8748	HRS	0		TSN 0					
WC#: 23.090	AFL	0		TSN 0					
PROC. REF: AMM 23-70-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
240001	STATIC INVERTER							Component	ATA:24
PN:SS50	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:5910	HRS	0		TSN 0					
WC#: 24.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243001	LEFT HAND GENERATOR CONTROL UNIT							Component	ATA:24
PN:390-384005-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:651	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: AMM 24-30-02									
243002	RIGHT HAND GENERATOR CONTROL UNIT							Component	ATA:24
PN:CG201A-1	MOS/MSC	21-Dec-21	O/C	TSO 0					
SN:592	HRS	1616.4		TSO 0					
WC#: 24.110	AFL	1426		TSO 0					
PROC. REF: AMM 24-30-02									
243003	LEFT HAND GROUND FAULT TRANSFORMER							Component	ATA:24
PN:76394-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3936	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
243005	RIGHT HAND GROUND FAULT TRANSFORMER							Component	ATA:24
PN:76394-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3940	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
245001	DC/AC INVERTER							Component	ATA:24
PN:AC1500-393-3	MOS/MSC	10-Jan-19	O/C	TSN 0					
SN:54	HRS	1074		TSN 0					
WC#: 24.120	AFL	1066		TSN 0					
PROC. REF: GENERIC NO REF									
246001	NO. 1 AC/DC INVERTER							Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0961	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246002		NO. 2 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0957	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
246003		NO. 3 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0963	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300A22 ^S		INSPECT MAIN BATTERY						Service	ATA:24
PN:RG-380E/44	MOS	11-Jun-24							
SN:41162880	HRS	2032	600 (+20)						
WC#: 24.050	AFL	1683							
PROC. REF: GENERIC NO REF									
300A23 ^S		INSPECT GROUNDING POINT OF LEFT/RIGHT GENERATORS BATTERY AND EXTERNAL POWER						Service	ATA:24
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 24.015	AFL	1683							
PROC. REF: GENERIC NO REF									
300A24 ^S		INSPECT MAIN POWER BOX						Service	ATA:24
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 24.080	AFL	1683							
PROC. REF: GENERIC NO REF									
400A02 ^S		INSPECT NO. 1 ENGINE STARTER/GENERATOR						Service	ATA:24
PN:390-389001-0001	MOS	11-Jun-24							
SN:427AB	HRS	2032	600 (+20)						
WC#: 24.020	AFL	1683							
PROC. REF: GENERIC NO REF									
400A03		INSPECT NO. 1 ENGINE STARTER/GENERATOR BRUSHES						Service	ATA:24
PN:390-389001-0001	MOS	23-Nov-20							
SN:427AB	HRS	1384.8	800 (+20)		2184.8	2204.8	119.9 (+20)		
	AFL	1293							
PROC. REF: CMM 24-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
400B02 ^S		INSPECT NO. 2 ENGINE STARTER/GENERATOR						Service	ATA:24
PN:390-389001-0001	MOS		11-Jun-24						
SN:743AB	HRS		2032			600 (+20)			
WC#: 24.030	AFL		1683						
PROC. REF: GENERIC NO REF									
PKG:6									
400B03		INSPECT NO. 2 ENGINE STARTER/GENERATOR BRUSHES						Service	ATA:24
PN:390-389001-0001	MOS		23-Nov-20						
SN:743AB	HRS		1384.8		2184.8	2204.8	119.9 (+20)		
	AFL		1293						
PROC. REF: CMM 24-30-00									
OPS05		OPERATIONAL TEST ELECTRICAL SYSTEM LATENT FAILURE						Service	ATA:24
	MOS		27-Jun-12					AIRWORTHINESS	
	HRS		0		2400	2600	335.1 (+200)		
WC#: 24.040	AFL		0						
PROC. REF: AMM 24-30-00									
SPC10		PERFORM LEVEL TEST OF STANDBY POWER SUPPLY						Service	ATA:24
	MOS/MSC		27-Jun-12	A/R					
	HRS		0						
WC#: 24.160	AFL		0						
PROC. REF: CMM 24-32-17									
SPC13		ENERGY LEVEL TEST STANDBY BATTERY STANDBY POWER SUPPLY BATTERY						Service	ATA:24
PN:390-384027-0001	MOS		17-Jun-24		17-Jun-25	17-Jul-25	196 d (+30)		
SN:1419	HRS		2032						
WC#: 24.140	AFL		1683						
PROC. REF: CMM 24-32-17									
SPC22		CAPACITY CHECK MAIN BATTERY						Service	ATA:24
PN:RG-380E/44	MOS		19-Nov-24	3	19-Feb-25		78 d		
SN:41162880	HRS		2064.9						
WC#: 24.050	AFL		1712						
PROC. REF: GENERIC NO REF									
TBO16		NO. 1 ENGINE STARTER/GENERATOR						Component	ATA:24
PN:390-389001-0001	MOS		23-Nov-20		TSO 0			OVERHAUL	
SN:427AB	HRS		1384.8	1400	TSO 0	2784.8	719.9		
WC#: 24.020	AFL		1293		TSO 0				
PROC. REF: AMM 24-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
TBO16		NO. 2 ENGINE STARTER/GENERATOR						Component	ATA:24
PN:390-389001-0001	MOS	23-Nov-20		TSO 0				OVERHAUL	
SN:743AB	HRS	1384.8	1400	TSO 0	2784.8		719.9		
WC#: 24.030	AFL	1293		TSO 0					
PROC. REF: AMM 24-30-01									
TBO17		MAIN BATTERY						Component	ATA:24
PN:RG-380E/44	MOS/MSC	03-Jul-21	O/C	TSN 2					
SN:41162880	HRS	1533.1		TSN 0					
WC#: 24.050	AFL	1373		TSN 0					
PROC. REF: CMM 24-30-71									
TBO19		STANDBY BATTERY						Component	ATA:24
PN:100-0206-01	MOS	29-Jun-21	48	TSO 0	29-Jun-25		208 d		
SN:1419	HRS	1533.1							
WC#: 24.100	AFL	1373							
PROC. REF: AMM 24-30-05									
ATA 25 - EQUIPMENT/FURNISHINGS									
200A08^S		INSPECT FLIGHT CREW SEATS						Service	ATA:25
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 25.010	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:6									
200B05^S		INSPECT SEAT ATTACHMENT						Service	ATA:25
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 25.030	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:7									
250001^U		FIRST KIT AID INSPECTION REPLACEMENT						Component	ATA:25
PN:42 KIT	MOS/MSC	10-Jul-23	DUE	TSN 0	17-Nov-25 (M)		349 d		
SN:UNKNOWN	HRS	1970.3		TSN 0					
	AFL	1639		TSN 0					
Expiry Date: : 17-Nov-25									
2510500^U		LIFT DUMP SWITCH ASSEMBLY						Component	ATA:25
PN:390-384069-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
2510505 ^U		LH HAND MICROPHONE REEL ASSEMBLY						Component	ATA:25
PN:390-384056-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2550506 ^U		RH HAND MICROPHONE REEL ASSEMBLY						Component	ATA:25
PN:390-384056-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
256001		EMERGENCY LOCATOR TRANSMITTER						Component	ATA:25
PN:453-5000-(366)	MOS/MSC	19-Nov-24	O/C	TSN 0					
SN:210-15033	HRS	2064.9		TSN 0					
WC#: 25.040	AFL	1712		TSN 0					
PROC. REF: AMM 25-60-01									
256004		EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY						Component	ATA:25
PN:PN	MOS/MSC	19-Nov-24	O/C	TSN 0					
SN:UNKNOWN	HRS	2064.9		TSN 0					
	AFL	1712		TSN 0					
PROC. REF: AMM 25-60-01									
256011		ELT BLADE ANTENNA						Component	ATA:25
PN:110-337	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:346056	HRS	0		TSN 0					
WC#: 25.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256021		EMERGENCY EXIT PULL HANDLE						Component	ATA:25
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256041		PILOT LIFE VEST						Component	ATA:25
PN:P01074-113	MOS/MSC	10-Jul-23	O/C	TSN 0					
SN:23010140072	HRS	1970.3		TSN 0					
WC#: 25.110	AFL	1639		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256042	COPILOT LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C		TSN 0				
SN:22111120001	HRS	1906.5			TSN 0				
WC#: 25.110	AFL	1603			TSN 0				
PROC. REF: GENERIC NO REF									
256051	NO. 1 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C		TSN 0				
SN:22032020043	HRS	1906.5			TSN 0				
WC#: 25.120	AFL	1603			TSN 0				
PROC. REF: GENERIC NO REF									
256052	NO. 2 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C		TSN 0				
SN:22031620038	HRS	1906.5			TSN 0				
WC#: 25.120	AFL	1603			TSN 0				
PROC. REF: GENERIC NO REF									
256053	NO. 3 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	O/C						
SN:22031620015	HRS								
WC#: 25.130	AFL								
PROC. REF: GENERIC NO REF									
256054	NO. 4 LIFE VEST							Component	ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	O/C						
SN:23010140060	HRS								
WC#: 25.130	AFL								
PROC. REF: GENERIC NO REF									
256055	NO. 5 LIFE VEST							Component	ATA:25
PN:P0640-101	MOS/MSC	04-Jun-24	O/C						
SN:221203450066	HRS								
WC#: 25.140	AFL								
PROC. REF: GENERIC NO REF									
256056	NO. 6 LIFE VEST							Component	ATA:25
PN:P01074-201	MOS/MSC	04-Jun-24	O/C						
SN:254188	HRS								
WC#: 25.140	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256401 ^U		LIFE RAFT							Component ATA:25
PN:RAF118-301	MOS/MSC	31-Jan-23	O/C	TSO 0					
SN:1122125034H2/31191 20415	HRS	1922		TSO 0					
	AFL	1613		TSO 0					
257021		MUFFIN FAN							Component ATA:25
PN:011868	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:108451632	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
2570500 ^U		MOUNTING TRAY							Component ATA:25
PN:822-1290-003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:18PNY2	HRS	0		TSN 0					
	AFL	0		TSN 0					
SPC02		REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY BATTERY							Service ATA:25
PN:PN	MOS/MSC	19-Nov-24	DUE		01-Oct-29 (M)		1763 d	MANDATORY	
SN:UNKNOWN	HRS	2064.9							
WC#: 25.040	AFL	1712							
			Expiry Date: : 01-Oct-29	PROC. REF: AMM 25-60-01					
SPC04		RECERTIFY COPILOT LIFE VEST GA-12							Service ATA:25
PN:P01074-113	MOS/MSC		N/A						
SN:22111120001	HRS								
WC#: 25.110	AFL								
PROC. REF: GENERIC NO REF									
SPC04		RECERTIFY NO. 1 LIFE VEST GA-12							Service ATA:25
PN:P01074-113	MOS/MSC		N/A						
SN:22032020043	HRS								
WC#: 25.120	AFL								
PROC. REF: GENERIC NO REF									
SPC04		RECERTIFY NO. 2 LIFE VEST GA-12							Service ATA:25
PN:P01074-113	MOS/MSC		N/A						
SN:22031620038	HRS								
WC#: 25.120	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
SPC04		RECERTIFY NO. 3 LIFE VEST GA-12						Service	ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	N/A						
SN:22031620015	HRS								
WC#: 25.130	AFL								
PROC. REF: GENERIC NO REF									
SPC04		RECERTIFY NO. 4 LIFE VEST GA-12						Service	ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	N/A						
SN:23010140060	HRS								
WC#: 25.130	AFL								
PROC. REF: GENERIC NO REF									
SPC04		RECERTIFY NO. 5 LIFE VEST GA-12						Service	ATA:25
PN:P0640-101	MOS/MSC	04-Jun-24	N/A						
SN:221203450066	HRS								
WC#: 25.140	AFL								
PROC. REF: GENERIC NO REF									
SPC04		RECERTIFY NO. 6 LIFE VEST GA-12						Service	ATA:25
PN:P01074-201	MOS/MSC	04-Jun-24	N/A						
SN:254188	HRS								
WC#: 25.140	AFL								
PROC. REF: GENERIC NO REF									
SPC04		RECERTIFY PILOT LIFE VEST GA-12						Service	ATA:25
PN:P01074-113	MOS/MSC		N/A						
SN:23010140072	HRS								
WC#: 25.110	AFL								
PROC. REF: GENERIC NO REF									
SPC06		RECERTIFY COPILOT LIFE VEST						Service	ATA:25
PN:P01074-113	MOS	23-Dec-22	60 (+30d/-30d)		01-Dec-27	31-Dec-27	1093 d (+30)		
SN:22111120001	HRS								
WC#: 25.110	AFL								
		Calibration Date: : 01-Dec-22	PROC. REF: GENERIC NO REF						
SPC06		RECERTIFY NO. 1 LIFE VEST						Service	ATA:25
PN:P01074-113	MOS	21-Dec-22	60 (+30d/-30d)		25-Mar-27	24-Apr-27	842 d (+30)		
SN:22032020043	HRS								
WC#: 25.120	AFL								
		Calibration Date: : 25-Mar-22	PROC. REF: GENERIC NO REF						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC06 RECERTIFY NO. 2 LIFE VEST Service ATA:25								
PN:P01074-113	MOS	21-Dec-22	60 (+30d/-30d)		21-Dec-27	20-Jan-28	1113 d (+30)	
SN:22031620038	HRS							
WC#: 25.120	AFL							
Calibration Date: : 21-Dec-22 PROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 3 LIFE VEST Service ATA:25								
PN:P01074-113	MOS	25-Mar-22	60 (+30d/-30d)		25-Mar-27	24-Apr-27	842 d (+30)	
SN:22031620015	HRS							
WC#: 25.130	AFL							
Calibration Date: : 25-Mar-22 PROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 4 LIFE VEST Service ATA:25								
PN:P01074-113	MOS	01-Feb-23	60 (+30d/-30d)		01-Feb-28	02-Mar-28	1155 d (+30)	
SN:23010140060	HRS							
WC#: 25.130	AFL							
Calibration Date: : 01-Feb-23 PROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 5 LIFE VEST Service ATA:25								
PN:P0640-101	MOS	20-Dec-22	60 (+30d/-30d)		20-Dec-27	19-Jan-28	1112 d (+30)	
SN:221203450066	HRS							
WC#: 25.140	AFL							
Calibration Date: : 20-Dec-22 PROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 6 LIFE VEST Service ATA:25								
PN:P01074-201	MOS	19-Jun-23	60 (+30d/-30d)		19-Jun-28	19-Jul-28	1294 d (+30)	
SN:254188	HRS							
WC#: 25.140	AFL							
Calibration Date: : 19-Jun-23 PROC. REF: GENERIC NO REF								
SPC06 RECERTIFY PILOT LIFE VEST Service ATA:25								
PN:P01074-113	MOS	01-Feb-23	60 (+30d/-30d)		01-Feb-28	02-Mar-28	1155 d (+30)	
SN:23010140072	HRS							
WC#: 25.110	AFL							
Calibration Date: : 01-Feb-23 PROC. REF: GENERIC NO REF								
SPC07 CHECK FIRST AID KIT Service ATA:25								
	MOS	17-Jun-24	12 (+30d/-30d)		17-Jun-25	17-Jul-25	196 d (+30)	
	HRS	2032						
WC#: 25.070	AFL	1683						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC15 INSPECT EMERGENCY LOCATOR TRANSMITTER EMERGENCY LOCATOR TRANSMITTER FAR 91.207(D)								
PN:453-5000-(366)	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	351 d (+30)	Service ATA:25
SN:210-15033	HRS	2064.9						
WC#: 25.040	AFL	1712						
PROC. REF: GENERIC NO REF, FAR 91-207(D)								WO#: MP-7833
ATA 26 - FIRE PROTECTION								
200A01 HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER								
PN:C352TS	MOS	29-Jun-21	144 (+30d/-30d)		01-Jan-33	31-Jan-33	2951 d (+30)	Service ATA:26
SN:G-40531726	HRS							MANDATORY
WC#: 26.060	AFL							
		HydroCheck Date: : 01-Jan-21	PROC. REF: GENERIC NO REF					
261001 FIRE DETECTION CONTROLLER								
PN:477-90005	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:26
SN:0121-008	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01								
262001 ENGINE FIRE BOTTLE EXTINGUISHER								
PN:30400018-1	MOS/MSC	09-Jun-16	O/C					Component ATA:26
SN:52054B1	HRS	607.7						
WC#: 26.040	AFL	627						
PROC. REF: AMM 26-20-01								
262010 ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE								
PN:13083-5	MOS	14-Nov-23	72		25-Jul-29		1695 d	Component ATA:26
SN:N/A	HRS	2022.5		TSN 0				LIFE LIMIT
WC#: 26.040	AFL	1675		TSN 0				
		Manufacture Date:: 25-Jul-23	PROC. REF: AMM 26-20-02					
262011 ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE								
PN:13083-5	MOS	14-Nov-23	72		01-Apr-29		1580 d	Component ATA:26
SN:N/A	HRS	2022.5		TSN 0				LIFE LIMIT
WC#: 26.040	AFL	1675		TSN 0				
		Manufacture Date:: 01-Apr-23	PROC. REF: AMM 26-20-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262013	REPLACE ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service	ATA:26
PN:13083-5	MOS	14-Nov-23	48		10-Nov-27		1072 d	SERVICE LIFE LIMIT	
SN:N/A	HRS								
WC#: 26.040	AFL								
	Installation Date: : 10-Nov-23		PROC. REF: GENERIC NO REF						
262014	REPLACE ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service	ATA:26
PN:13083-5	MOS	14-Nov-23	48		10-Nov-27		1072 d	SERVICE LIFE LIMIT	
SN:N/A	HRS	2022.5							
WC#: 26.040	AFL	1675							
	Installation Date: : 10-Nov-23		PROC. REF: GENERIC NO REF						
262101	PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	29-Jun-21	O/C						
SN:G-40531726	HRS	1533.1							
WC#: 26.060	AFL	1373							
	PROC. REF: AMM 26-20-03								
300A26	VISUAL AND OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PLUMBING							Service	ATA:26
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1200 (+20/-20)		2974.2	2994.2	909.3 (+20)		
WC#: 26.040	AFL	1522							
	PROC. REF: GENERIC NO REF								
300A27 ^S	INSPECT BLEED AIR LEAK DETECTION SENSING ELEMENTS							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.010	AFL	1683							
	PROC. REF: AMM 26-10-00							PKG:6	
400A04 ^S	INSPECT NO. 1 ENGINE FIRE DETECTION LOOP AND TUBING							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.020	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
400B04 ^S	INSPECT NO. 2 ENGINE FIRE DETECTION LOOP AND TUBING							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.020	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
LIMITS01		HYDROSTATIC TEST ENGINE FIRE BOTTLE EXTINGUISHER						Service	ATA:26
PN:30400018-1	MOS	19-Nov-20	60		19-Nov-25		351 d	MANDATORY	
SN:52054B1	HRS								
WC#: 26.040	AFL								
HydroCheck Date: : 19-Nov-20 PROC. REF: GENERIC NO REF									
LIMITS03		HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:C352TS	MOS	29-Jun-21	144		01-Jan-33		2951 d	MANDATORY	
SN:G-40531726	HRS								
WC#: 26.060	AFL								
HydroCheck Date: : 01-Jan-21 PROC. REF: GENERIC NO REF									
OPS06		OPERATIONAL TEST FIRE DETECTION CONTROLLER AND SENSOR CABLE						Service	ATA:26
	MOS	21-Jun-19							
	HRS	1200.17	1200 (+20)		2400.17	2420.17	335.3 (+20)		
WC#: 26.030	AFL	1162							
PROC. REF: AMM 26-10-00									
OPS07		ENGINE FIRE EXTINGUISHING SYSTEM						Service	ATA:26
	MOS	21-Jun-19						AIRWORTHINESS	
	HRS	1200.17	1200 (+20/-20)		2400.17	2420.17	335.3 (+20)		
WC#: 26.050	AFL	1162							
PROC. REF: AMM 26-20-00									
SPC08		WEIGHT CHECK PORTABLE FIRE EXTINGUISHER						Service	ATA:26
	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	351 d (+30)	MANDATORY	
	HRS	2064.9							
WC#: 26.060	AFL	1712							
WeightCheck Date : : 19-Nov-24 PROC. REF: AMM 26-20-00									
WO#: MP-7833									
ATA 27 - FLIGHT CONTROLS									
100A01^S		INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS						Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.160	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
100A02 ^S	INSPECT FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.150	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:7
100A03 ^S	INSPECT RUDDER PEDALS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.260	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-20-00								PKG:7
100B04 ^S	INSPECT FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.720	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:7
100B05 ^S	INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.710	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:7
100B06 ^S	CHECK AILERON CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.030	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6
100B12 ^S	CHECK ELEVATOR CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.355	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-30-00								PKG:6
100B13 ^S	CHECK RUDDER CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.255	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-20-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
200A10 ^S		INSPECT CONTROL COLUMN							Service ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.130	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6	
200A11 ^S		INSPECT RUDDER PEDALS							Service ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.190	AFL	1683							
PROC. REF: AMM 27-20-00								PKG:6	
200D03 ^S		CHECK AILERON AUTOPILOT SERVO BRIDLE CABLE							Service ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.020	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6	
270001		LEFT PILOT POSITION SENSOR							Component ATA:27
PN:390-381012-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:M3521	HRS	0			TSN 0				
WC#: 27.730	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
270002		RIGHT CO-PILOT POSITION SENSOR							Component ATA:27
PN:390-381012-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:M8811	HRS	0			TSN 0				
WC#: 27.730	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
270011		LEFT CONTROL WHEEL							Component ATA:27
PN:390-382052-0009	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0202	HRS	0			TSN 0				
WC#: 27.740	AFL	0			TSN 0				
PROC. REF: AMM 27-10-10									
270012		RIGHT CONTROL WHEEL							Component ATA:27
PN:390-382052-0010	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0197	HRS	0			TSN 0				
WC#: 27.740	AFL	0			TSN 0				
PROC. REF: AMM 27-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271001		LEFT AILERON TRIM TAB ACTUATOR						Component	ATA:27
PN:390-381009-0009	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:150	HRS	0			TSN 0				
WC#: 27.750	AFL	0			TSN 0				
PROC. REF: AMM 27-10-02									
271002		RIGHT AILERON TRIM TAB ACTUATOR						Component	ATA:27
PN:390-381009-0010	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:164	HRS	0			TSN 0				
WC#: 27.750	AFL	0			TSN 0				
PROC. REF: AMM 27-10-02									
271011		LEFT AILERON						Component	ATA:27
PN:390-130001-0023	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S740709473	HRS	0			TSN 0				
WC#: 27.760	AFL	0			TSN 0				
PROC. REF: AMM 27-10-01									
271012		RIGHT AILERON						Component	ATA:27
PN:390-130001-0024	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S740709472	HRS	0			TSN 0				
WC#: 27.760	AFL	0			TSN 0				
PROC. REF: AMM 27-10-01									
272001		RUDDER						Component	ATA:27
PN:390-630010-0007	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S7H0008	HRS	0			TSN 0				
WC#: 27.250	AFL	0			TSN 0				
PROC. REF: AMM 27-20-01									
272005		RUDDER TRIM TAB						Component	ATA:27
PN:390-630050-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 27.230	AFL	0			TSN 0				
PROC. REF: AMM 27-20-02									
272011		RUDDER TRIM TAB ACTUATOR						Component	ATA:27
PN:390-386003-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0335	HRS	0			TSN 0				
WC#: 27.780	AFL	0			TSN 0				
PROC. REF: AMM 27-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
272021		LEFT INBOARD RUDDER BOOST PRESSURE TRANSDUCER						Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7499-11-467	HRS	0		TSN 0					
WC#: 27.790	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272022		LEFT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER						Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7533-9-385	HRS	0		TSN 0					
WC#: 27.790	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272031		RIGHT INBOARD RUDDER BOOST PRESSURE TRANSDUCER						Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7533-9-487	HRS	0		TSN 0					
WC#: 27.800	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272032		RIGHT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER						Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7533-9-476	HRS	0		TSN 0					
WC#: 27.800	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16									
272041		VERTICAL STABILIZER ASSEMBLY						Component	ATA:27
PN:390-640010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RB-293	HRS	0		TSN 0					
WC#: 27.770	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
273001		LEFT ELEVATOR						Component	ATA:27
PN:390-610100-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S7H0004	HRS	0		TSN 0					
WC#: 27.290	AFL	0		TSN 0					
PROC. REF: AMM 27-30-01									
273002		RIGHT ELEVATOR						Component	ATA:27
PN:390-610100-0018	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S70140	HRS	0		TSN 0					
WC#: 27.290	AFL	0		TSN 0					
PROC. REF: AMM 27-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273011		ELEVATOR TAB GEARBOX					Component		ATA:27
PN:390-526251-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0003	HRS	0		TSN 0					
WC#: 27.810	AFL	0		TSN 0					
PROC. REF: AMM 27-30-10									
273101		LEFT AOA TRANSMITTER					Component		ATA:27
PN:SLZ8060-5	MOS/MSC	01-Sep-14	O/C	TSN 27					
SN:AB01177	HRS	237		TSN 237					
WC#: 27.820	AFL	237		TSN 237					
PROC. REF: AMM 27-31-01									
273102		RIGHT AOA TRANSMITTER					Component		ATA:27
PN:SLZ8060-5	MOS/MSC	01-Sep-14	O/C	TSN 27					
SN:AB01188	HRS	237		TSN 237					
WC#: 27.820	AFL	237		TSN 237					
PROC. REF: AMM 27-31-01									
274001		PITCH TRIM CONTROL UNIT					Component		ATA:27
PN:390-384028-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3069	HRS	0		TSN 0					
WC#: 27.830	AFL	0		TSN 0					
PROC. REF: AMM 27-40-06									
274006		UPPER YOKE SCISSOR FITTING					Component		ATA:27
PN:390-610110/390-600115	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.460	AFL	0							
PROC. REF: AMM 55-10-01									
274007		LOWER YOKE SCISSOR FITTING					Component		ATA:27
PN:390-610110/390-600115	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.470	AFL	0							
PROC. REF: AMM 55-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274011	HORIZONTAL STABILIZER ASSEMBLY							Component	ATA:27
PN:390-620000-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S750671463	HRS	0			TSN 0				
WC#: 27.840	AFL	0			TSN 0				
PROC. REF: AMM 27-40-01									
274020	HORIZONTAL CENTER FITTING							Component	ATA:27
PN:390-620170	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.490	AFL	0							
PROC. REF: AMM 27-40-01									
274021	LEFT HORIZONTAL STABILIZER POTENTIOMETER							Component	ATA:27
PN:390-386043-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0735	HRS	0			TSN 0				
WC#: 27.850	AFL	0			TSN 0				
PROC. REF: AMM 27-40-03									
274022	RIGHT HORIZONTAL STABILIZER POTENTIOMETER							Component	ATA:27
PN:390-386043-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0713	HRS	0			TSN 0				
WC#: 27.850	AFL	0			TSN 0				
PROC. REF: AMM 27-40-03									
275001	FLAP POTENTIOMETER							Component	ATA:27
PN:390-381404-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:432	HRS	0			TSN 0				
WC#: 27.860	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
275011	FLAP CONTROL UNIT							Component	ATA:27
PN:390-381401-0019	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:K0386	HRS	0			TSN 0				
WC#: 27.860	AFL	0			TSN 0				
PROC. REF: AMM 27-50-08									
275021	LEFT OUTBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160002-0019	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S740542014	HRS	0			TSN 0				
WC#: 27.870	AFL	0			TSN 0				
PROC. REF: AMM 27-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275022	RIGHT OUTBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160002-0020	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S740634707	HRS	0			TSN 0				
WC#: 27.870	AFL	0			TSN 0				
PROC. REF: AMM 27-50-02									
275023	LEFT INBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160001-0015	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S740635927	HRS	0			TSN 0				
WC#: 27.880	AFL	0			TSN 0				
PROC. REF: AMM 27-50-01									
275024	RIGHT INBOARD FLAP ASSEMBLY							Component	ATA:27
PN:390-160001-0016	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:S740668364	HRS	0			TSN 0				
WC#: 27.880	AFL	0			TSN 0				
PROC. REF: AMM 27-50-01									
275041	LEFT NO. 1 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381402-0018	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:G0625	HRS	0			TSN 0				
WC#: 27.890	AFL	0			TSN 0				
PROC. REF: AMM 27-50-03									
275042	LEFT NO. 2 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381402-0019	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:G0331	HRS	0			TSN 0				
WC#: 27.890	AFL	0			TSN 0				
PROC. REF: AMM 27-50-03									
275043	LEFT NO. 3 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381402-0017	MOS/MSC	30-Nov-23	O/C		TSN 137				
SN:G0656	HRS	2023.6			TSN 2023.6				
WC#: 27.890	AFL	1676			TSN 1676				
PROC. REF: AMM 27-50-03									
275044	LEFT NO.5 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381403-0011	MOS/MSC	30-Nov-23	O/C						
SN:H0660	HRS	2023.6							
WC#: 27.890	AFL	1676							
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275061	RIGHT NO. 1 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381402-0017	MOS/MSC	07-Feb-24	O/C						
SN:2A8206G	HRS	2027							
WC#: 27.900	AFL	1679							
					PROC. REF: AMM 27-50-03				
275062	RIGHT NO. 2 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381402-0020	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:G0328	HRS	0		TSN 0					
WC#: 27.900	AFL	0		TSN 0					
					PROC. REF: AMM 27-50-03				
275063	RIGHT NO. 3 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381402-0018	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:G0665	HRS	0		TSN 0					
WC#: 27.900	AFL	0		TSN 0					
					PROC. REF: AMM 27-50-03				
275064	RIGHT NO. 5 FLAP ACTUATOR (MANDATORY)							Component	ATA:27
PN:390-381403-0011	MOS/MSC	30-Nov-23	O/C	TSN 137					
SN:H0658	HRS	2023.6		TSN 2023.6					
WC#: 27.900	AFL	1676		TSN 1676					
					PROC. REF: AMM 27-50-03				
276001	SPOILER CONTROL UNIT							Component	ATA:27
PN:390-384011-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0345	HRS	0		TSN 0					
WC#: 27.910	AFL	0		TSN 0					
					PROC. REF: AMM 27-60-05				
276011	LEFT SPOILER (ROLL CONTROL) PANEL							Component	ATA:27
PN:390-381039-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0234	HRS	0		TSN 0					
WC#: 27.920	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
276012	RIGHT SPOILER (ROLL CONTROL) PANEL							Component	ATA:27
PN:390-381039-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
WC#: 27.920	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276021		LEFT SPOILER SPEED BRAKE PANEL					Component	ATA:27	
PN:390-381038-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0237	HRS	0		TSN 0					
WC#: 27.930	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276022		RIGHT SPOILER SPEED BRAKE PANEL					Component	ATA:27	
PN:390-381038-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
WC#: 27.930	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276031		SPOILER CONTROL MODULE					Component	ATA:27	
PN:390-381006-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:327	HRS	0		TSN 0					
WC#: 27.940	AFL	0		TSN 0					
PROC. REF: AMM 27-60-01									
276041		LEFT UPLOCK RELEASE ACTUATOR					Component	ATA:27	
PN:390-381201-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1976	HRS	0		TSN 0					
WC#: 27.950	AFL	0		TSN 0					
PROC. REF: AMM 27-60-13									
276042		RIGHT UPLOCK RELEASE ACTUATOR					Component	ATA:27	
PN:390-381201-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1977	HRS	0		TSN 0					
WC#: 27.950	AFL	0		TSN 0					
PROC. REF: AMM 27-60-13									
276051		LEFT LIFT DUMP ACTUATOR					Component	ATA:27	
PN:390-381008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0641	HRS	0		TSN 0					
WC#: 27.960	AFL	0		TSN 0					
PROC. REF: AMM 27-60-02									
276052		RIGHT LIFT DUMP ACTUATOR					Component	ATA:27	
PN:390-381008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0636	HRS	0		TSN 0					
WC#: 27.960	AFL	0		TSN 0					
PROC. REF: AMM 27-60-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276061		LEFT BLOWDOWN ACTUATOR						Component	ATA:27
PN:390-381010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0624	HRS	0		TSN 0					
WC#: 27.970	AFL	0		TSN 0					
PROC. REF: AMM 27-60-03									
276062		RIGHT BLOWDOWN ACTUATOR						Component	ATA:27
PN:390-381010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0654	HRS	0		TSN 0					
WC#: 27.970	AFL	0		TSN 0					
PROC. REF: AMM 27-60-03									
276071		LEFT ROLL SPOILER ACTUATOR						Component	ATA:27
PN:390-381007-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0561	HRS	0		TSN 0					
WC#: 27.980	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04									
276072		RIGHT ROLL SPOILER ACTUATOR						Component	ATA:27
PN:390-381007-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0628	HRS	0		TSN 0					
WC#: 27.980	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04									
276081		LEFT SPOILER POSITION SENSOR						Component	ATA:27
PN:390-381011-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:01385	HRS	0		TSN 0					
WC#: 27.990	AFL	0		TSN 0					
PROC. REF: AMM 27-60-10									
276082		RIGHT SPOILER POSITION SENSOR						Component	ATA:27
PN:390-381011-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:01384	HRS	0		TSN 0					
WC#: 27.990	AFL	0		TSN 0					
PROC. REF: AMM 27-60-10									
276091		LEFT SPOILER (LIFT DUMP) PANEL						Component	ATA:27
PN:390-381037-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0237	HRS	0		TSN 0					
WC#: 27.995	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276092	RIGHT SPOILER (LIFT DUMP) PANEL							Component	ATA:27
PN:390-381037-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:H0008	HRS	0		TSN 0					
WC#: 27.995	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300A02	VISUAL CHECK ELEVATOR AND ATTACHMENT STRUCTURE							Service	ATA:27
	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1292 d (+30)	AIRWORTHINESS	
	HRS	2032	1200 (+20/-20)		3232	3252	1167.1 (+20)		
WC#: 27.300	AFL	1683							
PROC. REF: AMM 27-30-00									
300A04	VISUAL CHECK LOWER YOKE SCISSOR FITTING							Service	ATA:27
PN:390-610110/390-600115	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1292 d (+30)		
SN:UNKNOWN	HRS	2032	1200 (+20/-20)		3232	3252	1167.1 (+20)		
WC#: 27.470	AFL	1683							
PROC. REF: GENERIC NO REF									
300A04	VISUAL CHECK UPPER YOKE SCISSOR FITTING							Service	ATA:27
PN:390-610110/390-600115	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1292 d (+30)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2032	1200 (+20/-20)		3232	3252	1167.1 (+20)		
WC#: 27.460	AFL	1683							
PROC. REF: GENERIC NO REF									
300A05	INSPECT PITCH TRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHING AND STRUCTURE							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	400 (+20/-20)		2174.2	2194.2	109.3 (+20)		
WC#: 27.480	AFL	1522							
PROC. REF: AMM 27-40-00									
300A06	VISUAL CHECK RUDDER ATTACHMENT STRUCTURE							Service	ATA:27
	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1292 d (+30)	AIRWORTHINESS	
	HRS	2032	1200 (+20/-20)		3232	3252	1167.1 (+20)		
WC#: 27.250	AFL	1683							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300A09	VISUAL/EDDY CURRENT INSPECT CENTER HORIZONTAL FITTING							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)		
WC#: 27.500	AFL	0							
				PROC. REF: AMM 55-10-01					
300A28 ^S	INSPECT RUDDER/ELEVATOR FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.240	AFL	1683							
				PROC. REF: AMM 20-14-00, AMM 27-00-00					PKG:6
300B02 ^S	INSPECT RUDDER							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.250	AFL	1683							
				PROC. REF: AMM 27-20-00					PKG:6
300B03 ^S	INSPECT RUDDER TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.230	AFL	1683							
				PROC. REF: AMM 27-20-00					PKG:6
300B04 ^S	INSPECT RUDDER TRIM ACTUATOR AND LINKAGE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.210	AFL	1683							
				PROC. REF: AMM 27-20-00					PKG:6
300B05 ^S	INSPECT RUDDER TRIM TAB HINGE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.230	AFL	1683							
				PROC. REF: AMM 27-20-00					PKG:6
300B06 ^S	INSPECT RUDDER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.180	AFL	1683							
				PROC. REF: AMM 27-20-00					PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300B07 ^S	INSPECT RUDDER AUTOPILOT SERVO AND BRIDLE CABLE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.170	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300B08 ^S	INSPECT RUDDER QUADRANT, BELLCRANK, STOP BOLTS, TORQUE TUBE, RUDDER COUNTER BALANCE AND CENTERING SPRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.200	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300B09 ^S	PERFORM RUDDER TRIM TAB FREEPLAY INSPECTION							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.220	AFL	1683							
	PROC. REF: AMM 27-20-00								PKG:6
300B10 ^S	INSPECT ELEVATOR AUTOPILOT SERVO AND BRIDLE CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.310	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-30-00								PKG:6
300B11 ^S	INSPECT ELEVATOR CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.320	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-30-00								PKG:6
300B12 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM, ELEVATOR QUADRANT, PUSHROD, CONNECTING BOLTS, AND STOP BOLTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.330	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300B13 ^S	INSPECT VERTICAL STABILIZER FRONT AND REAR SPAR ATTACHMENT							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 55.020	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300B17 ^S	INSPECT RUDDER CABLE TENSION							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300C02 ^S	INSPECT ELEVATOR CONTROL LINKAGE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.340	AFL	1683							
	PROC. REF: AMM 27-00-00, AMM 27-30-00								PKG:6
300C03	INSPECT PITCH TRIM ACTUATOR SYSTEM, PITCHTRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHINGS, AND STRUCTURE							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	400 (+20/-20)		2174.2	2194.2	109.3 (+20)		
WC#: 27.450	AFL	1522							
	PROC. REF: AMM 27-40-00								
300C04 ^S	INSPECT ELEVATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.350	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300C05 ^S	INSPECT ELEVATOR HINGES AND HINGE BOLTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.360	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300C06 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TABS AND HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.370	AFL	1683							
	PROC. REF: AMM 27-30-00								PKG:6
300C07	VISUAL CHECK ELEVATOR TRIM TAB SYSTEM							Service	ATA:27
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	241.6 (+20)		
WC#: 27.380	AFL	1603							
	PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300C09 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB GEAR BOXES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.390	AFL	1683							
					PROC. REF: AMM 27-30-00			PKG:6	
300C10 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB JACK SCREW							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.400	AFL	1683							
					PROC. REF: AMM 27-30-00			PKG:6	
300C11 ^S	INSPECT ELEVATOR TRIM TAB JACK SCREW FLEX SHAFT							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.410	AFL	1683							
					PROC. REF: AMM 27-30-00			PKG:6	
300C12 ^S	VISUALLY CHECK AFT PIVOT FITTING ASSEMBLY							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.520	AFL	1683							
					PROC. REF: GENERIC NO REF			PKG:7	
300C17 ^S	INSPECT HORIZONTAL ATTACHMENT PIN							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.530	AFL	1683							
					PROC. REF: GENERIC NO REF			PKG:7	
500C01 ^S	INSPECT LEFT WING FLAP DOORS (540LL, 540NL, 230HL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.570	AFL	1683							
					PROC. REF: AMM 06-50-02, AMM 06-50-05			PKG:6	
500C03 ^S	INSPECT LEFT WING SPOILER HYDRAULIC LINES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.640	AFL	1683							
					PROC. REF: AMM 27-60-00			PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C04 ^S	INSPECT LEFT WING AILERON CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.060	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:6
500C06 ^S	INSPECT LEFT WING AILERON AUTOPILOT SERVO AND CABLE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.080	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6
500C07	INSPECT LEFT AILERON TRIM TAB SYSTEM							Service	ATA:27
	MOS	30-Dec-22							
	HRS	1906.5	400 (+20)		2306.5	2326.5	241.6 (+20)		
	AFL	1603							
	PROC. REF: AMM 27-10-00								
500C08 ^S	INSPECT LEFT WING AILERON TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.090	AFL	1683							
	PROC. REF: AMM 27-10-00								PKG:6
500C09 ^S	INSPECT LEFT WING AILERON HINGES AND ATTACH POINTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.100	AFL	1683							
	PROC. REF: AMM 27-10-00								PKG:6
500C10	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1535.1 (+200)		
WC#: 27.120	AFL	0							
	PROC. REF: AMM 27-10-00								
500C11	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1535.1 (+200)		
WC#: 27.140	AFL	0							
	PROC. REF: AMM 27-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C12 ^S	INSPECT LEFT WING AILERON DRY BAY (530LL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.070	AFL	1683							
				PROC. REF: AMM 27-10-00				PKG:6	
500C13 ^S	INSPECT LEFT WING FLAP							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.580	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C15	INSPECT LEFT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service	ATA:27
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	200 (+20/-20)		2232	2252	167.1 (+20)		
WC#: 27.590	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C16 ^S	INSPECT LEFT WING FLAP ACTUATOR WIRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.600	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C17 ^S	INSPECT LEFT WING FLAP ROLLERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.610	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
500C19 ^S	INSPECT LEFT WING SPOILERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.650	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
500C20 ^S	INSPECT LEFT WING SPOILER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.660	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C21 ^S	INSPECT LEFT WING SPOILER DRY BAY (530EL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.680	AFL	1683							
	PROC. REF: AMM 27-60-00								PKG:6
500C22 ^S	INSPECT LEFT WING SPOILER ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.700	AFL	1683							
	PROC. REF: AMM 27-60-00								PKG:6
500C23 ^S	INSPECT LEFT WING SPOILER BLOWDOWN ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.670	AFL	1683							
	PROC. REF: AMM 27-60-00								PKG:7
500C24	INSPECT LEFT WING LIFT DUMP ACTUATOR							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1000 (+20/-20)		2774.2	2794.2	709.3 (+20)		
WC#: 27.690	AFL	1522							
	PROC. REF: AMM 27-60-00								
600C01 ^S	INSPECT RIGHT WING FLAP DOORS (640LL, 640NL, 230KR)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.570	AFL	1683							
	PROC. REF: AMM 06-50-02, AMM 06-50-05								PKG:6
600C03 ^S	INSPECT RIGHT WING SPOILER HYDRAULIC LINES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.640	AFL	1683							
	PROC. REF: AMM 27-60-00								PKG:6
600C04 ^S	INSPECT RIGHT WING AILERON CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.060	AFL	1683							
	PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
600C07	INSPECT RIGHT AILERON TRIM TAB SYSTEM							Service	ATA:27
	MOS	28-Jun-22							
	HRS	1774.2	400 (+20)		2174.2	2194.2	109.3 (+20)		
WC#: 27.110	AFL	1522							
PROC. REF: AMM 27-00-00, AMM 27-10-00									
600C08 ^S	INSPECT RIGHT WING AILERON TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.090	AFL	1683							
PROC. REF: AMM 27-10-00									
600C09 ^S	INSPECT RIGHT WING AILERON HINGES AND ATTACH POINTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.100	AFL	1683							
PROC. REF: AMM 27-10-00									
600C10	INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1535.1 (+200)		
WC#: 27.120	AFL	0							
PROC. REF: AMM 27-10-00									
600C11	INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1535.1 (+200)		
WC#: 27.140	AFL	0							
PROC. REF: AMM 27-10-00									
600C12 ^S	INSPECT RIGHT WING AILERON DRY BAY (630LL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.070	AFL	1683							
PROC. REF: AMM 27-10-00									
600C13 ^S	INSPECT RIGHT WING FLAP							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.580	AFL	1683							
PROC. REF: AMM 27-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
600C15	INSPECT RIGHT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service	ATA:27
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	200 (+20/-20)		2232	2252	167.1 (+20)		
WC#: 27.590	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
600C16 ^S	INSPECT RIGHT WING FLAP ACTUATOR WIRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.600	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
600C17 ^S	INSPECT RIGHT WING FLAP ROLLERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.610	AFL	1683							
				PROC. REF: AMM 27-50-00				PKG:6	
600C18 ^S	INSPECT RIGHT WING FLAP POSITION TRANSMITTER							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.620	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
600C19 ^S	INSPECT RIGHT WING SPOILERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.650	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	
600C20 ^S	INSPECT RIGHT WING SPOILER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.660	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
600C21 ^S	INSPECT RIGHT WING SPOILER DRY BAY (630EL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.680	AFL	1683							
				PROC. REF: AMM 27-60-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C22^S INSPECT RIGHT WING SPOILER ACTUATOR Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.700	AFL	1683						
PROC. REF: AMM 27-60-00								PKG:6
600C23^S INSPECT RIGHT WING SPOILER BLOWDOWN ACTUATOR Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 27.670	AFL	1683						
PROC. REF: AMM 27-60-00								PKG:7
600C24 INSPECT RIGHT WING LIFT DUMP ACTUATOR Service ATA:27								
	MOS	28-Jun-22						AIRWORTHINESS
	HRS	1774.2	1000 (+20/-20)		2774.2	2794.2	709.3 (+20)	
WC#: 27.690	AFL	1522						
PROC. REF: AMM 27-60-00								
LIMITS07 PITCH TRIM ACTUATOR Component ATA:27								
PN:DL4256M1	MOS	29-Jan-19		TSO 0, TSR 79				LIFE LIMIT
SN:0093	HRS	1082.1	6000	TSO 1887, TSR 0	5195.1		3130.2	
WC#: 27.440	AFL	1070		TSO 0				
PROC. REF: AMM 27-40-02								
OPS08^S ADJUSTMENT/CHECK AILERON SYSTEM Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.010	AFL	1683						
PROC. REF: AMM 27-10-00								PKG:6
OPS09^S FUNCTIONAL TEST ROLL TRIM Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.050	AFL	1683						
PROC. REF: AMM 27-10-00								PKG:6
OPS10^S FUNCTIONAL CHECK RUDDER SYSTEM Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.040	AFL	1683						
PROC. REF: AMM 27-20-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
OPS11 OPERATIONAL TEST RUDDER BOOST Service ATA:27								
	MOS	29-Jun-21						AIRWORTHINESS
	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	268.2 (+20)	
WC#: 27.270	AFL	1373						
PROC. REF: AMM 27-20-00								
OPS12^S OPERATIONAL TEST RUDDER SYSTEM Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.280	AFL	1683						
PROC. REF: AMM 27-20-00								
OPS13^S FUNCTIONAL TEST ELEVATOR Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.420	AFL	1683						
PROC. REF: AMM 27-30-00								
OPS14^S OPERATIONAL TEST G SWITCH Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.430	AFL	1683						
PROC. REF: AMM 27-31-00								
OPS15^S OPERATIONAL CHECK HORIZONTAL STABILIZERS NORMAL Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.550	AFL	1683						
PROC. REF: AMM 27-40-00								
OPS16 OPERATIONAL TEST TAKE-OFF CONFIGURATION WARNING Service ATA:27								
	MOS	30-Dec-22						AIRWORTHINESS
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	41.6 (+20)	
WC#: 27.560	AFL	1603						
PROC. REF: AMM 27-40-00								
OPS17^S FUNCTIONAL TEST FLAP SYSTEM Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.630	AFL	1683						
PROC. REF: AMM 27-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
200D04 ^S	REPLACE FUEL DISTRIBUTION FILTER ELEMENTS							Service	ATA:28
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 28.070	AFL		1683						
					PROC. REF: AMM 28-20-08			PKG:6	
281001	REFUEL/DEFUEL ADAPTER							Component	ATA:28
PN:390-389023-0001	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 28.110	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-10				
281011	PRECHECK VALVE							Component	ATA:28
PN:61618-1	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:922	HRS		0		TSN 0				
WC#: 28.120	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-11				
281021	FUEL CAP							Component	ATA:28
PN:PN	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 28.130	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-10				
281071	NO. 1 OUTBOARD CHECK VALVE							Component	ATA:28
PN:101-389011-109	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:0650	HRS		0		TSN 0				
WC#: 28.140	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-04				
281072	NO. 2 OUTBOARD CHECK VALVE							Component	ATA:28
PN:101-389011-109	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:0648	HRS		0		TSN 0				
WC#: 28.140	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-04				
281081	LEFT WING FORWARD INBOARD FLOAT CHECK VALVE							Component	ATA:28
PN:118-381002-5	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:1318	HRS		0		TSN 0				
WC#: 28.150	AFL		0		TSN 0				
					PROC. REF: AMM 28-10-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281082	LEFT WING AFT INBOARD FLOAT CHECK VALVE							Component	ATA:28
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1312	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: AMM 28-10-01									
281083	RIGHT WING FORWARD FLOAT VALVE							Component	ATA:28
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1313	HRS	0		TSN 0					
WC#: 28.160	AFL	0		TSN 0					
PROC. REF: AMM 28-10-01									
281084	RIGHT WING AFT FLOAT VALVE							Component	ATA:28
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1315	HRS	0		TSN 0					
WC#: 28.160	AFL	0		TSN 0					
PROC. REF: AMM 28-10-01									
281091	NO. 1 OUTBOARD FLOAT CHECK VALVE							Component	ATA:28
PN:128-389031-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:765	HRS	0		TSN 0					
WC#: 28.170	AFL	0		TSN 0					
PROC. REF: AMM 28-10-01									
281092	NO. 2 OUTBOARD FLOAT CHECK VALVE							Component	ATA:28
PN:128-389031-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:757	HRS	0		TSN 0					
WC#: 28.170	AFL	0		TSN 0					
PROC. REF: AMM 28-10-01									
282011	NO. 1 FUEL FILTER							Component	ATA:28
PN:45AS48014-005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:B2000	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-20-07									
282012	NO. 2 FUEL FILTER							Component	ATA:28
PN:45AS48014-005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:B2011	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-20-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282041	NO. 1 FUEL SHUTOFF VALVE							Component	ATA:28
PN:118-389005-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11-10199	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-20-09									
282042	NO. 2 FUEL SHUTOFF VALVE							Component	ATA:28
PN:118-389005-5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:10-1211350	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-20-09									
282051	NO. 1 FUEL BOOST PUMP							Component	ATA:28
PN:118-389006-7	MOS/MSC	14-Jul-23	O/C	TSN 0					
SN:8AR32	HRS	1970.3		TSN 0					
WC#: 28.200	AFL	1639		TSN 0					
PROC. REF: AMM 28-20-01									
282052	NO. 2 FUEL BOOST PUMP							Component	ATA:28
PN:118-389006-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11BF23	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01									
282061	NO. 1 MAIN TANK JET PUMP							Component	ATA:28
PN:118-389007-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0605	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282062	NO. 2 MAIN TANK JET PUMP							Component	ATA:28
PN:118-389007-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0608	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282071	NO. 1 TRANSFER JET PUMP							Component	ATA:28
PN:128-389033-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0621	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282072	NO. 2 TRANSFER JET PUMP							Component	ATA:28
PN:128-389033-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0623	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
282081	LEFT REFUEL/DEFUEL VALVE ASSEMBLY							Component	ATA:28
PN:390-920128-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0247	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-10-13									
282082	RIGHT REFUEL/DEFUEL VALVE ASSEMBLY							Component	ATA:28
PN:390-920128-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0262	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-10-13									
282091	LEFT PILOT CUTOFF VALVE ASSEMBLY							Component	ATA:28
PN:132-389002-9	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:117	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-10-12									
282092	RIGHT PILOT CUTOFF VALVE ASSEMBLY							Component	ATA:28
PN:132-389002-11	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:110	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-10-12									
282101	WING CROSS TRANSFER PUMP							Component	ATA:28
PN:390-389016-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
284001	NO. 1 FUEL QUANTITY INDICATOR							Component	ATA:28
PN:390-382032-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AAD1632	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284002	NO. 2 FUEL QUANTITY INDICATOR							Component	ATA:28
PN:390-382032-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AAD1629	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-40-02									
284011	LEFT NO. 1 FUEL PROBE							Component	ATA:28
PN:390-389009-0021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0842-0004	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284012	LEFT NO. 2 FUEL PROBE							Component	ATA:28
PN:390-389009-0025	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0835-0011	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284013	LEFT NO. 3 FUEL PROBE							Component	ATA:28
PN:390-389009-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0008	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284014	LEFT NO. 4 FUEL PROBE							Component	ATA:28
PN:390-389009-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0012	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284021	RIGHT NO. 1 FUEL PROBE							Component	ATA:28
PN:390-389009-0021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0821-0005	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284022	RIGHT NO. 2 FUEL PROBE							Component	ATA:28
PN:390-389009-0025	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0835-0016	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284023	RIGHT NO. 3 FUEL PROBE							Component	ATA:28
PN:390-389009-0017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0011	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284024	RIGHT NO. 4 FUEL PROBE							Component	ATA:28
PN:390-389009-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0852-0014	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
284041	NO. 1 LOW LEVEL SENSOR							Component	ATA:28
PN:390-389028-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:843	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-40-04									
284042	NO. 2 LOW LEVEL SENSOR							Component	ATA:28
PN:390-389028-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:807	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: AMM 28-40-04									
284051	NO. 1 FUEL PRESSURE SWITCH							Component	ATA:28
PN:45AS48008-015	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:J029840	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: AMM 28-40-05									
284052	NO. 2 FUEL PRESSURE SWITCH							Component	ATA:28
PN:45AS48008-015	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:J033633	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: AMM 28-40-05									
284061	CROSS TRANSFER FLOW SWITCH							Component	ATA:28
PN:V10F2-17	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:459	HRS	0		TSN 0					
WC#: 28.280	AFL	0		TSN 0					
PROC. REF: AMM 28-40-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284071		LEFT PRESSURE RELIEF VALVE					Component		ATA:28
PN:132-389009-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1033	HRS	0	TSN 0						
WC#: 28.290	AFL	0	TSN 0						
PROC. REF: AMM 28-10-03									
284072		RIGHT PRESSURE RELIEF VALVE					Component		ATA:28
PN:132-389007-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1038	HRS	0	TSN 0						
WC#: 28.290	AFL	0	TSN 0						
PROC. REF: AMM 28-10-03									
500B02^S		INSPECT LEFT FUEL DIVERTER VALVE (520DL)					Service		ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.080	AFL	1683							
PROC. REF: AMM 28-20-13									
PKG:7									
500B03^S		INSPECT LEFT FUEL VENT SYSTEM VALVES					Service		ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.030	AFL	1683							
PROC. REF: AMM 28-10-00									
PKG:7									
500B04^S		INSPECT LEFT FUEL VENT SYSTEM TUBES/HOSES					Service		ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.040	AFL	1683							
PROC. REF: AMM 28-10-00									
PKG:7									
500B05^S		INSPECT LEFT FLAME ARRESTOR (VENT LINE)					Service		ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.050	AFL	1683							
PROC. REF: AMM 28-10-00									
PKG:7									
500B06^S		INSPECT LEFT PRESSURE AND VACUUM RELIEF VALVE					Service		ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.060	AFL	1683							
PROC. REF: AMM 28-10-00									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
500B10 ^S	INSPECT LEFT WING FUEL DRAIN VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.200	AFL	1683							
				PROC. REF: AMM 28-00-00				PKG:7	
600B02 ^S	INSPECT RIGHT FUEL DIVERTER VALVE (620DL)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.080	AFL	1683							
				PROC. REF: AMM 28-20-13				PKG:7	
600B03 ^S	INSPECT RIGHT FUEL VENT SYSTEM VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.030	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B04 ^S	INSPECT RIGHT FUEL VENT SYSTEM TUBES/HOSES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.040	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B05 ^S	INSPECT RIGHT FLAME ARRESTOR (VENT LINE)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.050	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B06 ^S	INSPECT RIGHT PRESSURE AND VACUUM RELIEF VALVE							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.060	AFL	1683							
				PROC. REF: AMM 28-10-00				PKG:7	
600B10 ^S	INSPECT RIGHT WING FUEL DRAIN VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.200	AFL	1683							
				PROC. REF: AMM 28-00-00				PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
OPS18^S		OPERATIONAL TEST FUEL INDICATING SYSTEM						Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.100	AFL	1683							
PROC. REF: AMM 28-40-00								PKG:7	
ATA 29 - HYDRAULIC POWER									
290001		NO. 1 SHUT-OFF VALVE						Component	ATA:29
PN:45AS65014-003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11-073035	HRS	0			TSN 0				
WC#: 29.040	AFL	0			TSN 0				
PROC. REF: AMM 29-10-03									
290002		NO. 2 SHUT-OFF VALVE						Component	ATA:29
PN:45AS65014-003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11-073042	HRS	0			TSN 0				
WC#: 29.040	AFL	0			TSN 0				
PROC. REF: AMM 29-10-03									
291001		HYDRAULIC PACKAGE						Component	ATA:29
PN:390-384403-0009	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0205	HRS	0			TSN 0				
WC#: 29.010	AFL	0			TSN 0				
PROC. REF: AMM 29-10-02									
291011		NO. 1 ENGINE HYDRAULIC PUMP						Component	ATA:29
PN:390-389022-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:K0632	HRS	0			TSN 0				
WC#: 29.070	AFL	0			TSN 0				
PROC. REF: AMM 29-10-01									
291012		NO. 2 ENGINE HYDRAULIC PUMP						Component	ATA:29
PN:390-389022-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.070	AFL	0			TSN 0				
PROC. REF: AMM 29-10-01									
2910504^U		LH PULSATION DAMPENER						Component	ATA:29
PN:9012160100-3	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
2910505 ^U		RH PULSATION DAMPENER						Component	ATA:29
PN:9012160100-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2910510 ^U		LH HYDRAULIC TUBE						Component	ATA:29
PN:390-580035-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
293001		HYDRAULIC PRESSURE INDICATOR						Component	ATA:29
PN:390-382009-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11G72	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01									
300A29 ^S		INSPECT HYDRAULIC PACKAGE						Service	ATA:29
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 29.010	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:6									
300A30 ^S		INSPECTION/CHECK HYDRAULIC PACKAGE INLET AIR FILTER/CHECK VALVE						Service	ATA:29
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 29.010	AFL	1683							
PROC. REF: AMM 29-10-11									
PKG:6									
LIMITS11		REPLACE LEFT ENGINE HYDRAULIC PUMP (P/N 390-580035-1 OR P/N 390-580035-5) TUBE						Component	ATA:29
PN:PN	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	2500	TSN 0	2500		435.1		
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
SPC23		REPLACE HYDRAULIC PACKAGE PRESSURE AND RETURN FILTERS, PERFORM LEAK AND OPS CHECK						Service	ATA:29
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20)		2306.5	2326.5	241.6 (+20)		
WC#: 29.030	AFL	1603							
PROC. REF: CMM 29-10-02, AMM 29-10-02, AMM 29-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
100E06	INSPECT FRONT AND SIDE WINDSHIELDS							Service	ATA:30
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)		
WC#: 30.160	AFL	1603							
PROC. REF: AMM 30-40-00									
200D06 ^S	INSPECT ANTI-ICE DUCTS							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 30.010	AFL	1683							
PROC. REF: AMM 30-10-00									
300A31 ^S	INSPECT ANTI-ICE CROSS FEED VALVE							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 30.020	AFL	1683							
PROC. REF: GENERIC NO REF									
300C14 ^S	INSPECT ENERGY STORAGE BANK							Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 30.030	AFL	1683							
PROC. REF: GENERIC NO REF									
300C18	REPLACE LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
	HRS	0	5400		5400		3335.1		
WC#: 30.100	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300C18	REPLACE LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300C18	REPLACE LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
	HRS	0	5400		5400		3335.1		
WC#: 30.100	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300C18	REPLACE RIGHT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									
300C18	REPLACE RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3335.1		
	AFL	0		TAC 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301001	ANTI-ICE CROSSFEED VALVE							Component	ATA:30
PN:390-385013-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0310	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-10-01									
301011	NO. 1 EJECTOR PUMP							Component	ATA:30
PN:390-385041-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0610	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
301012	NO. 2 EJECTOR PUMP							Component	ATA:30
PN:390-385041-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0618	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
301021	DE-ICING CONTROL UNIT							Component	ATA:30
PN:390-384013-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0387	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: AMM 30-11-01									
301031	LEFT HAND PRESSURE REGULATOR AND SOLENOID VALVE							Component	ATA:30
PN:390-385036-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0714	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-10-09									
301032	RIGHT HAND PRESSURE REGULATOR AND SOLENOID VALVE							Component	ATA:30
PN:390-385036-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0723	HRS	0		TSN 0					
WC#: 30.040	AFL	0		TSN 0					
PROC. REF: AMM 30-10-09									
301101	NO. 1 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY							Component	ATA:30
PN:390-620097-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:319	HRS	0		TSN 0					
WC#: 30.210	AFL	0		TSN 0					
PROC. REF: AMM 30-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301102	NO. 2 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY							Component	ATA:30
PN:390-620097-0004	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:320	HRS	0			TSN 0				
WC#: 30.210	AFL	0			TSN 0				
PROC. REF: AMM 30-11-04									
301111	NO. 1 ENERGY STORAGE BANK							Component	ATA:30
PN:390-386000-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0616	HRS	0			TSN 0				
WC#: 30.230	AFL	0			TSN 0				
PROC. REF: AMM 30-11-02									
301112	NO. 2 ENERGY STORAGE BANK							Component	ATA:30
PN:390-386000-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0618	HRS	0			TSN 0				
WC#: 30.230	AFL	0			TSN 0				
PROC. REF: AMM 30-11-02									
301120	LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-11-03									
301121	LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-11-03									
301122	LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-11-03									
301123	LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301124	LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301125	LEFT NO. 3 REPLACE ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301126	LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301127	LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301128	LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301129	LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301130	LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301131 LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
301132 RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
301133 RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
301134 RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
301135 RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
301136 RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								
301137 RIGHT NO. 3 RIGHT ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301138	RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301139	RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301140	RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301141	RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301142	RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
301143	RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component	ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03									
308001	NO. 1 ICE DETECTOR							Component	ATA:30
PN:0871KK3	MOS/MSC	29-Sep-23	O/C	TSR 0					
SN:0544	HRS	2012.2		TSR 0					
WC#: 30.220	AFL	1666		TSR 0					
PROC. REF: AMM 30-80-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
308002		NO. 2 ICE DETECTOR						Component	ATA:30
PN:0871KK2	MOS/MSC	17-Jul-17	O/C	TSN 0					
SN:0853	HRS	852.5		TSN 0					
WC#: 30.220	AFL	866		TSN 0					
PROC. REF: AMM 30-80-01									
OPS20		OPERATIONAL TEST WING ANTI-ICE CROSS FEED VALVE AND ANTI-ICE SWITCHES						Service	ATA:30
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	241.6 (+20)		
WC#: 30.180	AFL	1603							
PROC. REF: AMM 30-10-00									
OPS21		OPERATIONAL TEST STRUCTURE OVER TEMPERATURE SWITCH						Service	ATA:30
	MOS	29-May-15						AIRWORTHINESS	
	HRS	394	3600 (+200)		3994	4194	1929.1 (+200)		
WC#: 30.070	AFL	394							
PROC. REF: AMM 30-10-00									
OPS22		OPERATIONAL TEST LEADING EDGE OVER TEMPERATURE SWITCH						Service	ATA:30
	MOS	29-May-15						AIRWORTHINESS	
	HRS	394	3600 (+200)		3994	4194	1929.1 (+200)		
WC#: 30.080	AFL	394							
PROC. REF: AMM 30-10-00									
OPS23^S		OPERATIONAL TEST AUTO MODE						Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 30.090	AFL	1683							
PROC. REF: AMM 30-11-00									
OPS24^S		OPERATIONAL TEST MANUAL MODE (EMED)						Service	ATA:30
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	1200 (+20/-20)						
WC#: 30.090	AFL	1683							
PROC. REF: AMM 30-11-00									
OPS26^S		OPERATIONAL CHECK TT2 SENSOR						Service	ATA:30
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 30.120	AFL	1683							
PROC. REF: AMM 30-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
OPS27 OPERATIONAL TEST ENGINE ANTI-ICE PRESSURE SWITCH Service ATA:30								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	1535.1 (+200)	
WC#: 30.130	AFL	0						
PROC. REF: AMM 30-20-01								
OPS28^S OPERATIONAL TEST PITOT STATIC PROBE HEAT Service ATA:30								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 30.140	AFL	1683						
PROC. REF: AMM 30-30-00								
OPS30^S OPERATIONAL TEST FRONT AND SIDE WINDSHIELD HEAT Service ATA:30								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 30.170	AFL	1683						
PROC. REF: AMM 30-40-00								
ATA 31 - INDICATING/RECORDING SYSTEMS								
311011 CABIN BRIEFER Component ATA:31								
PN:930-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
311013 DIFFERENTIAL PRESSURE GAUGE INDICATOR Component ATA:31								
PN:390-382025-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:508334	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
311041 PITCH TRIM INDICATOR Component ATA:31								
PN:390-382034-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:11G213	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-40-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
311051 RUDDER TRIM INDICATOR Component ATA:31								
PN:390-382035-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:08F341	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-20-04								
3110517^U RUDDER TRIM SWITCH Component ATA:31								
PN:88415-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110525^U PILOT AUDIO CONTROL PANEL Component ATA:31								
PN:806-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110526^U CO-PILOT AUDIO CONTROL PANEL Component ATA:31								
PN:807-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110530^U NO. 1 DISPLAY MOUNT Component ATA:31								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110531^U NO. 2 DISPLAY MOUNT Component ATA:31								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110532^U NO. 3 DISPLAY MOUNT Component ATA:31								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110535^U LH DME RECEIVER Component ATA:31								
PN:822-1828-112	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
3110536^U		RH DME RECEIVER						Component	ATA:31
PN:822-1828-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3110542^U		CURSOR CONTROL PANEL						Component	ATA:31
PN:822-1746-012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
311061		ROLL TRIM INDICATOR						Component	ATA:31
PN:390-382036-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11G20	HRS	0		TSN 0					
WC#: 31.050	AFL	0		TSN 0					
PROC. REF: AMM 27-10-04									
311071		FLAP INDICATOR						Component	ATA:31
PN:390-382037-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:08E406	HRS	0		TSN 0					
WC#: 31.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
311075		ANNUNCIATOR						Component	ATA:31
PN:390-382004-0013	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.080	AFL	0		TSN 0					
PROC. REF: AMM 31-10-01									
311091		NO. 1 DC LOAD INDICATOR						Component	ATA:31
PN:390-382030-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11H204	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
311092		NO. 2 DC LOAD INDICATOR						Component	ATA:31
PN:390-382030-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11H208	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
311097	DC VOLTMETER							Component	ATA:31
PN:390-382031-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:08H878	HRS	0			TSN 0				
WC#: 31.090	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
313031	MATRIX SWITCH							Component	ATA:31
PN:851-38606-002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0398	HRS	0			TSN 0				
WC#: 21.350	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
314001	MAINTENANCE DIAGNOSTIC COMPUTER							Component	ATA:31
PN:822-1987-005	MOS/MSC	03-Jul-24	O/C		TSR 0				
SN:46MTC	HRS	2038			TSR 0				
WC#: 31.100	AFL	1690			TSR 0				
PROC. REF: AMM 31-40-01									
314011	ICC-3000 COMPUTER							Component	ATA:31
PN:822-1129-001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:48CMH	HRS	0			TSN 0				
WC#: 31.110	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
314021	IEC-3001 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.120	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
314031	NO. 1 PWR-3000 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.130	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
314032	NO. 2 PWR-3000 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.130	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
314041	NO. 1 IOC-3100 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.140	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
314042	NO. 2 IOC-3100 CARD CAGE							Component	ATA:31
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.140	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
314051	NO. 1 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:822-1132-002	MOS/MSC	29-Jan-19	O/C						
SN:3YBLW	HRS	1082.17							
WC#: 31.150	AFL	1070							
PROC. REF: AMM 31-40-02									
314052	NO. 2 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:822-1132-002	MOS/MSC	29-Jan-19	O/C						
SN:3YBLV	HRS	1082.17							
WC#: 31.150	AFL	1070							
PROC. REF: AMM 31-40-02									
314061	NO. 1 OPTION CONTROL MODULE							Component	ATA:31
PN:822-1484-252	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:44F4H	HRS	0			TSN 0				
WC#: 31.160	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
314062	NO. 2 OPTION CONTROL MODULE							Component	ATA:31
PN:822-1484-252	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:4B1PN	HRS	0			TSN 0				
WC#: 31.160	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01									
315001	AURAL WARNING GENERATOR							Component	ATA:31
PN:630-007	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:1783	HRS	0			TSN 0				
WC#: 31.170	AFL	0			TSN 0				
PROC. REF: AMM 31-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
OPS31	TEST FLAPS AND SPOILERS TAKEOFF CONFIGURATION WARNING							Service	ATA:31
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	41.6 (+20)		
WC#: 31.020	AFL	1603							
	PROC. REF: AMM 31-50-00								
OPS37	CHECK DCU AURAL WARNING							Service	ATA:31
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	41.6 (+20)		
WC#: 31.010	AFL	1603							
	PROC. REF: AMM 31-40-02								
ATA 32 - LANDING GEAR									
100A04 ^S	INSPECT BRAKE CONTROL CABLE, LINKAGE, AND CONNECTORS - PARKING BRAKE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.240	AFL	1683							
	PROC. REF: AMM 32-40-00							PKG:7	
100A05 ^S	INSPECT STEERING BELLCRANKS AND PUSHRODS							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.340	AFL	1683							
	PROC. REF: AMM 32-50-00							PKG:7	
100A06 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.100	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:7	
100A07 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION FORWARD QUADRANT							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.020	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
100A08 ^S	INSPECT BRAKE LINKAGE							Service	ATA:32
	MOS/MSC	11-Jun-24	N/A						
	HRS	2032							
WC#: 32.250	AFL	1683							
					PROC. REF: AMM 32-40-00			PKG:7	
100B07 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.010	AFL	1683							
					PROC. REF: AMM 32-30-00			PKG:7	
200D07 ^S	INSPECT BRAKE ASSEMBLIES - BRAKE SYSTEM							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.320	AFL	1683							
					PROC. REF: AMM 32-40-00			PKG:6	
200D08	INSPECT ANTI-SKID SYSTEM							Service	ATA:32
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	241.6 (+20)		
	AFL	1603							
					PROC. REF: AMM 32-40-00				
320001	LANDING GEAR CONTROL							Component	ATA:32
PN:390-382011-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:327	HRS	0		TSN 0					
WC#: 32.410	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-01				
320011	LANDING GEAR SELECTOR VALVE							Component	ATA:32
PN:390-381200-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0313	HRS	0		TSN 0					
WC#: 32.420	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-02				
321001	LEFT MAIN LANDING GEAR DOOR ACTUATOR							Component	ATA:32
PN:390-381202-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0629	HRS	0		TSN 0					
WC#: 32.430	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-11				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321002		RIGHT MAIN LANDING GEAR DOOR ACTUATOR					Component	ATA:32	
PN:390-381202-0006	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0611	HRS	0			TSN 0				
WC#: 32.430	AFL	0			TSN 0				
PROC. REF: AMM 32-30-11									
321011		LEFT MAIN LANDING GEAR ASSEMBLY					Component	ATA:32	
PN:390-110084	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 32.070	AFL	0			TSN 0				
PROC. REF: AMM 32-10-01									
321012		RIGHT MAIN LANDING GEAR ASSEMBLY					Component	ATA:32	
PN:390-110084	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 32.070	AFL	0			TSN 0				
PROC. REF: AMM 32-10-01									
321021		LEFT MAIN LANDING GEAR RESTRICTOR					Component	ATA:32	
PN:390-388113-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0334	HRS	0			TSN 0				
WC#: 32.440	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
321022		RIGHT MAIN LANDING GEAR RESTRICTOR					Component	ATA:32	
PN:390-388114-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0327	HRS	0			TSN 0				
WC#: 32.440	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
321031		LEFT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY					Component	ATA:32	
PN:390-381203-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:766	HRS	0			TSN 0				
WC#: 32.450	AFL	0			TSN 0				
PROC. REF: AMM 32-30-13									
321032		RIGHT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY					Component	ATA:32	
PN:390-381203-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:759	HRS	0			TSN 0				
WC#: 32.450	AFL	0			TSN 0				
PROC. REF: AMM 32-30-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321041	LEFT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY							Component	ATA:32
PN:390-381204-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:771	HRS	0		TSN 0					
WC#: 32.460	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13									
321042	RIGHT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY							Component	ATA:32
PN:390-381204-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:757	HRS	0		TSN 0					
WC#: 32.460	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13									
321052	VALVE PACKAGE CABLE ASSEMBLY							Component	ATA:32
PN:390-381205-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:414	HRS	0		TSN 0					
WC#: 32.650	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13									
322001	NOSE LANDING GEAR DOWNLOCK ACTUATOR							Component	ATA:32
PN:390-384112-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0317	HRS	0		TSN 0					
WC#: 32.470	AFL	0		TSN 0					
PROC. REF: AMM 32-30-05									
322011	NOSE LANDING GEAR ASSY							Component	ATA:32
PN:390-820001-0003	MOS/MSC	28-Jun-22	O/C	TSR 0					
SN:09071101ICT	HRS	1774.2		TSR 0					
WC#: 32.480	AFL	1522		TSR 0					
PROC. REF: AMM 32-20-01									
323001	NOSE LANDING GEAR RETRACT ACTUATOR							Component	ATA:32
PN:390-388200-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0299	HRS	0		TSN 0					
WC#: 32.490	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03									
323011	NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR							Component	ATA:32
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:2207	HRS	0		TSN 0					
WC#: 32.500	AFL	0		TSN 0					
PROC. REF: AMM 32-30-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323031 LEFT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2230	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08								
323032 RIGHT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2239	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08								
323041 LEFT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2175	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12								
323042 RIGHT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2092	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12								
323051 LEFT MAIN LANDING GEAR RETRACT ACTUATOR Component ATA:32								
PN:390-388100-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0747	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-30-07								
323052 RIGHT MAIN LANDING GEAR RETRACT ACTUATOR Component ATA:32								
PN:390-388100-0010	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:693	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-30-07								
323061 MAIN LANDING GEAR EXTEND VALVE Component ATA:32								
PN:390-388112-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0379	HRS	0		TSN 0				
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: AMM 32-30-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323071	MAIN LANDING GEAR EMERGENCY CABLE ASSEMBLY							Component	ATA:32
PN:390-384317-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:391	HRS	0			TSN 0				
WC#: 32.540	AFL	0			TSN 0				
PROC. REF: AMM 32-30-13									
324001	POWER BRAKE VALVE							Component	ATA:32
PN:390-384079-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:290	HRS	0			TSN 0				
WC#: 32.550	AFL	0			TSN 0				
PROC. REF: AMM 32-40-05									
324011	HYDRAULIC ACCUMULATOR							Component	ATA:32
PN:390-384106-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0391	HRS	0			TSN 0				
WC#: 32.560	AFL	0			TSN 0				
PROC. REF: AMM 32-40-13									
324021	PARKING BRAKE VALVE							Component	ATA:32
PN:390-384114-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0411	HRS	0			TSN 0				
WC#: 32.570	AFL	0			TSN 0				
PROC. REF: AMM 32-40-15									
324031	NOSE LANDING GEAR WHEEL							Component	ATA:32
PN:3-1586	MOS/MSC	11-Jun-24	O/C		TSO 0				
SN:0070	HRS	2032			TSO 0				
WC#: 32.580	AFL	1683			TSO 0				
PROC. REF: AMM 32-40-01									
324041	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:019-611-0	MOS/MSC	11-Jun-24	O/C		TSN 0				
SN:2256T00408	HRS	2032			TSN 0				
WC#: 32.580	AFL	1683			TSN 0				
PROC. REF: AMM 32-40-01									
3240502 ^U	POWER BRAKE VALVE							Component	ATA:32
PN:390-384300-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324051		LEFT MAIN LANDING GEAR WHEEL ASSY					Component	ATA:32	
PN:3-1576	MOS/MSC	11-Jun-24	O/C	TSN 144, TSO 0					
SN:0851	HRS	2032		TSN 2032, TSO 0					
WC#: 32.590	AFL	1683		TSN 1683, TSO 0					
PROC. REF: AMM 32-40-02									
3240515^U		LH MASTER CYLINDER ASSEMBLY					Component	ATA:32	
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3240516^U		LH MASTER CYLINDER ASSEMBLY					Component	ATA:32	
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3240517^U		RH MASTER CYLINDER ASSEMBLY					Component	ATA:32	
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3240518^U		RH MASTER CYLINDER ASSEMBLY					Component	ATA:32	
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
324052		RIGHT MAIN LANDING GEAR WHEEL ASSY					Component	ATA:32	
PN:3-1576	MOS/MSC	11-Jun-24	O/C	TSN 144, TSO 0					
SN:0834	HRS	2032		TSN 2032, TSO 0					
WC#: 32.600	AFL	1683		TSN 1683, TSO 0					
PROC. REF: AMM 32-40-02									
3240520^U		ACCUMULATOR ASSEMBLY					Component	ATA:32	
PN:390-384083-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3240525^U		PULSE DAMPENER ASSEMBLY					Component	ATA:32	
PN:390-384080-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
3240526 ^U		PRESSURE REGULATING VALVE						Component	ATA:32
PN:390-384082-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3240527 ^U		PRESSURE GAUGE						Component	ATA:32
PN:90-900-1048	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
324061		LEFT MAIN LANDING GEAR TIRE						Component	ATA:32
PN:026-618-0	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:3346P00019	HRS	2032		TSN 0					
WC#: 32.590	AFL	1683		TSN 0					
PROC. REF: AMM 32-40-02									
324062		RIGHT MAIN LANDING GEAR TIRE						Component	ATA:32
PN:026-618-0	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:3345P00157	HRS	2032		TSN 0					
WC#: 32.600	AFL	1683		TSN 0					
PROC. REF: AMM 32-40-02									
324071		LEFT MAIN LANDING GEAR BRAKE ASSEMBLY						Component	ATA:32
PN:390-388103-0007	MOS/MSC	28-Jun-22	O/C	TSO 0					
SN:0936	HRS	1774.2		TSO 0					
WC#: 32.660	AFL	1522		TSO 0					
PROC. REF: AMM 32-40-03									
324072		RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY						Component	ATA:32
PN:390-388103-0007	MOS/MSC	28-Jun-22	O/C	TSO 0					
SN:0105	HRS	1774.2		TSO 0					
WC#: 32.660	AFL	1522		TSO 0					
PROC. REF: AMM 32-40-03									
324101		ANTI-SKID CONTROL UNIT						Component	ATA:32
PN:390-384032-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:449A	HRS	0		TSN 0					
WC#: 32.610	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
325001		NOSE LANDING GEAR STEERING DAMPENER					Component		ATA:32
PN:45100-41	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:062311-01	HRS	0	TSN 0						
WC#: 32.620	AFL	0	TSN 0						
PROC. REF: AMM 32-50-07									
32NDT1		NDT INSPECT NOSE LANDING GEAR WHEEL					Service		ATA:32
PN:3-1586	MOS/MSC	11-Jun-24	A/R						
SN:0070	HRS	2032							
WC#: 32.580	AFL	1683							
PROC. REF: GENERIC NO REF, CMM 32-47-25									
32NDT2		NDT INSPECT LEFT MAIN LANDING GEAR WHEEL ASSY					Service		ATA:32
PN:3-1576	MOS/MSC	11-Jun-24	A/R						
SN:0851	HRS	2032							
WC#: 32.590	AFL	1683							
PROC. REF: GENERIC NO REF, CMM 32-45-27									
32NDT3		NDT INSPECT RIGHT MAIN LANDING GEAR WHEEL ASSY					Service		ATA:32
PN:3-1576	MOS/MSC	11-Jun-24	A/R						
SN:0834	HRS	2032							
WC#: 32.600	AFL	1683							
PROC. REF: GENERIC NO REF, CMM 32-45-27									
700A03^S		INSPECT NOSE LANDING GEAR STRUT ASSEMBLY					Service		ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.110	AFL	1683							
PROC. REF: AMM 12-10-25, AMM 32-20-00									
700A04^S		INSPECT NOSE LANDING GEAR DRAG STRUT ASSEMBLY					Service		ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.140	AFL	1683							
PROC. REF: AMM 32-20-00									
700A05^S		INSPECT NOSE LANDING GEAR SHIMMY DAMPER					Service		ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.150	AFL	1683							
PROC. REF: AMM 32-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
700A06 ^S	INSPECT NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR ALTERNATE EXTENSION CABLE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.170	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:6	
700A07 ^S	INSPECT NOSE LANDING GEAR UPLOCK ASSEMBLY							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.180	AFL	1683							
	PROC. REF: AMM 32-30-00							PKG:6	
700A10 ^S	INSPECT NOSE WHEEL STEERING SYSTEM							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.350	AFL	1683							
	PROC. REF: AMM 32-50-00							PKG:6	
700A12 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.160	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
700A13	VISUAL AND NDI (MAGNETIC PARTICLE) OF NOSE LANDING GEAR STRUCTURE							Service	ATA:32
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)		
WC#: 32.130	AFL	0	5000		5000		3288		
	PROC. REF: CMM 32-20-01, AMM 20-26-00								
700A14 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
700A15	INSPECT NOSE LANDING GEAR UPPER DRAG BRACE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)		3232	3252	1167.1 (+20)		
	AFL	1683							
	PROC. REF: CMM 32-25-01							PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700B05^S INSPECT LEFT MAIN LANDING GEAR STRUT ASSEMBLY Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.030	AFL	1683						
PROC. REF: AMM 12-10-25								PKG:6
700B06^S INSPECT LEFT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.370	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
700B07^S INSPECT LEFT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.190	AFL	1683						
PROC. REF: AMM 32-30-00								PKG:6
700B17^S INSPECT LEFT LANDING GEAR SQUAT SWITCH Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.390	AFL	1683						
PROC. REF: AMM 32-00-00								PKG:6
700B18^S INSPECT LEFT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
700B21 VISUAL AND NDI(MAGNETIC PARTICLE) LEFT MAIN LANDING GEAR ASSEMBLY Service ATA:32								
PN:390-110084	MOS	27-Jun-12						AIRWORTHINESS
SN:UNKNOWN	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)	
WC#: 32.070	AFL	0	5000		5000		3288	
PROC. REF: CMM 32-10-01, AMM 20-26-00								
700B22^S INSPECT LEFT LANDING GEAR WHEEL WELL Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700C05^S INSPECT RIGHT MAIN LANDING GEAR STRUT ASSEMBLY Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.030	AFL	1683						
PROC. REF: AMM 12-10-25								PKG:6
700C06^S INSPECT RIGHT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.370	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
700C07^S INSPECT RIGHT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.190	AFL	1683						
PROC. REF: AMM 32-30-00								PKG:6
700C17^S INSPECT RIGHT LANDING GEAR SQUAT SWITCH Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.390	AFL	1683						
PROC. REF: AMM 32-00-00								PKG:6
700C18^S INSPECT RIGHT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.380	AFL	1683						
PROC. REF: AMM 32-60-00								PKG:6
700C20 VISUAL AND NDI(MAGNETIC PARTICLE) RIGHT MAIN LANDING GEAR ASSEMBLY Service ATA:32								
PN:390-110084	MOS	27-Jun-12						AIRWORTHINESS
SN:UNKNOWN	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)	
WC#: 32.070	AFL	0	5000		5000		3288	
PROC. REF: CMM 32-10-01, AMM 20-26-00								
700C21^S INSPECT RIGHT LANDING GEAR WHEEL WELL Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
OPS32^S FUNCTIONAL TEST LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.230	AFL	1683						
PROC. REF: AMM 32-30-00								PKG:6
OPS33 PERFORM TEST OF EMERGENCY BRAKE SYSTEM Service ATA:32								
	MOS	30-Dec-22						
	HRS	1906.5	400 (+20)		2306.5	2326.5	241.6 (+20)	
WC#: 32.310	AFL	1603						
PROC. REF: AMM 32-40-00								
OPS34 TEST ANTI-SKID BRAKE Service ATA:32								
	MOS	30-Dec-22						AIRWORTHINESS
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	241.6 (+20)	
WC#: 32.330	AFL	1603						
PROC. REF: AMM 32-40-00								
SPC09^S INSPECTION LEFT MAIN LANDING GEAR BRAKE Service ATA:32								
	MOS/MSC	13-Jun-14	A/R					
	HRS	196.5						
WC#: 32.640	AFL	184						
PROC. REF: GENERIC NO REF								
SPC09^S INSPECTION RIGHT MAIN LANDING GEAR BRAKE Service ATA:32								
	MOS/MSC	13-Jun-14	A/R					
	HRS	196.5						
WC#: 32.640	AFL	184						
PROC. REF: GENERIC NO REF								
ATA 33 - LIGHTS								
331001 NO. 1 INCANDESCENT DIMMER Component ATA:33								
PN:DC7-394	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0676	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
331002	NO. 2 INCANDESCENT DIMMER							Component	ATA:33
PN:DC7-394	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
331015	AFT ANTI-COLLISION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.020	AFL	0		TSN 0					
PROC. REF: AMM 33-40-03									
331016	LEFT ANTI-COLLISION (STROBE) LIGHT							Component	ATA:33
PN:390-384022-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:280	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-03									
331017	RIGHT ANTI-COLLISION (STROBE) LIGHT							Component	ATA:33
PN:39033011-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-03									
331018 ^U	TAIL ANTI-COLLISION (STROBE) LIGHT							Component	ATA:33
PN:39033019-1	MOS/MSC	27-Apr-19	O/C	TSN 0					
SN:21235	HRS			TSN 0					
	AFL			TSN 0					
334001	AFT STROBE POWER SUPPLY							Component	ATA:33
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1175M1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-04									
334001	LEFT WING STROBE POWER SUPPLY							Component	ATA:33
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1175M1	HRS	0		TSN 0					
WC#: 33.100	AFL	0		TSN 0					
PROC. REF: AMM 33-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334001 RIGHT WING STROBE POWER SUPPLY Component ATA:33								
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1175M1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02								
334003 LIGHTING SWITCH CONTROLLER Component ATA:33								
PN:76771-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1301	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
334101 LEFT LANDING LIGHT Component ATA:33								
PN:390-384003-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:290	HRS	0		TSN 0				
WC#: 33.130	AFL	0		TSN 0				
PROC. REF: AMM 33-40-05								
334102 RIGHT LANDING LIGHT Component ATA:33								
PN:LSM-SCD-009-1	MOS/MSC	28-Jun-22	O/C	TSN 0				
SN:70656	HRS	1774.2		TSN 0				
WC#: 33.130	AFL	1522		TSN 0				
PROC. REF: AMM 33-40-05								
335010 EMERGENCY EXIT (SELF-ILLUMINATING) SIGN Component ATA:33								
PN:129-380003-1	MOS/MSC	27-Jun-12	O/C					
SN:UNKNOWN	HRS	0						
WC#: 33.080	AFL	0						
PROC. REF: GENERIC NO REF								
335015 FORWARD PARTITION (SELF-ILLUMINATING) SIGN Component ATA:33								
PN:129-380003-1	MOS/MSC	27-Jun-12	O/C					
SN:A11-3783	HRS	0						
WC#: 33.120	AFL	0						
PROC. REF: GENERIC NO REF								
LIMITS04 INSPECT EMERGENCY EXIT SIGN (SELF-ILLUMINATING) Service ATA:33								
	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	351 d (+30)	MANDATORY
	HRS	2064.9						
WC#: 33.080	AFL	1712						
Manufacture Date:: 19-Nov-24 PROC. REF: AMM 33-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
LIMITS04	INSPECT FORWARD PARTITION (SELF-ILLUMINATING ON AFT SIDE)							Service	ATA:33
	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	351 d (+30)	MANDATORY	
	HRS	2064.9							
WC#: 33.120	AFL	1712							
	Manufacture Date:: 19-Nov-24		PROC. REF: AMM 33-50-00						
OPS42 ^S	FUNCTIONAL TEST AFT ANTI-COLLISION LIGHT							Service	ATA:33
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 33.020	AFL	1683							
	PROC. REF: CMM 33-40-03, AMM 33-40-00							PKG:7	
OPS43 ^S	FUNCTIONAL TEST LEFT ANTI-COLLISION LIGHT							Service	ATA:33
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 33.030	AFL	1683							
	PROC. REF: CMM 33-40-05, AMM 33-40-00							PKG:7	
ATA 34 - NAVIGATION									
100C04 ^S	INSPECT PITOT AND STATIC LINES AND CONNECTIONS - LEFT BAGGAGE COMPARTMENT							Service	ATA:34
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 34.020	AFL	1683							
	PROC. REF: AMM 34-12-00							PKG:6	
100D01 ^S	INSPECT PITOT AND STATIC LINE CONNECTIONS - RIGHT AVIONICS COMPARTMENT							Service	ATA:34
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 34.030	AFL	1683							
	PROC. REF: AMM 34-12-00							PKG:6	
100E10	INSPECT RVSM CONTOUR							Service	ATA:34
	MOS	11-Jun-24	24 (+30d/-30d)		11-Jun-26	11-Jul-26	555 d (+30)		
	HRS	2032							
WC#: 34.500	AFL	1683							
	PROC. REF: AMM 34-10-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340001		UPPER COAXIAL SWITCH					Component		ATA:34
PN:402-167	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:21323	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-54-01									
340002		LOWER COAXIAL SWITCH					Component		ATA:34
PN:402-167	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:21321	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-54-01									
340003		PERFORM FEDERAL AVIATION ADMINISTRATION'S (FAA) REDUCED VERTICAL SEPARATION MINIMUM (RVSM) MONITORING					Service		ATA:34
	MOS/MSC	27-Jun-12	A/R	TAC 0				FAA	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: GENERIC NO REF									
340011		STANDBY COMPASS					Component		ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340021		MAGNETIC COMPASS					Component		ATA:34
PN:133-380035-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:BG16481011	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-22-01									
3400504^U		NO.1 DCP 3000 DISPLAY CONTROL PANEL					Component		ATA:34
PN:822-1828-012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4905L	HRS	0		TSN 0					
	AFL	0		TSN 0					
3400505^U		NO.2 DCP 3000 DISPLAY CONTROL PANEL					Component		ATA:34
PN:822-1828-012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4905K	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341001		NO. 1 AIR DATA COMPUTER						Component	ATA:34
PN:822-1109-016	MOS/MSC	15-Jul-22	O/C						
SN:4829R	HRS	1784.3							
WC#: 34.050	AFL	1528							
PROC. REF: AMM 34-11-01									
341002		NO. 2 AIR DATA COMPUTER						Component	ATA:34
PN:822-1109-016	MOS/MSC	15-Jul-22	O/C						
SN:4829P	HRS	1784.3							
WC#: 34.050	AFL	1528							
PROC. REF: AMM 34-11-01									
341025		STANDBY ALTIMETER						Component	ATA:34
PN:390-382042-0001	MOS/MSC	17-Jun-24	O/C	TSO 0					
SN:164626	HRS	2032		TSO 0					
WC#: 34.100	AFL	1683		TSO 0					
PROC. REF: AMM 34-12-06									
341031		NO. 1 EXTERNAL COMPENSATION UNIT						Component	ATA:34
PN:822-1200-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N3F	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									
341032		NO. 2 EXTERNAL COMPENSATION UNIT						Component	ATA:34
PN:822-1200-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N2M	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									
341041		NO. 1 AHC 3000 AHRS UNIT						Component	ATA:34
PN:822-1110-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N1W	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									
341042		NO. 2 AHC 3000 AHRS UNIT						Component	ATA:34
PN:822-1110-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49MXN	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341047		ALT-4000 TRANSMITTER						Component	ATA:34
PN:822-0615-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4963T	HRS	0		TSN 0					
WC#: 34.130	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01									
3410509^U		CENTER ADAPTIVE FLIGHT DISPLAY						Component	ATA:34
PN:822-1084-014	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341051		NO. 1 ADAPTIVE FLIGHT DISPLAY						Component	ATA:34
PN:822-1084-017	MOS/MSC	30-Nov-23	O/C	TSO 0					
SN:3YORD	HRS	2023.6		TSO 0					
WC#: 34.140	AFL	1676		TSO 0					
PROC. REF: AMM 34-25-01									
341052		NO. 2 ADAPTIVE FLIGHT DISPLAY						Component	ATA:34
PN:822-1084-017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3V10Y	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
341061		ADAPTIVE FLIGHT DISPLAY CENTER						Component	ATA:34
PN:822-1753-017	MOS/MSC	18-Jun-20	O/C						
SN:49RHR	HRS	1296.7							
WC#: 34.140	AFL	1240							
PROC. REF: AMM 34-25-01									
341071		NO. 1 CONTROL DISPLAY UNIT						Component	ATA:34
PN:822-0884-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49DNL	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01									
341072		NO. 2 CONTROL DISPLAY UNIT						Component	ATA:34
PN:822-0884-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49DJB	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341081	WEATHER RADAR (RTA-800) ANTENNA							Component	ATA:34
PN:622-8440-004	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:3Y2RW	HRS	0			TSN 0				
WC#: 34.160	AFL	0			TSN 0				
PROC. REF: AMM 34-41-01									
341091	AIRSPEED INDICATOR							Component	ATA:34
PN:390-382039-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:298282	HRS	0			TSN 0				
WC#: 34.170	AFL	0			TSN 0				
PROC. REF: AMM 34-12-01									
341093	MMT-3010 MOUNT							Component	ATA:34
PN:822-1290-003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.510	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341101	NO. 1 PITOT VALVE							Component	ATA:34
PN:122-380046-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0718	HRS	0			TSN 0				
WC#: 34.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341102	NO. 2 PITOT VALVE							Component	ATA:34
PN:122-380046-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:0705	HRS	0			TSN 0				
WC#: 34.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341111	OAT PROBE							Component	ATA:34
PN:122-384003-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:B4916	HRS	0			TSN 0				
WC#: 34.190	AFL	0			TSN 0				
PROC. REF: AMM 34-13-01									
341121	NO. 1 PITOT STATIC PROBE							Component	ATA:34
PN:390-382059-0001	MOS/MSC	09-Jan-20	O/C		TSN 0				
SN:315694	HRS	1270.3			TSN 0				
WC#: 34.200	AFL	1212			TSN 0				
PROC. REF: AMM 34-12-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341122	NO. 2 PITOT STATIC PROBE							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.200	AFL	0			TSN 0				
PROC. REF: AMM 34-12-07									
341201	NO. 1 NAV ANTENNA							Component	ATA:34
PN:22-37-103	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:4253	HRS	0			TSN 0				
WC#: 34.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01									
341202	NO. 2 NAV ANTENNA							Component	ATA:34
PN:22-37-103	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:4252	HRS	0			TSN 0				
WC#: 34.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01									
341211	PHASING COUPLER							Component	ATA:34
PN:80-37-101	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:6393	HRS	0			TSN 0				
WC#: 34.220	AFL	0			TSN 0				
PROC. REF: AMM 34-31-01									
341221	STANDBY AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.230	AFL	0			TSN 0				
PROC. REF: AMM 34-12-05									
342011	UPPER FLUX DETECTOR							Component	ATA:34
PN:822-1193-001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:300605	HRS	0			TSN 0				
WC#: 34.240	AFL	0			TSN 0				
PROC. REF: AMM 34-21-01									
342012	LOWER FLUX DETECTOR							Component	ATA:34
PN:822-1193-001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:300579	HRS	0			TSN 0				
WC#: 34.240	AFL	0			TSN 0				
PROC. REF: AMM 34-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342031	ATTITUDE INDICATOR							Component	ATA:34
PN:390-382065-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3143	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01									
342041	VERTICAL SPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: AMM 34-12-02									
3420500.1 ^U	STANDBY ATTITUDE INDICATOR							Component	ATA:34
PN:501-1828-01	MOS/MSC	27-Feb-19	O/C	TSO 0					
SN:3046	HRS	1096.92		TSO 0					
	AFL	1083		TSO 0					
343001	NO. 1 COUPLER							Component	ATA:34
PN:DMH24-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:16391	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343002	NO. 2 COUPLER							Component	ATA:34
PN:DMH21-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:45353	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343003	NO. 3 COUPLER							Component	ATA:34
PN:DMH21-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:46539	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343021	MARKER BEACON ANTENNA							Component	ATA:34
PN:DM N27-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:17770	HRS	0		TSN 0					
WC#: 34.280	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
343031		GLIDESLOPE ANTENNA					Component		ATA:34
PN:100-384128	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:9006	HRS	0		TSN 0					
WC#: 34.290	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
343041		NO. 1 VIR-432 NAV RECEIVER					Component		ATA:34
PN:822-1465-101	MOS/MSC	11-Jun-24	O/C	TSO 0					
SN:39G0R	HRS	2032		TSO 0					
WC#: 34.300	AFL	1683		TSO 0					
PROC. REF: AMM 34-31-01									
343042		NO. 2 VIR-432 NAV RECEIVER					Component		ATA:34
PN:822-1465-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:44G1G	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01									
3430501^U		NO. 1 GLIDESLOPE/MARKER BEACON/VOR/ILS NAVIGATION RECEIVER					Component		ATA:34
PN:622-7194-201	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3430504^U		NO. 2 GLIDESLOPE/MARKER BEACON/VOR/ILS NAVIGATION RECEIVER					Component		ATA:34
PN:622-7194-201	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
344001		UPPER TCAS ANTENNA					Component		ATA:34
PN:622-8973-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:50075	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									
344002		LOWER TCAS ANTENNA					Component		ATA:34
PN:622-8973-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:444CL	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-44-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344011	UPPER TRANSPONDER ANTENNA							Component	ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:27106	HRS	0			TSN 0				
WC#: 34.320	AFL	0			TSN 0				
PROC. REF: AMM 34-44-01									
344012	LOWER TRANSPONDER ANTENNA							Component	ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:27533	HRS	0			TSN 0				
WC#: 34.320	AFL	0			TSN 0				
PROC. REF: AMM 34-44-01									
344021	TCAS TRANSMITTER							Component	ATA:34
PN:822-1294-032	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:177927	HRS	0			TSN 0				
WC#: 34.330	AFL	0			TSN 0				
PROC. REF: AMM 34-44-01									
344031	TCAS COAX KIT							Component	ATA:34
PN:999ML-500-102	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:E90135	HRS	0			TSN 0				
WC#: 34.340	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
344301	RADIO ALTIMETER RECEIVER ANTENNA							Component	ATA:34
PN:DM PN19-2-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:6397	HRS	0			TSN 0				
WC#: 34.350	AFL	0			TSN 0				
PROC. REF: AMM 34-43-01									
344302	RADIO ALTIMETER TRANSMITTER ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.350	AFL	0			TSN 0				
PROC. REF: AMM 34-43-01									
3443501 ^U	RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:DM PN19-2-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:6398	HRS	0			TSN 0				
	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345001	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	04-Oct-17	O/C						
SN:491XD	HRS	852.3							
WC#: 34.040	AFL	866							
PROC. REF: AMM 34-54-01									
345002	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	04-Oct-17	O/C						
SN:491WY	HRS	852.3							
WC#: 34.040	AFL	866							
PROC. REF: AMM 34-54-01									
345011	SINGLE ADF ANTENNA							Component	ATA:34
PN:622-7383-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48TJH	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
345012	DUAL ADF ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
345021	NO. 1 DME ANTENNA							Component	ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:27536	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
345022	NO. 2 DME ANTENNA							Component	ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
345031	NO. 1 DME							Component	ATA:34
PN:822-1466-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BH2D	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345032	NO. 2 DME							Component	ATA:34
PN:622-7309-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
345041	NO. 1 GPS ANTENNA							Component	ATA:34
PN:429-410	MOS/MSC	09-Sep-22	O/C	TSN 0					
SN:699715	HRS	1828.2		TSN 0					
WC#: 34.400	AFL	1558		TSN 0					
PROC. REF: AMM 34-51-01									
345042	NO. 2 GPS ANTENNA							Component	ATA:34
PN:C1401-22A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									
3450504 ^U	CUMMUNICATIONS/NAVIGATION TUNING UNIT							Component	ATA:34
PN:822-1121-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450508 ^U	NO. 1 IAPS POWER SUPPLY							Component	ATA:34
PN:822-1137-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B28J	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450509 ^U	IAPS ENVIRONMENTAL CONTROLLER							Component	ATA:34
PN:822-1167-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B1PR	HRS	0		TSN 0					
	AFL	0		TSN 0					
345051	NO. 1 GLOBAL POSITIONING SYSTEM							Component	ATA:34
PN:822-2189-004	MOS/MSC	04-Oct-17	O/C						
SN:46F5T	HRS	852.3							
WC#: 34.410	AFL	866							
PROC. REF: AMM 34-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
3450511^U		NO. 1 IAPS INPUT/OUTPUT CONCENTRATOR					Component		ATA:34
PN:822-1361-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4941X	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450519^U		NO. 2 IAPS POWER SUPPLY					Component		ATA:34
PN:822-1137-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B28F	HRS	0		TSN 0					
	AFL	0		TSN 0					
345052		NO. 2 GLOBAL POSITIONING SYSTEM					Component		ATA:34
PN:822-2189-004	MOS/MSC	04-Oct-17	O/C						
SN:44H6F	HRS	852.3							
WC#: 34.410	AFL	866							
PROC. REF: AMM 34-51-01									
3450520^U		NO. 2 IAPS INPUT/OUTPUT CONCENTRATOR					Component		ATA:34
PN:822-1361-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4941Y	HRS	0		TSN 0					
	AFL	0		TSN 0					
345061		SINGLE ADF-462 TRANSCEIVER					Component		ATA:34
PN:622-7382-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
345062		DUAL ADF-462 TRANSCEIVER					Component		ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
3451500^U		XM DATA ID					Component		ATA:34
PN:XM DATA ID	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3451501^U XM GRAPHICAL WEATHER Component ATA:34								
PN:810-0007-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451502^U XM WEATHER RECEIVER Component ATA:34								
PN:822-2031-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451505^U EXTERNAL COMPENSATION UNIT Component ATA:34								
PN:822-1200-998	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451510^U NAVIGATION RECEIVER Component ATA:34								
PN:822-1579-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451512^U MODULAR TRAY Component ATA:34								
PN:822-1811-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451515^U ENHANCED MAP OVERLAYS Component ATA:34								
PN:810-0003-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451516^U FILE SERVER UNIT Component ATA:34								
PN:822-1543-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
346001 NO. 1 DCP-3000 DISPLAY CONTROL PANEL Component ATA:34								
PN:822-1134-112	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				

PROC. REF: AMM 34-25-01

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346002		NO. 2 DCP-3000 DISPLAY CONTROL PANEL						Component	ATA:34
PN:822-1134-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346011		NO. 1 FLIGHT GUIDANCE COMPUTER						Component	ATA:34
PN:822-1108-317	MOS/MSC	14-May-17	O/C	TSN 59					
SN:44BJC	HRS	813.42		TSN 813.42					
WC#: 34.430	AFL	833		TSN 833					
PROC. REF: AMM 31-40-01									
346012		NO. 2 FLIGHT GUIDANCE COMPUTER						Component	ATA:34
PN:822-1108-317	MOS/MSC	14-May-17	O/C	TSN 59					
SN:44DFK	HRS	813.42		TSN 813.42					
WC#: 34.430	AFL	833		TSN 833					
PROC. REF: AMM 31-40-01									
346021		NO. 1 CONFIGURATION STRAPPING UNIT						Component	ATA:34
PN:822-1363-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B1LT	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01									
346022		NO. 2 CONFIGURATION STRAPPING UNIT						Component	ATA:34
PN:822-1363-002	MOS/MSC	03-Jul-21	O/C						
SN:4M8DLK	HRS	1533.1							
WC#: 34.440	AFL	1373							
PROC. REF: AMM 31-40-01									
346031		NO. 1 FLIGHT MANAGEMENT COMPUTER						Component	ATA:34
PN:822-0883-040	MOS/MSC	03-Jul-21	O/C	TSO 0					
SN:20CVX	HRS	1533.1		TSO 0					
WC#: 34.450	AFL	1373		TSO 0					
PROC. REF: AMM 31-40-01									
346032		NO. 2 FLIGHT MANAGEMENT COMPUTER						Component	ATA:34
PN:822-0883-040	MOS/MSC	03-Jul-21	O/C	TSO 0					
SN:3N2GB	HRS	1533.1		TSO 0					
WC#: 34.450	AFL	1373		TSO 0					
PROC. REF: AMM 31-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346041	SDD-640C SENSOR DISPLAY DRIVE							Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.460	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346061	ENHANCED GROUND PROXIMITY WARNING UNIT							Component	ATA:34
PN:965-0976-040-210-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:EMK5-28268	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: AMM 34-45-01									
346071	429 COMPUTER							Component	ATA:34
PN:90001-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.480	AFL	0		TSN 0					
PROC. REF: AMM 23-30-05									
346081	DATA BASE UNIT							Component	ATA:34
PN:822-2215-201	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1BSP7	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01									
OPS38	OPERATIONAL TEST REVERSION SWITCHES							Service	ATA:34
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	41.6 (+20)		
WC#: 34.010	AFL	1603							
PROC. REF: AMM 34-00-01									
SPC03	RECERTIFY STANDBY ALTIMETER							Service	ATA:34
PN:390-382042-0001	MOS	11-Jun-24	24		11-Jun-26		555 d	MANDATORY	
SN:164626	HRS	2032							
WC#: 34.100	AFL	1683							
Calibration Date: : 11-Jun-24 PROC. REF: AMM 34-12-00									
SPC05	RECERTIFY NO. 1 AIR DATA COMPUTER							Service	ATA:34
PN:822-1109-016	MOS	01-Apr-24	24		01-Apr-26		484 d	MANDATORY	
SN:4829R	HRS	2032							
WC#: 34.050	AFL	1683							
Calibration Date: : 01-Apr-24 PROC. REF: AMM 34-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
SPC05		RECERTIFY NO. 2 AIR DATA COMPUTER						Service	ATA:34
PN:822-1109-016	MOS	01-Apr-24	24		01-Apr-26		484 d	MANDATORY	
SN:4829P	HRS	2032							
WC#: 34.050	AFL	1683							
		Calibration Date: : 01-Apr-24		PROC. REF: AMM 34-11-02					
SPC11		RECERTIFY NO. 1 ATC TRANSPONDER						Service	ATA:34
PN:622-9210-501	MOS	01-Apr-24	24		01-Apr-26		484 d	MANDATORY	
SN:491XD	HRS	2032							
WC#: 34.040	AFL	1683							
		Calibration Date: : 01-Apr-24		PROC. REF: AMM 34-54-00					
SPC11		RECERTIFY NO. 2 ATC TRANSPONDER						Service	ATA:34
PN:622-9210-501	MOS	01-Apr-24	24		01-Apr-26		484 d	MANDATORY	
SN:491WY	HRS	2032							
WC#: 34.040	AFL	1683							
		Calibration Date: : 01-Apr-24		PROC. REF: AMM 34-54-00					
SPC12		RECERTIFY NO. 1 PITOT STATIC SYSTEM						Service	ATA:34
	MOS	11-Jun-24	24		11-Jun-26		555 d	MANDATORY	
	HRS	2032							
WC#: 34.520	AFL	1683							
		Calibration Date: : 11-Jun-24		PROC. REF: AMM 34-12-00					
SPC12		RECERTIFY NO. 2 PITOT STATIC SYSTEM						Service	ATA:34
	MOS	11-Jun-24	24		11-Jun-26		555 d	MANDATORY	
	HRS	2032							
WC#: 34.520	AFL	1683							
		Calibration Date: : 11-Jun-24		PROC. REF: AMM 34-12-00					
SPC16		DRAIN LEFT PITOT/STATIC SYSTEM						Service	ATA:34
	MOS	10-Jul-23							
	HRS	1970.3	200 (+20)		2170.3	2190.3	105.4 (+20)		
WC#: 34.020	AFL	1639							
				PROC. REF: AMM 34-12-00					
SPC16		DRAIN RIGHT PITOT/STATIC SYSTEM						Service	ATA:34
	MOS	10-Jul-23							
	HRS	1970.3	200 (+20)		2170.3	2190.3	105.4 (+20)		
WC#: 34.030	AFL	1639							
				PROC. REF: AMM 34-12-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
100C02 ^S	INSPECT OXYGEN SYSTEM							Service	ATA:35
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.010	AFL	1683							
				PROC. REF: AMM 12-10-30				PKG:6	
200A12^S INSPECT FLIGHT CREW OXYGEN SYSTEM									
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.020	AFL	1683							
				PROC. REF: AMM 35-10-01				PKG:6	
200B07^S INSPECT OXYGEN MASK AND HOSES									
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.050	AFL	1683							
				PROC. REF: AMM 35-20-01				PKG:6	
350001 OXYGEN PRESSURE TRANSDUCER									
PN:122-382008-7	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:35	
SN:7403-5-192	HRS	0		TSN 0					
WC#: 35.060	AFL	0		TSN 0					
				PROC. REF: AMM 35-10-08					
350011 OXYGEN SHUTOFF VALVE									
PN:101-384032-7	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:35	
SN:5303B	HRS	0		TSN 0					
WC#: 35.070	AFL	0		TSN 0					
				PROC. REF: AMM 35-10-05					
350101 OXYGEN BOTTLE									
PN:176419-77	MOS	20-Aug-16	180	TSN 0	01-May-25		149 d	Component ATA:35	
SN:ALT281-24534/2672	HRS	607.7						LIFE LIMIT	
WC#: 35.010	AFL	627							
	ACH								
		Manufacture Date:: 01-May-10		PROC. REF: AMM 35-10-04					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351011	NO. 1 CREW STATION OXYGEN BOX							Component	ATA:35
PN:390-382044-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:00309	HRS	0		TSN 0					
WC#: 35.090	AFL	0		TSN 0					
PROC. REF: AMM 35-10-10									
351012	NO. 2 CREW STATION OXYGEN BOX							Component	ATA:35
PN:390-382044-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:00337	HRS	0		TSN 0					
WC#: 35.090	AFL	0		TSN 0					
PROC. REF: AMM 35-10-10									
351021	OVERBOARD DISCHARGE INDICATOR							Component	ATA:35
PN:171-502	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0313	HRS	0		TSN 0					
WC#: 35.100	AFL	0		TSN 0					
PROC. REF: AMM 35-10-06									
351031	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:99-384042-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:03302	HRS	0		TSN 0					
WC#: 35.110	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02									
351035	OXYGEN PRESSURE INDICATOR							Component	ATA:35
PN:390-382010-0007	MOS/MSC	07-Jul-14	O/C	TSO 0					
SN:071330	HRS	200.9		TSO 0					
WC#: 35.120	AFL	189		TSO 0					
PROC. REF: AMM 35-10-07									
3510501 ^U	LH OXYGEN CREW MASK							Component	ATA:35
PN:390-382045-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:23984	HRS	0		TSN 0					
	AFL	0		TSN 0					
352020	CABIN OXYGEN CONTROL SOLENOID VALVE							Component	ATA:35
PN:101-384032-7	MOS/MSC	17-Jun-24	O/C	TSN 0					
SN:7209B	HRS	2032		TSN 0					
WC#: 35.030	AFL	1683		TSN 0					
PROC. REF: AMM 35-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
LIMITS12 HYDROSTATIC TEST OXYGEN BOTTLE KEVLAR FIBER BOTTLE P/N 101-384200-11 (40 CUBIC-FEET)								Service ATA:35
PN:176419-77	MOS/MSC	27-Jun-12	N/A					MANDATORY
SN:ALT281-24534/2672	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
LIMITS13 HYDROSTATIC TEST OXYGEN BOTTLE KEVLAR FIBER BOTTLE P/N 101-384207-13 (77 CUBIC-FEET)								Service ATA:35
PN:176419-77	MOS	23-Jun-21	60		23-Jun-26		567 d	MANDATORY
SN:ALT281-24534/2672	HRS	1533.1						
WC#: 35.010	AFL	1373						
HydroCheck Date: : 23-Jun-21 PROC. REF: GENERIC NO REF								
LIMITS14 HYDROSTATIC TEST OXYGEN BOTTLE CARBON FIBER BOTTLE P/N 101-384207-23 (77 CUBIC-FEET)								Service ATA:35
PN:176419-77	MOS/MSC	26-Jul-16	N/A					MANDATORY
SN:ALT281-24534/2672	HRS	607.7						
	AFL	627						
PROC. REF: GENERIC NO REF								
OPS39^S FUNCTIONAL TEST OXYGEN SYSTEM								Service ATA:35
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 35.010	AFL	1683						
PROC. REF: AMM 35-00-00								
SPC14 #1 PASSENGER OXYGEN MASK								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1080 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.130	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
SPC14 #2 PASSENGER OXYGEN MASK								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		988 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.130	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
SPC14 #3 PASSENGER OXYGEN MASK								Component ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1080 d	OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.140	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
SPC14 #4 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		988 d	Component OVERHAUL ATA:35
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.140	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
SPC14 #5 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1080 d	Component OVERHAUL ATA:35
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.150	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
SPC14 #6 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		988 d	Component OVERHAUL ATA:35
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.150	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
SPC14 LAVATORY PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		1080 d	Component OVERHAUL ATA:35
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.160	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01								
SPC26 NO. 1 CREW OXYGEN MASK OVERHAUL								
PN:174252-13	MOS	08-May-23	72 (+30d/-30d)	TSO 0	08-May-29	07-Jun-29	1617 d (+30)	Component OVERHAUL ATA:35
SN:23595	HRS	1964.5		TSO 0				
WC#: 35.080	AFL	1636		TSO 0				
PROC. REF: CMM 35-10-01, AMM 35-10-01								
SPC26 NO. 2 CREW OXYGEN MASK OVERHAUL								
PN:174252-13	MOS	08-May-23	72 (+30d/-30d)	TSO 0	08-May-29	07-Jun-29	1617 d (+30)	Component OVERHAUL ATA:35
SN:20790	HRS	1964.5		TSO 0				
WC#: 35.080	AFL	1636		TSO 0				
PROC. REF: CMM 35-10-01, AMM 35-10-01								
TBO06 OXYGEN REGULATOR								
PN:172400-14	MOS	29-Jun-21	60	TSO 0	29-Jun-26		573 d	Component OVERHAUL ATA:35
SN:2672	HRS	1533.1						
WC#: 35.010	AFL	1373		TSO 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
TBO07	REPLACE CABIN OXYGEN CONTROL SOLENOID VALVE O-RINGS							Service	ATA:35
PN:101-384032-7	MOS	17-Jun-24	48		17-Jun-28		1292 d		
SN:7209B	HRS	2032							
WC#: 35.040	AFL	1683							
PROC. REF: AMM 35-20-02									
ATA 36 - PNEUMATIC									
361001	PNEUMATIC PRESSURE REGULATOR							Component	ATA:36
PN:390-385001-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0508	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01									
SPC19	DRAIN MOISTURE FROM PNEUMATIC DRAIN LINE							Service	ATA:36
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)		
WC#: 36.020	AFL	1603							
PROC. REF: GENERIC NO REF									
ATA 38 - WATER/WASTE									
200A06 ^S	INSPECT RELIEF TUBE							Service	ATA:38
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
PROC. REF: GENERIC NO REF									
3800400 ^U	RELIEF TUBE							Component	ATA:38
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PKG:6									
ATA 52 - DOORS									
200C01	VISUAL/A-SCAN CHECK PASSENGER DOOR							Service	ATA:52
PN:PN	MOS	27-Jun-12						AIRWORTHINESS	
SN:UNKNOWN	HRS	0	T:2400 (+200)		2400	2600	335.1 (+200)		
WC#: 52.010	AFL	0							
PROC. REF: AMM 20-26-00, AMM 52-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
200C03	VISUAL CHECK EMERGENCY EXIT HATCH							Service	ATA:52
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)		
WC#: 52.040	AFL	0							
				PROC. REF: AMM 52-20-01					
200C06 ^S	VISUAL CHECK PASSENGER DOOR AND STEPS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01					PKG:6
200C07 ^S	INSPECT PASSENGER DOOR LATCH MECHANISM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01					PKG:6
200C08 ^S	INSPECT PASSENGER DOOR							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01					PKG:7
200C09 ^S	INSPECT FUSELAGE DOOR LAND							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683							
				PROC. REF: AMM 52-10-01					PKG:6
200C10 ^S	INSPECT EMERGENCY EXIT HATCH SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
				PROC. REF: AMM 52-20-01					PKG:7
200C11 ^S	INSPECT EMERGENCY EXIT HATCH DOOR FRAME AND WINDOW INSTALLATION							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
				PROC. REF: AMM 52-20-01					PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
200C12 ^S		INSPECT EMERGENCY EXIT HATCH FUSELAGE OPENING PERIMETER							Service ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
					PROC. REF: AMM 52-20-01			PKG:7	
200C13 ^S		INSPECT EMERGENCY EXIT HATCH LATCHING MECHANISM							Service ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
					PROC. REF: AMM 52-20-01			PKG:7	
300A33 ^S		INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT							Service ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.050	AFL	1683							
					PROC. REF: AMM 52-30-00			PKG:7	
521001		PASSENGER DOOR							Component ATA:52
PN:390-430020-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RB-293	HRS	0			TSN 0				
WC#: 52.010	AFL	0			TSN 0				
					PROC. REF: AMM 52-10-01				
521002		PASSENGER DOOR SHELL ASSEMBLY							Component ATA:52
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
521011		CABIN DOOR KEY							Component ATA:52
PN:390-384050-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:80477	HRS	0			TSN 0				
WC#: 52.100	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
522001		EMERGENCY EXIT HATCH							Component ATA:52
PN:390-430003-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RB-293	HRS	0			TSN 0				
WC#: 52.040	AFL	0			TSN 0				
					PROC. REF: AMM 52-20-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
523011	RIGHT AFT AVIONICS DOOR KEY							Component	ATA:52
PN:390-384008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:80477	HRS	0		TSN 0					
WC#: 52.120	AFL	0		TSN 0					
PROC. REF: AMM 52-30-03									
524001	FORWARD BAGGAGE & AVIONICS DOOR KEY							Component	ATA:52
PN:390-384008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:80477	HRS	0		TSN 0					
WC#: 52.130	AFL	0		TSN 0					
PROC. REF: AMM 52-30-01									
800A02 ^S	INSPECT AFT BAGGAGE DOOR, LATCH, SWITCHES AND SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.150	AFL	1683							
PROC. REF: AMM 52-30-00									
800A03 ^S	INSPECT AFT AVIONICS DOOR, LATCH, SWITCHES AND SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.150	AFL	1683							
PROC. REF: AMM 52-30-00									
800A04 ^S	INSPECT AFT BAGGAGE DOOR LATCH PINS (4 LOCATIONS)							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.160	AFL	1683							
PROC. REF: AMM 52-30-05									
800A05 ^S	INSPECT AFT AVIONICS DOOR LATCH PINS (4 LOCATIONS)							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.160	AFL	1683							
PROC. REF: AMM 52-30-05									
800A06 ^S	ADJUSTMENT/TEST FORWARD AND AFT BAGGAGE/AVIONICS DOORS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.170	AFL	1683							
PROC. REF: AMM 52-70-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
800A07	EDDY CURRENT INSPECT AFT BAGGAGE AND AVIONICS DOOR LATCH PINS (4 EACH SIDE)							Service	ATA:52
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)		
WC#: 52.140	AFL	0							
PROC. REF: AMM 20-26-00, AMM 52-30-05									
OPS40 ^S	OPERATIONAL TEST PASSENGER DOOR WARNING SYSTEM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.030	AFL	1683							
PROC. REF: AMM 52-10-01									
ATA 53 - FUSELAGE									
100B08 ^S	INSPECT MOISTURE DRAIN HOLES AND VALVES							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.010	AFL	1683							
PROC. REF: AMM 06-20-00									
100B09 ^S	INSPECT WING SPIGOT FITTING INTERIOR REINFORCEMENTS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.030	AFL	1683							
PROC. REF: AMM 57-10-02									
100B10 ^S	INSPECT FORWARD AND AFT WING ATTACHMENT FITTINGS REINFORCEMENTS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.040	AFL	1683							
PROC. REF: GENERIC NO REF									
100B11 ^S	INSPECT/LUBRICATE WING SPIGOT							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.330	AFL	1683							
PROC. REF: AMM 12-20-02, AMM 57-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
100C01	INSPECT LEFT BAGGAGE COMPARTMENT FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Jun-20	96 (+30d/-30d)		18-Jun-28	18-Jul-28	1293 d (+30)	AIRWORTHINESS	
	HRS	1296.7	2400 (+200)		3696.7	3896.7	1631.8 (+200)		
WC#: 53.050	AFL	1240							
PROC. REF: AMM 53-10-01									
100C05 ^S	INSPECT LEFT BAGGAGE COMPARTMENT NOSE KEEL							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.200	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:6									
100D03	INSPECT RIGHT AVIONICS COMPARTMENT FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Jun-20	96 (+30d/-30d)		18-Jun-28	18-Jul-28	1293 d (+30)	AIRWORTHINESS	
	HRS	1296.7	2400 (+200)		3696.7	3896.7	1631.8 (+200)		
WC#: 53.060	AFL	1240							
PROC. REF: AMM 53-10-01									
100D04 ^S	INSPECT RIGHT AVIONICS COMPARTMENT NOSE KEEL							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.210	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:6									
100E02 ^S	INSPECT FUSELAGE SKIN - STRUCTURAL DAMAGE							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.070	AFL	1683							
PROC. REF: GENERIC NO REF									
PKG:7									
100E04 ^S	INSPECT RADOME DETERIORATION (REMOVED)							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.240	AFL	1683							
PROC. REF: AMM 53-30-01, AMM 53-30-01									
PKG:7									
100E05 ^S	INSPECT RADOME ANTENNA (REMOVED)							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.240	AFL	1683							
PROC. REF: AMM 53-30-01									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
200B01	VISUAL OF AFT PRESSURE BULKHEAD							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)		2400	2600	335.1 (+200)		
WC#: 53.100	AFL	0							
	PROC. REF: AMM 53-10-03								
200B08 ^S	INSPECT FLOOR PANELS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.230	AFL	1683							
	PROC. REF: AMM 06-50-01								
200C02	VISUAL CHECK OF FORWARD FUSELAGE SHELL AND FORWARD TO AFT SPLICE							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)		2400	2600	335.1 (+200)		
WC#: 53.080	AFL	0							
	PROC. REF: AMM 53-10-02								
200C15 ^S	INSPECT FUSELAGE SKIN							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.110	AFL	1683							
	PROC. REF: GENERIC NO REF								
200D10 ^S	INSPECT FUSELAGE AND WING ATTACHMENT FITTINGS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.120	AFL	1683							
	PROC. REF: GENERIC NO REF								
300A07	VISUAL CHECK OF AFT FUSELAGE SHEL							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)		2400	2600	335.1 (+200)		
WC#: 53.130	AFL	0							
	PROC. REF: AMM 53-30-03								
300A10	EDDY CURRENT INSPECT VERTICAL TAIL AFT SPAR (BOLT REMOVAL REQUIRED)							Service	ATA:53
PN:PN	MOS	27-Jun-12						AIRWORTHINESS	
SN:UNKNOWN	HRS	0	T:10000 (+200)		10000	10200	7935.1 (+200)		
WC#: 53.170	AFL	0							
	PROC. REF: AMM 20-26-00, AMM 53-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
300A37 ^S	INSPECT AFT FUSELAGE SKIN							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.020	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:7	
300A38 ^S	INSPECT FORWARD ENGINE CARRY-THROUGH BEAM							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.180	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:7	
300A40 ^S	INSPECT MOISTURE DRAIN PATH							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.190	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
530001	PYLON ASSEMBLY							Component	ATA:53
PN:390-440252-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.260	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
531001	FORWARD FUSELAGE ASSEMBLY							Component	ATA:53
PN:390-400011-0021	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.270	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
531011	NOSE STRUCTURE							Component	ATA:53
PN:390-410006-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.280	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
531046	AFT FUSELAGE SHELL							Component	ATA:53
PN:390-444011-0009	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.130	AFL	0			TSN 0				
	PROC. REF: AMM 53-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
531049	EMPENNAGE							Component	ATA:53
PN:390-600100-6001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531050	EMPENNAGE FITTING							Component	ATA:53
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.140	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531052	FORWARD CANTED BULKHEAD							Component	ATA:53
PN:390-440095-0007	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.150	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531055	AFT CANTED BULKHEAD							Component	ATA:53
PN:390-440089-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.160	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
531057	VERTICAL TAIL AFT SPAR							Component	ATA:53
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.170	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
532001	AFT PRESSURE BULKHEAD							Component	ATA:53
PN:390-440031-6001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
532011	COCKPIT FLOOR STRUCTURE							Component	ATA:53
PN:390-420009-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.300	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
532021	NO. 1 CABIN FLOOR STRUCTURE							Component	ATA:53
PN:390-430361-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.310	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
532022	NO. 2 CABIN FLOOR STRUCTURE							Component	ATA:53
PN:390-430362-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.310	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
533001	TAILCONE							Component	ATA:53
PN:390-440215-0013	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 53.320	AFL	0			TSN 0				
PROC. REF: AMM 53-30-02									
535001	RADOME							Component	ATA:53
PN:390-415001-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:C198200-9	HRS	0			TSN 0				
WC#: 53.240	AFL	0			TSN 0				
PROC. REF: AMM 53-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
400A12 ^S	INSPECT NO. 1 ENGINE PYLON SKIN							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 54.010	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400A14 ^S	INSPECT NO. 1 ENGINE PYLON NACELLE SEAL							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 54.020	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	
400B12 ^S	INSPECT NO. 2 ENGINE PYLON SKIN							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 54.010	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400B14 ^S	INSPECT NO. 2 ENGINE PYLON NACELLE SEAL							Service	ATA:54
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 54.020	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
300B14 ^S	INSPECT VERTICAL STABILIZER SKIN AND LEADING EDGE							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.030	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
300B15 ^S	INSPECT FORWARD AND AFT DORSAL FIN							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.040	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
300C15 ^S	INSPECT HORIZONTAL STABILIZER SKIN AND LEADING EDGE							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.010	AFL	1683							
	PROC. REF: GENERIC NO REF							PKG:6	
ATA 56 - WINDOWS									
100E07	VISUAL/EDDY CURRENT INSPECT FRONT AND SIDE WINDSHIELD CLAMPS							Service	ATA:56
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS	0	T:6000 (+200)		6000	6200	3935.1 (+200)		
WC#: 56.010	AFL	0							
	PROC. REF: AMM 56-00-00								
100E08	VISUAL CHECK WINDSHIELDS AND WINDOWS							Service	ATA:56
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS	0	T:2400 (+200)		2400	2600	335.1 (+200)		
WC#: 56.020	AFL	0							
	PROC. REF: AMM 56-00-00								
100E09 ^S	INSPECT WINDSHIELD FRAMES							Service	ATA:56
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 56.030	AFL	1683							
	PROC. REF: AMM 56-00-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
200C18 ^S	INSPECT CABIN WINDOW							Service	ATA:56
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 56.040	AFL	1683							
	PROC. REF: AMM 56-00-00								PKG:6
561001	LEFT WINDSHIELD ASSY							Component	ATA:56
PN:390-384000-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:1167H1698	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
	PROC. REF: AMM 56-10-01								
561002	RIGHT WINDSHIELD ASSY							Component	ATA:56
PN:390-384000-0006	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11116H6478	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
	PROC. REF: AMM 56-10-01								
561011	LEFT COCKPIT SIDE WINDOW							Component	ATA:56
PN:390-3840001-0007	MOS/MSC	20-Mar-16	O/C		TSN 0				
SN:16118H9733	HRS	607.7			TSN 0				
WC#: 56.060	AFL	627			TSN 0				
	PROC. REF: GENERIC NO REF								
561012	RIGHT COCKPIT SIDE WINDOW							Component	ATA:56
PN:390-384001-0008	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:11154H0181	HRS	0			TSN 0				
WC#: 56.060	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
ATA 57 - WINGS									
200C14 ^S	INSPECT WING FUSELAGE FAIRINGS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.010	AFL	1683							
	PROC. REF: AMM 06-50-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500A01	EDDY CURRENT LEFT WING CENTER LINE RIB AND SPLICE PLATE							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2032 d (+30)		
	HRS	0	6000 (+20)		6000	6020	3935.1 (+20)		
WC#: 57.020	AFL	0							
PROC. REF: AMM 57-10-01									
500A02	VISUAL INSPECT LEFT WING BOLTS AND ATTACH LINKS							Service	ATA:57
	MOS	23-Nov-20							
	HRS	1384.8	1200 (+20)		2584.8	2604.8	519.9 (+20)		
WC#: 57.040	AFL	1293							
PROC. REF: GENERIC NO REF									
500A03	BORESCOPE LEFT WING AND FUSELAGE SPIGOT FITTINGS							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:14400 (+200)		14400	14600	12335.1 (+200)		
WC#: 57.030	AFL	0							
PROC. REF: AMM 57-10-02									
500A04	VISUAL INSPECT LEFT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2032 d (+30)	AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3935.1 (+200)		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REF									
500A08 ^S	INSPECT NO. 1 WING TIP ASSEMBLY							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.120	AFL	1683							
PROC. REF: GENERIC NO REF									
500A09 ^S	INSPECT LEFT WING LEADING EDGE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.130	AFL	1683							
PROC. REF: GENERIC NO REF									
500A12	PERFORM NDI(EDDY CURRENT) OF LEFT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service	ATA:57
	MOS	27-Jun-12							
	HRS	0	T:3600 (+200)		3600	3800	1535.1 (+200)		
	AFL	0							
PROC. REF: AMM 57-10-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500B01-ALM	EDDY CURRENT LEFT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:12000 (+200)		12000	12200	9935.1 (+200)		
WC#: 57.160	AFL	0							
PROC. REF: AMM 57-00-00									
500B02-ALM	EDDY CURRENT LEFT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3935.1 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B03-ALM	EDDY CURRENT LEFT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3935.1 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B04-ALM	EDDY CURRENT LEFT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9935.1 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B05-ALM	EDDY CURRENT LEFT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9935.1 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B06-ALM	EDDY CURRENT LEFT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3935.1 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
500B07 ^S	INSPECT LEFT WING RIBS, SPARS, STRINGERS AND SKINS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.080	AFL	1683							
PROC. REF: GENERIC NO REF									

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500B08 ^S	INSPECT LEFT WING RIB AT BL 00							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.090	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
500B09 ^S	INSPECT LEFT WING FUEL STORAGE SEALANT							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.190	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
500C14 ^S	INSPECT LEFT WING FLAP TRACKS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.150	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6	
571001	NO. 1 SKELETON WING ASSEMBLY							Component	ATA:57
PN:390-110003-0001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 57.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
571002	NO. 2 SKELETON WING ASSEMBLY							Component	ATA:57
PN:390-110003-0002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 57.180	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
572001	NO. 1 WING TIP ASSEMBLY							Component	ATA:57
PN:390-384004-0005	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:309	HRS	0			TSN 0				
WC#: 57.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
572002	NO. 2 WING TIP ASSEMBLY							Component	ATA:57
PN:390-384004-0006	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:324	HRS	0			TSN 0				
WC#: 57.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
5720500 ^U	WING ASSEMBLY							Component	ATA:57
PN:390-100001-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
573001	NO. 1 WING PANEL ASSEMBLY							Component	ATA:57
PN:390-110001-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
573002	NO. 2 WING PANEL ASSEMBLY							Component	ATA:57
PN:390-110001-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
5730501 ^U	LH UPPER SKIN							Component	ATA:57
PN:390-110010-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730502 ^U	LH LOWER SKIN							Component	ATA:57
PN:390-110390-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730504 ^U	RH UPPER SKIN							Component	ATA:57
PN:390-110010-0012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730505 ^U	RH LOWER SKIN							Component	ATA:57
PN:390-110390-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600A01	EDDY CURRENT RIGHT WING CENTERLINE RIB AND SPLICE PLATE							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2032 d (+30)		
	HRS	0	6000 (+20)		6000	6020	3935.1 (+20)		
WC#: 57.020	AFL	0							
PROC. REF: AMM 57-10-01									
600A02	VISUAL CHECK RIGHT WING BOLTS AND ATTACH LINKS							Service	ATA:57
	MOS	23-Nov-20							
	HRS	1384.8	1200 (+20)		2584.8	2604.8	519.9 (+20)		
WC#: 57.040	AFL	1293							
PROC. REF: GENERIC NO REF									
600A03	VISUAL INSPECT RIGHT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	2032 d (+30)	AIRWORTHINESS	
	HRS	0	6000 (+20)		6000	6020	3935.1 (+20)		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REF									
600A07 ^S	INSPECT NO. 2 WING TIP ASSEMBLY							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.120	AFL	1683							
PROC. REF: GENERIC NO REF									
600A08 ^S	INSPECT RIGHT WING LEADING EDGE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.130	AFL	1683							
PROC. REF: GENERIC NO REF									
600A11	PERFORM NDI(EDDY CURRENT) OF RIGHT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service	ATA:57
	MOS	27-Jun-12							
	HRS	0	T:3600 (+200)		3600	3800	1535.1 (+200)		
	AFL	0							
PROC. REF: AMM 57-10-03									
600B01-ALM	EDDY CURRENT RIGHT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:12000 (+200)		12000	12200	9935.1 (+200)		
WC#: 57.160	AFL	0							
PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600B02-ALM	EDDY CURRENT RIGHT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3935.1 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B03-ALM	EDDY CURRENT RIGHT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3935.1 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B04-ALM	EDDY CURRENT RIGHT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9935.1 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B05-ALM	EDDY CURRENT RIGHT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9935.1 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B06-ALM	EDDY CURRENT RIGHT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3935.1 (+200)		
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00								
600B07 ^S	INSPECT RIGHT WING RIBS, SPARS, STRINGERS AND SKINS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.080	AFL	1683							
	PROC. REF: GENERIC NO REF								
	PKG:7								
600B08 ^S	INSPECT RIGHT WING RIB AT BL 00							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.090	AFL	1683							
	PROC. REF: GENERIC NO REF								
	PKG:7								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600B09 ^S	INSPECT RIGHT WING FUEL STORAGE SEALANT							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.190	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
600C14 ^S	INSPECT RIGHT WING FLAP TRACKS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.150	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:6	
700B19 ^S	INSPECT LEFT WING SKID RAIL STRUCTURE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.110	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
700B20 ^S	INSPECT LEFT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.100	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
700C19 ^S	INSPECT RIGHT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.100	AFL	1683							
PROC. REF: GENERIC NO REF								PKG:7	
SPC20	CHECK LEFT WING LEADING EDGE DRAIN HOLES							Service	ATA:57
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)		
WC#: 57.140	AFL	1603							
PROC. REF: GENERIC NO REF									
SPC20	CHECK RIGHT WING LEADING EDGE DRAIN HOLES							Service	ATA:57
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	41.6 (+20)		
WC#: 57.140	AFL	1603							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 70 - STANDARD PRACTICES - ENGINES									
700401 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
	PROC. REF: GENERIC NO REF							PKG:1,2	
700401 ^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
	PROC. REF: GENERIC NO REF							PKG:1,2	
ATA 71 - POWER PLANT									
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 AFT NO. 1 ENGINE AFT FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9935.1 (+200)		
WC#: 71.070	AFL	0							
	PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 FORWARD NO. 1 ENGINE FORWARD FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9935.1 (+200)		
WC#: 71.060	AFL	0							
	PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 AFT NO. 2 ENGINE AFT FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9935.1 (+200)		
WC#: 71.070	AFL	0							
	PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 FORWARD NO. 2 ENGINE FORWARD FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9935.1 (+200)		
WC#: 71.060	AFL	0							
	PROC. REF: AMM 54-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
400A08 ^S	INSPECT NO. 1 ENGINE PYLON FIRE WALL							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.030	AFL	1683							
				PROC. REF: AMM 71-00-00				PKG:7	
400A13 ^S	INSPECT NO. 1 ENGINE BLEED AIR DUCTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.040	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400A15 ^S	INSPECT NO. 1 ENGINE ISOLATOR MOUNTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.110	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:7	
400A16 ^S	INSPECT NO. 1 ENGINE INLET							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.120	AFL	1683							
				PROC. REF: AMM 54-10-01				PKG:6	
400A17 ^S	CHECK NO. 1 ENGINE ASSESSORY DRAIN TUBES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.140	AFL	1683							
				PROC. REF: GENERIC NO REF				PKG:6	
400A35 ^S	VISUALLY INSPECT LEFT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 05.030	AFL	1683							
				PROC. REF: AMM 71-00-00				PKG:6	
400B08 ^S	INSPECT NO. 2 ENGINE PYLON FIRE WALL							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.030	AFL	1683							
				PROC. REF: AMM 71-00-00				PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
400B13 ^S	INSPECT NO. 2 ENGINE BLEED AIR DUCTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.040	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:6
400B15 ^S	INSPECT NO. 2 ENGINE ISOLATOR MOUNTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.110	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:7
400B16 ^S	INSPECT NO. 2 ENGINE INLET							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.120	AFL	1683							
	PROC. REF: AMM 54-10-01								PKG:6
400B17 ^S	CHECK NO. 2 ENGINE ASSESSORY DRAIN TUBES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.140	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:6
400B33 ^S	VISUALLY INSPECT RIGHT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 05.030	AFL	1683							
	PROC. REF: AMM 71-00-00								PKG:6
710010	NO. 1 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								
710010	NO. 2 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710020	NO. 1 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	27-Jun-12	ALF		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								
710020	NO. 2 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	27-Jun-12	ALF		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-801A-042A-A								
710030	NO. 1 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-803A-913A-A								
710030	NO. 2 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R		TAC 0				
	HRS	0			TAC 0				
	ENC	0			TAC 0				
	PROC. REF: LMM 05-50-00-803A-913A-A								
710121	NO. 1 ENGINE UPPER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12			TSN 0			LIFE LIMIT	
SN:1307	HRS	0	2500		TSN 0	2500	435.1		
WC#: 71.080	AFL	0			TSN 0				
	PROC. REF: AMM 71-20-01								
710122	NO. 2 ENGINE UPPER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12			TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS	0	2500		TSN 0	2500	435.1		
WC#: 71.080	AFL	0			TSN 0				
	PROC. REF: AMM 71-20-01								
710123	NO. 1 ENGINE LOWER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12			TSN 0			LIFE LIMIT	
SN:1305	HRS	0	2500		TSN 0	2500	435.1		
WC#: 71.090	AFL	0			TSN 0				
	PROC. REF: AMM 71-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710124 NO. 2 ENGINE LOWER FORWARD ISOLATOR MOUNT (MANDATORY) Component ATA:71								
PN:390-389000-0007	MOS		27-Jun-12	TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	2500	TSN 0	2500		435.1	
WC#: 71.090	AFL	0		TSN 0				
PROC. REF: AMM 71-20-01								
710125 NO. 1 ENGINE AFT ISOLATOR MOUNT (MANDATORY) Component ATA:71								
PN:390-389021-0003	MOS		27-Jun-12	TSN 0				LIFE LIMIT
SN:0517	HRS	0	2500	TSN 0	2500		435.1	
WC#: 71.095	AFL	0		TSN 0				
PROC. REF: AMM 71-20-02								
710126 NO. 2 ENGINE AFT ISOLATOR MOUNT (MANDATORY) Component ATA:71								
PN:390-389021-0003	MOS		27-Jun-12	TSN 0				LIFE LIMIT
SN:0514	HRS	0	2500	TSN 0	2500		435.1	
WC#: 71.095	AFL	0		TSN 0				
PROC. REF: AMM 71-20-02								
716001 NO. 1 ENGINE INLET ASSEMBLY Component ATA:71								
PN:390-910281-0017	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:510794684	HRS	0		TSN 0				
WC#: 71.120	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01								
716002 NO. 2 ENGINE INLET ASSEMBLY Component ATA:71								
PN:390-910281-0002	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 71.120	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01								
71EN1 NO. 1 ENGINE Component ATA:71								
	MOS/MSC		27-Jun-12	E/C				
SN:105499	HRS	0		TSO 607.7				
WC#: 71.EN1	AFL	0		TSO 627				
PROC. REF: AMM 71-00-00								
71EN2 NO. 2 ENGINE Component ATA:71								
	MOS/MSC		27-Jun-12	E/C				
SN:105498	HRS	0		TSO 607.7				
WC#: 71.EN2	AFL	0		TSO 627				
PROC. REF: AMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
OPS41	PERFORM NO. 1 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	10-Jul-23							
	HRS	1970.3	300 (+20)		2270.3	2290.3	205.4 (+20)		
	AFL	1639							
PROC. REF: GENERIC NO REF									
OPS41	PERFORM NO. 2 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	10-Jul-23							
	HRS	1970.3	300 (+20)		2270.3	2290.3	205.4 (+20)		
	AFL	1639							
	ACH								
PROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
720018.10 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123510	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.10 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123510	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.11 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123511	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.11 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123511	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
720018.12 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:122729	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720018.12^U NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE Component ATA:72								
PN:122729	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
720018.8^U NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE Component ATA:72								
PN:123508	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
720018.8^U NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE Component ATA:72								
PN:123508	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
720018.9^U NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE Component ATA:72								
PN:123509	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
720018.9^U NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE Component ATA:72								
PN:123509	MOS/MSC	27-Jun-12	-					
SN:UNKNOWN	HRS	0						
	ENC	0						
720060 NO. 1 ENGINE - ACCESSORY DRIVE SHAFT Component ATA:72								
PN:50479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60-801A-500A-A								
720060 NO. 2 ENGINE - ACCESSORY DRIVE SHAFT Component ATA:72								
PN:50479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-00-60-801A-500A-A								
720502^U NO. 1 ENGINE - FRONT LP SHAFT NUT Component ATA:72								
PN:45785	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720502^U NO. 2 ENGINE - FRONT LP SHAFT NUT Component ATA:72								
PN:45785	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720504^U NO. 1 ENGINE - CASE AND INSERT ASSEMBLY Component ATA:72								
PN:66772	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720504^U NO. 2 ENGINE - CASE AND INSERT ASSEMBLY Component ATA:72								
PN:66772	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720508^U NO. 1 ENGINE - NO. 1 CARBON SEAL Component ATA:72								
PN:64771	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720508^U NO. 2 ENGINE - NO. 1 CARBON SEAL Component ATA:72								
PN:64771	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720509^U NO. 1 ENGINE - NO. 1 CARBON SEAL RUNNER Component ATA:72								
PN:57828	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720509^U NO. 2 ENGINE - NO. 1 CARBON SEAL RUNNER Component ATA:72								
PN:57828	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720511^U NO. 1 ENGINE - NO. 1 SPLIT INNER RING BALL BEARING Component ATA:72								
PN:56172	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720511^U NO. 2 ENGINE - NO. 1 SPLIT INNER RING BALL BEARING Component ATA:72								
PN:56172	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720512^U NO. 1 ENGINE - NO. 4 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720512^U NO. 2 ENGINE - NO. 4 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720513^U NO. 1 ENGINE - NO. 1.5 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720513^U NO. 2 ENGINE - NO. 1.5 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720514^U NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY Component ATA:72								
PN:50817	MOS/MSC	10-Jul-23	O/C					
SN:BCC-00011973	HRS	1970.3						
	ENC	1639						
720514^U NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY Component ATA:72								
PN:50817	MOS/MSC	10-Jul-23	O/C					
SN:BCC-00012763	HRS	1970.3						
	ENC	1639						
720516^U NO. 1 ENGINE - OIL TANK COVER Component ATA:72								
PN:54879	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720516 ^U		NO. 2 ENGINE - OIL TANK COVER						Component	ATA:72
PN:54879	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720517 ^U		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR						Component	ATA:72
PN:50349	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720517 ^U		NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR						Component	ATA:72
PN:50349	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720519 ^U		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR ROLLER BEARING						Component	ATA:72
PN:55392	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720519 ^U		NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR ROLLER BEARING						Component	ATA:72
PN:55392	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720520 ^U		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR BALL BEARING						Component	ATA:72
PN:44573	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720520 ^U		NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR BALL BEARING						Component	ATA:72
PN:44573	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720521 ^U		NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR BEARING SUPPORT						Component	ATA:72
PN:57674	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720521^U NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR BEARING SUPPORT Component ATA:72								
PN:57674	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720522^U NO. 1 ENGINE - 1ST REDUCTION PINION GEAR Component ATA:72								
PN:56444	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720522^U NO. 2 ENGINE - 1ST REDUCTION PINION GEAR Component ATA:72								
PN:56444	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720524^U NO. 1 ENGINE - NO. 2 CARBON SEAL FACE RUNNER Component ATA:72								
PN:56479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720524^U NO. 2 ENGINE - NO. 2 CARBON SEAL FACE RUNNER Component ATA:72								
PN:56479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720525^U NO. 1 ENGINE - NO. 2 BEARING HOUSING Component ATA:72								
PN:56195	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720525^U NO. 2 ENGINE - NO. 2 BEARING HOUSING Component ATA:72								
PN:56195	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720526^U NO. 1 ENGINE - NO. 2 BEARING Component ATA:72								
PN:60265	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720526^U NO. 2 ENGINE - NO. 2 BEARING Component ATA:72								
PN:60265	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720527^U NO. 1 ENGINE - NO. 2 CARBON SEAL Component ATA:72								
PN:56478	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720527^U NO. 2 ENGINE - NO. 2 CARBON SEAL Component ATA:72								
PN:56478	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720529^U NO. 1 ENGINE - HP COMPRESSOR COVER ASSEMBLY Component ATA:72								
PN:69885	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU21619	HRS	0		TSN 0				
	ENC	0		TSN 0				
720529^U NO. 2 ENGINE - HP COMPRESSOR COVER ASSEMBLY Component ATA:72								
PN:69885	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU21612	HRS	0		TSN 0				
	ENC	0		TSN 0				
720532^U NO. 1 ENGINE - BALANCE PISTON Component ATA:72								
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720532^U NO. 2 ENGINE - BALANCE PISTON Component ATA:72								
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720534^U NO. 1 ENGINE - HP TURBINE NOZZLE AND PRIMARY PLATE ASSEMBLY Component ATA:72								
PN:62702	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720534^U NO. 2 ENGINE - HP TURBINE NOZZLE AND PRIMARY PLATE ASSEMBLY								
PN:62702	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720537^U NO. 1 ENGINE - NO. 3 HP SHAFT ROLLER BEARING								
PN:59853	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720537^U NO. 2 ENGINE - NO. 3 HP SHAFT ROLLER BEARING								
PN:59853	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720538^U NO. 1 ENGINE - NO. 3 CARBON SEAL HOUSING								
PN:54963	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720538^U NO. 2 ENGINE - NO. 3 CARBON SEAL HOUSING								
PN:54963	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720539^U NO. 1 ENGINE - NO. 3 CARBON SEAL								
PN:65307	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720539^U NO. 2 ENGINE - NO. 3 CARBON SEAL								
PN:65307	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720540^U NO. 1 ENGINE - NO. 4 CARBON SEAL								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				Component ATA:72
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720540^U NO. 2 ENGINE - NO. 4 CARBON SEAL Component ATA:72								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720541^U NO. 1 ENGINE - NO. 4 CARBON SEAL Component ATA:72								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720541^U NO. 2 ENGINE - NO. 4 CARBON SEAL Component ATA:72								
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720542^U NO. 1 ENGINE - 1ST LP TURBINE NOZZLE Component ATA:72								
PN:60240	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720542^U NO. 2 ENGINE - 1ST LP TURBINE NOZZLE Component ATA:72								
PN:60240	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720543^U NO. 1 ENGINE - LP TURBINE ROTOR BALANCE ASSEMBLY Component ATA:72								
PN:55530	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720543^U NO. 2 ENGINE - LP TURBINE ROTOR BALANCE ASSEMBLY Component ATA:72								
PN:55530	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720546^U NO. 1 ENGINE - NO. 4 BEARING INNER RACE Component ATA:72								
PN:48639	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720546^U NO. 2 ENGINE - NO. 4 BEARING INNER RACE Component ATA:72								
PN:48639	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720553^U NO. 1 ENGINE - HYDROMECHANICAL METERING UNIT Component ATA:72								
PN:66311	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720553^U NO. 2 ENGINE - HYDROMECHANICAL METERING UNIT Component ATA:72								
PN:66311	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720556^U NO. 1 ENGINE - ELECTRONIC FUEL FILTER INDICATOR Component ATA:72								
PN:57847	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720556^U NO. 2 ENGINE - ELECTRONIC FUEL FILTER INDICATOR Component ATA:72								
PN:57847	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720558^U NO. 1 ENGINE - LUBE OIL COOLER Component ATA:72								
PN:59857	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720558^U NO. 2 ENGINE - LUBE OIL COOLER Component ATA:72								
PN:59857	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720559^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720559^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720560^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720560^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720561^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720561^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720562^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720562^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720563^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720563^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720564^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720564^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720565^U NO. 1 ENGINE - ITT FLIGHT HARNESS Component ATA:72								
PN:62143	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720565^U NO. 2 ENGINE - ITT FLIGHT HARNESS Component ATA:72								
PN:62143	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720566^U NO. 1 ENGINE - OIL LEVEL SENSOR Component ATA:72								
PN:59843	MOS/MSC	16-Dec-19	O/C	TSN 0				
SN:MY0795	HRS	1256.43		TSN 0				
	ENC	1205		TSN 0				
720566^U NO. 2 ENGINE - OIL LEVEL SENSOR Component ATA:72								
PN:59843	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720570^U NO. 1 ENGINE - OIL TRANSFER HOUSING Component ATA:72								
PN:56796	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720570 ^U		NO. 2 ENGINE - OIL TRANSFER HOUSING						Component	ATA:72
PN:56796	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720571 ^U		NO. 1 ENGINE - CDP TO HMU TUBE ASSEMBLY						Component	ATA:72
PN:54897	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720571 ^U		NO. 2 ENGINE - CDP TO HMU TUBE ASSEMBLY						Component	ATA:72
PN:54897	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
722010		NO. 1 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY						Component	ATA:72
PN:115570	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU20330	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722010		NO. 2 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY						Component	ATA:72
PN:115570	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU20337	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723001		NO. 1 ENGINE - FAN ROTOR						Component	ATA:72
PN:117809	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31800	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8288		
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A									
723001		NO. 2 ENGINE - FAN ROTOR						Component	ATA:72
PN:117809	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW30926	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8288		
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723003 ^S	NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:117809	MOS	10-Jul-23							
SN:HW31800	HRS	1970.3	600 (+30)						
	ENC	1639							
PROC. REF: LMM 72-31-20-801A-310A-A								PKG:2	
723003 ^S	NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:117809	MOS	10-Jul-23							
SN:HW30926	HRS	1970.3	600 (+30)						
	ENC	1639							
PROC. REF: LMM 72-31-20-801A-310A-A								PKG:2	
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:118376	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW33856	HRS	0		TSN 0					
	ENC	0	6000	TSN 0	(6000) 6000		4288		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:118376	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0	6000	TSN 0	(6000) 6000		4288		
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:115552	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW32564	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		6288		
PROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-A									
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:115552	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31918	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		6288		
PROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723019	NO. 1 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU42187	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723019	NO. 2 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU42188	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723021 ^S	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 72-30-10-801A-310A-A									
723021 ^S	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 72-30-10-801A-310A-A									
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21260	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723028	NO. 1 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21447	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723028	NO. 2 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:AU21350	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723036	NO. 1 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:AU20311	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723036	NO. 2 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:AU20310	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723037	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:MX20084	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723037	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:MX20079	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX08RT2235	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX08RT2269	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:110697	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RX07TN0013	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:110697	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RX07TN0012	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 1 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:64411	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 2 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:64411	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724036	NO. 1 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724036	NO. 2 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724040	NO. 1 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724040	NO. 2 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21421	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21424	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:223704	MOS	29-Jun-21		TSN 0				LIFE LIMIT	
SN:HW63028	HRS	1533.1		TSN 0					
	ENC	1373	8000	TSN 0	(9373) 9373		7661		
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:223704	MOS	29-Jun-21		TSN 0				LIFE LIMIT	
SN:HW63022	HRS	1533.1		TSN 0					
	ENC	1373	8000	TSN 0	(9373) 9373		7661		
PROC. REF: GENERIC NO REF									
725016	NO. 1 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:73610	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21561	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725016	NO. 2 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:73610	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21534	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72037	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW34193	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8288		
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72037	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31907	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8288		
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31720	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8288		
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31740	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8288		
PROC. REF: GENERIC NO REF									
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:114130	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MX20036	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:114130	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MX20031	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A									
ATA 73 - ENGINE FUEL AND CONTROL									
731001	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:YYK0737	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2935.1 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731001	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:YYK0736	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2935.1 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731010 ^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731010 ^S	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731015 ^S	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731015 ^S	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A							PKG:1,2		
731020 ^S	NO. 1 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	10-Jul-23	A/R						
	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A							PKG:2		
731020 ^S	NO. 2 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	10-Jul-23	A/R						
	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A							PKG:2		
731025	NO. 1 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	1200 (+120)		(3170.3) 3170.3	3290.3	1105.4 (+120)		
	ENC	1639							
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A							PKG:2		
731025	NO. 2 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	1200 (+120)		(3170.3) 3170.3	3290.3	1105.4 (+120)		
	ENC	1639							
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A							PKG:2		
731046	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:56544	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731046	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:56544	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
732001	NO. 1 ENGINE ECU							Component	ATA:73
PN:117162	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:LH2A0739	HRS	0			TSN 0				
WC#: 73.050	AFL	0			TSN 0				
PROC. REF: AMM 73-20-01									
732002	NO. 2 ENGINE ECU							Component	ATA:73
PN:117162	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:LH2A0732	HRS	0			TSN 0				
WC#: 73.050	AFL	0			TSN 0				
PROC. REF: AMM 73-20-01									
732101	NO. 1 ENGINE - ELECTRONIC CONTROL UNIT							Component	ATA:73
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-24-01-802A-520A-A									
732101	NO. 2 ENGINE - ELECTRONIC CONTROL UNIT							Component	ATA:73
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-24-01-802A-520A-A									
732104 ^S	NO. 1 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 73-24-01-805A-913A-A									
732104 ^S	NO. 2 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 73-24-01-805A-913A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732105 ^S	NO. 1 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:PN	MOS		10-Jul-23						
SN:UNKNOWN	HRS		1970.3			300 (+30)			
	ENC		1639						
PROC. REF: LMM 71-00-00-818A-322A-A								PKG:1,2	
732105 ^S	NO. 2 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:PN	MOS		10-Jul-23						
SN:UNKNOWN	HRS		1970.3			300 (+30)			
	ENC		1639						
PROC. REF: LMM 71-00-00-818A-322A-A								PKG:1,2	
732401	NO. 1 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:78186	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:RF13444761	HRS		0	5000 (+100)	TSN 0	(5000) 5000	5100	2935.1 (+100)	
	ENC		0	TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
732401	NO. 2 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:78186	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:RF13444764	HRS		0	5000 (+100)	TSN 0	(5000) 5000	5100	2935.1 (+100)	
	ENC		0	TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
733001	NO. 1 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1/2-1-81-302	MOS/MSC		09-Sep-22	O/C					
SN:605963	HRS		1828.2						
WC#: 73.010	AFL		1558						
PROC. REF: AMM 73-30-01									
733002	NO. 2 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1/2-1-81-302	MOS/MSC		09-Sep-22	O/C					
SN:602858	HRS		1828.2						
WC#: 73.010	AFL		1558						
PROC. REF: AMM 73-30-01									
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC		10-Jul-23	O/C					
SN:CK-1905820	HRS		1970.3						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-1601397	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-1300539	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-2100966	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-A									
742037 ^S	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742037 ^S	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742040 ^S	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-00-10-801A-340A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742040 ^S	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1,2	
742050 ^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
					PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742050 ^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
					PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				
742202	NO. 1 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742202	NO. 2 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-22-01-801A-520A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
751001	NO. 1 ENGINE ANTI ICE VALVE							Component	ATA:75
PN:5188-00-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0811	HRS	0		TSN 0					
WC#: 75.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
751002	NO. 2 ENGINE ANTI ICE VALVE							Component	ATA:75
PN:5188-00-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0807	HRS	0		TSN 0					
WC#: 75.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
753010 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 75-30-01-801A-310A-A									
753010 ^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 75-30-01-801A-310A-A									
753020	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753020	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
100A09 ^S	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-BELOW FLOORS							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 76.030	AFL	1683							
	PROC. REF: AMM 20-14-00								PKG:7
200A13 ^S	INSPECT THRUST LEVER/THROTTLE QUADRANT LEVER							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.010	AFL	1683							
	PROC. REF: GENERIC NO REF								PKG:6
200A14 ^S	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-ABOVE FLOORS							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.040	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
300A39 ^S	INSPECT POWER CONTROL CABLES - AFT FUSELAGE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.050	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
400A18 ^S	CHECK NO. 1 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.020	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
400B18 ^S	CHECK NO. 2 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.020	AFL	1683							
	PROC. REF: AMM 76-10-02								PKG:6
ATA 77 - ENGINE INDICATING									
771005	NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355-C	MOS/MS	16-May-17	O/C						
SN:MD-0140432	HRS	813.42							
	ENC	833							
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771005		NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR						Component	ATA:77
PN:57355-C	MOS/MSC	16-May-17	O/C						
SN:MD-0134214	HRS	813.42							
	ENC	833							
PROC. REF: GENERIC NO REF									
771015		NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR						Component	ATA:77
PN:54831	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MD-0143176	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
771015		NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR						Component	ATA:77
PN:54831	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MD-0139499	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
772005		NO. 1 ENGINE - TT2 SENSOR						Component	ATA:77
PN:59715	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:LR10379	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-01-801A-520A-A									
772005		NO. 2 ENGINE - TT2 SENSOR						Component	ATA:77
PN:59715	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:LR10333	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-01-801A-520A-A									
772010 ^S		NO. 1 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT						Service	ATA:77
PN:59715	MOS	10-Jul-23							
SN:LR10379	HRS	1970.3	300 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A									
								PKG:1,2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772010 ^S	NO. 2 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT							Service	ATA:77
PN:59715	MOS		10-Jul-23						
SN:LR10333	HRS		1970.3		300 (+30/-30)				
	ENC		1639						
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A								PKG:1,2	
ATA 78 - EXHAUST									
781001	NO. 1 ENGINE EXHAUST NOZZLE ASSEMBLY							Component	ATA:78
PN:390-910017-0003	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:51089926	HRS		0		TSN 0				
WC#: 78.020	AFL		0		TSN 0				
PROC. REF: AMM 78-10-01									
781002	NO. 2 ENGINE EXHAUST NOZZLE ASSEMBLY							Component	ATA:78
PN:390-910017-0002	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 78.020	AFL		0		TSN 0				
PROC. REF: AMM 78-10-01									
ATA 79 - OIL									
792015 ^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS		10-Jul-23						
	HRS		1970.3		300 (+30)				
	ENC		1639						
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A								PKG:1,2	
792015 ^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS		10-Jul-23						
	HRS		1970.3		300 (+30)				
	ENC		1639						
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A								PKG:1,2	
792020 ^S	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS		10-Jul-23						
	HRS		1970.3		300 (+30)				
	ENC		1639						
PROC. REF: LMM 79-30-01-801A-310A-A								PKG:1,2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792020 ^S	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
	PROC. REF: LMM 79-30-01-801A-310A-A							PKG:1,2	
792025 ^S	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
	PROC. REF: LMM 72-00-03-801A-200A-A							PKG:2	
792025 ^S	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
	PROC. REF: LMM 72-00-03-801A-200A-A							PKG:2	
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:110590	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:MX20375	HRS	0	6000 (+100)	TSN 0	(6000) 6000	6100	3935.1 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:110590	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:MX20377	HRS	0	6000 (+100)	TSN 0	(6000) 6000	6100	3935.1 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
793001	NO. 1 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:680S53	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:772	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
	PROC. REF: AMM 79-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N254BC HRS: 2064.9 AFL: 1712 As Of: 19-Nov-2024

03-Dec-2024 10:55 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793002	NO. 2 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:680S53	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:775	HRS	0	TSN 0						
WC#: 79.010	AFL	0	TSN 0						
PROC. REF: AMM 79-30-01									
793003	NO. 1 ENGINE OIL TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:170251	HRS	0	TSN 0						
WC#: 79.020	AFL	0	TSN 0						
PROC. REF: AMM 79-30-03									
793004	NO. 2 ENGINE OIL TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:168500	HRS	0	TSN 0						
WC#: 79.020	AFL	0	TSN 0						
PROC. REF: AMM 79-30-03									
793005	NO. 1 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:101-389023-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7883-12-23	HRS	0	TSN 0						
WC#: 79.030	AFL	0	TSN 0						
PROC. REF: AMM 79-30-02									
793006	NO. 2 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:101-389023-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 79.030	AFL	0	TSN 0						
PROC. REF: AMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task